


2020

# PYRAMEX

PYRAMEX IS DEDICATED TO PROTECTING YOU
SO YOU CAN PERFORM AT YOUR PEAK

RETAIL

# TABLE OF CONTENTS


## GLOVES

Leather Palms ..... 12
Leather Drivers ..... 13
Welding ..... 15
Polyurethane Dipped ..... 17
Latex Dipped ..... 18
Nitrile Dipped ..... 19
Synthetic Leather ..... 22

## WORKWEAR

ANSI Type R Class 2
Vests ..... 26
Shirts ..... 29
Insulated Wear ..... 33
ANSI Type R Class 3
Vests ..... 30
Shirts ..... 30
Outerwear ..... 31
Rainwear ..... 34
ANSI Type R Class E
Insulated Wear ..... 33
Rainwear ..... 35
CSA Level 2 Class 2
Vests ..... 35
Shirts ..... 36
Outerwear ..... 37
Non-rated ..... 39
Acessories ..... 40

## EYEWEAR

Accessories ..... 81
Accurist® ..... 51
Achieva® ..... 69
Alair® ..... 69
Atoka® ..... 69
Avanté® ..... 62
Azera® ..... 55
Cappture™ ..... 75
Capstone® 500 ..... 77
Capstone 600 ..... 78
Capstone Dual ..... 77
Capstone Shield ..... 76
Conaire™ ..... 52
Cortez® ..... 66
Crossovr™ ..... 46
Defiant® ..... 75
Displays ..... 82
Emerge® ..... 70
Emerge Plus ..... 70
Endeavor™ Plus ..... 64
Ever-Lite® ..... 56
Ever-Lite Readers ..... 71
Exeter® ..... 53
Fastrac® ..... 69
Flex-Lyte™ ..... 56
Fortress® ..... 61
Forum® ..... 63
Furix® ..... 54
Fyxate™ ..... 49
Goggles ..... 76
Goliath® ..... 53
Gravex® ..... 58
Highlander™ ..... 48
Highlander Plus ..... 49
I-Force® ..... 47
I-Force Slim ..... 47
Integra® ..... 62
Intrepid II® ..... 64
Intruder® ..... 68
Intruder and Mini Multi-Colors ..... 68
Intruder Readers ..... 73
Ionix® ..... 60
Isotope™ ..... 46
Itek® ..... 65
Lens Cleaning ..... 82
Mini Intruder ..... 68
Mini Ztek ..... 67
Monitor™ ..... 55
Neshoba™ ..... 66
Onix® ..... 61
Onix Plus ..... 61
OTS® ..... 74
OTS XL ..... 74
Pathfinder™ ..... 55
PMXCEL® ..... 51
PMXSLIM® ..... 66
PMXTREME® ..... 59
PMXTREME LED ..... 59
PMXTREME LED Readers ..... 72
PMXTREME Readers ..... 72
PMXTREME Rx ..... 59
Provoq® ..... 67
Proximity® ..... 51
Reatta® ..... 60
Rendezvous® ..... 60
Sitecore™ ..... 57
Solara® ..... 54
Solo® ..... 74
Surveyor® ..... 63
Torser™ ..... 47
Trifecta® ..... 55
TruLock™ ..... 65
TruLock Multi-Colors ..... 65
V2® Metal ..... 58
V2G® ..... 48
V2G Readers ..... 73
V2G-Plus® ..... 78
V3T™ ..... 49
Velar™ ..... 52
Venture II® ..... 58
Venture II Readers ..... 71
Venture 3® ..... 57
XS3 Plus® ..... 50
XSG® ..... 50
XSG Kit ..... 50
XSG Readers ..... 73
Zone II® ..... 54
Ztek® ..... 67
Ztek Readers ..... 72

## HEADGEAR

Adapters ..... 92
Balaclavas ..... 96
Baseball Bump Caps ..... 91
Face Shields ..... 93
Hard Hat Stickers ..... 92
Headgear ..... 94
Kits ..... 95
N95 Respirators ..... 96
Ridgeline® Bump Caps ..... 88
Ridgeline Cap Style ..... 87
Ridgeline Full Brim ..... 88
Ridgeline Hydro Dipped ..... 89
Ridgeline XR7 ..... 86
SL Series Cap Style ..... 90
SL Series Full Brim ..... 90
SL Series Sleek Shell ..... 91

## WELDING

Accessories ..... 102
Auto-darkening ..... 100
IR Filter Products ..... 103
Passive Helmet ..... 102

## HEARING

Cap Mounted Earmuffs ..... 110
Earplugs ..... 111
Electronic Earmuffs ..... 108
Metal Detectable Earplugs ..... 110
Passive Earmuffs ..... 109

## COOLING

Evaporative ..... 116
Sun Shade ..... 117
Moisture-wicking ..... 118

## ERGONOMICS

Back Support ..... 121
Knee Pads ..... 121

## RETAIL SOLUTIONS

### VENTURE GEAR® TACTICAL

Displays ..... 138
Drone® ..... 125
Howitzer™ ..... 125
Loadout™ ..... 126
Overwatch® ..... 124
Packaging ..... 139
Semtex 2.0™ ..... 126
Stonewall® ..... 125

### VENTURE GEAR®

Atwater™ ..... 130
Brevard® ..... 128
Displays ..... 138
Drop Zone® ..... 131
Monteagle™ ..... 130
Packaging ..... 139
Pagosa® ..... 128
Tensaw® ..... 129
Vallejo® ..... 127
Waverton™ ..... 129
Zumbro® ..... 131

### CARHARTT®

Billings® ..... 135
Braswell™ ..... 134
Carbondale® ..... 133
Carthage® ..... 132
Cayce™ ..... 135
Displays ..... 138
Easley™ ..... 135
Ironside® ..... 133
Packaging ..... 139
Rockwood® ..... 135
Spokane® ..... 134
Toccoa™ ..... 132

### DUCKS UNLIMITED®

DUCAB ..... 136
DUCAB2 ..... 137
DUCLAM1 ..... 136
DUCLAM2 ..... 137
Packaging ..... 139
Shooting Eyewear ..... 137

### HEARING


Amp BT™ ..... 140
Clandestine™ ..... 140
Ever-Lite® Range Kit ..... 142
Packaging ..... 139
Sentinel™ ..... 140
DU Shooting Kits ..... 142
VG80 Series ..... 141
VG90 Series ..... 141
VGBH9010C ..... 141

### KITS

Ever-Lite® Range Kit ..... 142
Packaging ..... 139
DU Shooting Kits ..... 142

### PYRAMEX® RETAIL

Cappture™ ..... 143
Disposable Earplugs ..... 143
Face Shields ..... 143
N95 Respirators ..... 143
Onix® ..... 143
PYS25 Combo Kits ..... 143
Reusable Earplugs ..... 143
Venture 3® ..... 143



# THE PYRAMEX PROMISE

At Pyramex, our promise to our customer is to provide the best possible products, the best possible service, and most importantly, an attitude of making our customer's lives easier on a day-to-day basis. Our values challenge us toward a commitment to truth and to deliver what we promise.

Pyramex has been around for over two decades, and while a lot has changed for the company— we have grown, innovated, relocated, and improved— so much has remained the same. Our customers are and always have been our number one priority. We are endlessly looking to them for feedback, for direction, for inspiration...Why? Because they're the ones who are going to work every day wearing our products. They're who Pyramex makes products for. We value every conversation with our distributors, rep groups, and end-users, because each interaction allows us to grow and become better. We like to say that when you contact Pyramex, you are contacting a person and not a machine. But we forget one huge detail; you talk not only to a person, but a person who values you for calling, chatting, or emailing us. Our partnerships with each of our customers is our highest priority.

Our products are a direct reflection of our tirelessness to bring you the best. Many hours are spent researching, designing, and perfecting each product to bring you exactly what you need. We test them to the highest safety standards and make them with the most durable, innovative, and appropriate materials for their designated applications.  As you look through this 2020 catalog, we encourage you to take note of each product's safety information, specific features, and standards that have been curated for the sole purpose of helping you to understand what it is you are buying. It is important to us to keep you informed, and for the catalog you hold in your hands to not just be a catalog, but a tool filled with useful information.



# MARKETING AT YOUR FINGERTIPS

Pyramex creates the marketing tools you require to be knowledgable about our offerings. By using these tools, you can provide the necessary solutions for your customers. Be sure to ask your sales representative for any of these resources.

### PYRAMEX WEBSITE

Stay up to date on all things Pyramex by using our website as a tool. There, you will be able to browse our line – including our closeout and new items. You are able to view images, product sheets, catalogs, videos, etc. You can even Live Chat with us to get the answers you need. To utilize everything our website has to offer, visit PyramexSafety.com.

### BOX.COM


Need to get our marketing materials anytime? Then you need to be a part of our box.com group. Simply ask your sales representative for access and we will send you an invite. Once you have created a free box.com account, you will be able to view and download all our images, flyers, catalogs, brochures, guidelines etc.

### PYRAMEX BLOG

The Pyramex blog is another great resource. We try and give you the knowledge you need to better understand the safety market. From learning about tips to prevent heat stress to understanding when and where to wear your hi-vis, our blog is your tool. Go to Pyramex.blog.com.

### CUSTOMIZE

Imprint your logo or your customer's logo on Pyramex eyewear, earmuffs, hard hats, and workwear. In order to start the process, we only need your vectored artwork. We even offer this service for custom product flyers as well. Contact your sales representative for further details.





### 2020 CATALOG

Download PDF versions of this catalog on the website or request printed versions from your sales representative.




### CATEGORY BROCHURES

Download PDF versions of our brochures on the website or request printed versions from your sales representative.




11 x 17"

Posters available: gloves, workwear, eyewear, headgear, welding, hearing, Venture Gear Tactical®, and Venture Gear®




18 x 24"

### WHY YOU WEAR POSTER SERIES

We created the Why You Wear poster series to give you facts of why PPE is important and why we do what we do. There is a large poster that covers all product lines. There are also smaller product line posters that are more specific to that product. Request posters from your sales representative.

# OFFERING A FULL LINE OF PPE

No matter what job or activity you do, Pyramex's extensive line of PPE products will protect you. We offer a broad range of gloves, workwear, eyewear, headgear, welding helmets, hearing protection, cooling products and ergonomic support. All of our products have been independently tested for various standards and certifications. Pyramex Safety Products are available for sale through authorized distributors.

### OUR BRANDS

PYRAMEX · LEADHEAD · RIDGELINE · VENTUREGEAR TACTICAL · VENTUREGEAR

### LICENSE BRANDS

carhartt · DUCKS UNLIMITED

# WE ARE HERE TO HELP

PHONE 800-736-8673 // FAX 877-PYRAMEX

305 Keough Drive, Piperton, TN 38017

help@pyramex.com

Pyramex.com

Live Web Chat available at Pyramex.com

@PyramexSafety




LEATHER PALMS 12 – 13
LEATHER DRIVERS 13 – 15
WELDING 15
POLYURETHANE DIPPED 17
LATEX DIPPED 18
NITRILE DIPPED 19 – 21
SYNTHETIC LEATHER 22

LEARN MORE ABOUT
**NEW GLOVES**
IN THE ADDENDUM

# GET A GRIP

**Lacerations account for 63% of hand injuries. Other common injuries are crushes, detachments, punctures, and fractures.**

*Source: Safety and Health Council*

## CERTIFICATIONS

### ANSI/ISEA 105-2016

ANSI/ISEA 105 standard features cut ratings that range from A1 through A9. Cut ratings are based on the grams of weight needed to cut through the material. Our ANSI cut level glove options include A1 (200-499 gm), A2 (500-999 gm), A3 (1,000-1,499 gm), A4 (1,500-2,199 gm), A5 (2,200-2,999 gm), A6 (3,000-3,999 gm) and A7 (4,000-4,999 gm). The standard also measures abrasion levels based on the number of revolutions with a specified weight that it takes to abrade the glove. Level 0 (500 gm, < 100 rev), Level 1 (500 gm, > 100 rev), Level 2 (500 gm, > 500 rev), Level 3 (500 gm, > 1000 rev), Level 4 (1,000 gm, > 3,000 rev), Level 5 (1,000 gm, > 10,000 rev), Level 6 (1,000 gm, > 20,000 rev).The standard also includes a performance test for puncture resistance. The test measures how the glove will resist puncture by a blunt pointed object. Higher puncture forces indicate a greater puncture resistance. Level 1 (≥ 10 n), Level 2 (≥ 20 n), Level 3 (≥ 60 n), Level 4 (≥ 100 n) and Level 5 (≥ 150 n).

### ANSI/ISEA 138-2019

ANSI/ISEA 138 is a new standard to establish a minimum performance for gloves designed to protect the back of hand from impact forces. The standard features three performance levels with Level 3 providing the most impact protection. Level 1 (≤ 9 kN), Level 2 (≤ 6.5 kN), and Level 3 (≤ 4 kN). The less force that is transmitted to the wearer's hand earns a higher performance level indicating a greater degree of protection.


### CE EN388:2003

CE EN388 standard features abrasion, cut, tear and puncture ratings. Abrasion ratings are based on the number of cycles required to abrade through the sample glove. Cut ratings are based on the number of cycles required to cut through the sample at a constant speed. Tear ratings are based on the amount of force required to tear the sample. Puncture ratings are based on the amount of force required to pierce the sample with a standard-sized point.

Pyramex gloves that comply with the EN388:2003 standard can still be sold. As we move forward, we will start testing to the current 2016 standard.


### CE EN 420:2003 + A1:2009

EN 420:2003 + A1:2009: Protective Gloves – General requirements and test methods.




### CE EN388:2016


The TDM-100 Test is an additional cut test. This test is done after the first 60 rotations of the Coup test to assess the durability of a glove more accurately. Levels include A (200-508 grams), B (509-1019 grams), C (1020-1529 grams), D (1530-2242 grams), E (2243-3058 grams) and F (3059+ grams). The new standard also features an Impact Protection Test. This test is only for gloves that are intended to provide impact protection. The impact rating is based on the amount of impact energy (5 joules) dropped on the surface of the glove. Ratings include P (pass), F (fail), and X (not tested).




Product markings may vary. Refer to the product sheet for the most current test report results.

# BASIC GLOVE KNOWLEDGE


## GLOVE PATTERNS



**Clute Cut**
Palms are seam-free with stitching on the back of the hands + Provides good comfort and hand protection



**Gunn Cut**
Seamless back with a seam at the base of the two middle fingers at the natural crease in the hand + Most often used pattern in work gloves



**Reversible**
Thumb is positioned on the side of the hand so that it can be worn on either hand + Good for situations where palm or thumb receive a lot of wear

## THUMB TYPES



**Straight Thumb**
Thumb lies straight with index finger + Most common to fabric and leather gloves



**Wing Thumb**
Thumb that is angled diagonally across the palm + Improved comfort



**Keystone Thumb**
Inset thumb + Provides additional wear and greater comfort

## CUFF STYLES



**Knit**
Elasticized, stitched or plain material + Provides snug fit to keep water and debris out



**Slip-on**
No cuff + Glove material extends over wrist area



**Safety**
2.5" cuff + Quickly removed in case of emergency



**Gauntlet**
4.5" cuff + More protection to forearm




# LEATHER GLOVES

## GRAIN VS SPLIT LEATHER

**Grain Leather**
Taken from the outer layer of the hide + Provides products that are soft, smooth, and flexible

**Split Leather**
Leather that remains after the outer layer has been removed + Coarser, more resistant to abrasion, and repels water better





## HIDE SELECTION

**Side Leather**
Most durable + Highest quality

**Shoulder Leather**
More economical than side leather + Good durability

**Belly Leather**
Most economical version + Least durable




## LEATHER TYPES



**Cowhide**
Great value + Durability



**Goatskin**
Strong + Comfortable



**Pigskin**
Stays soft after getting wet + Breathable

## SIZING

The color of the binding around the cuff indicates the glove size.

| Small | Medium | Large | X-Large | 2X-Large | 3X-Large |
|---|---|---|---|---|---|
| 7 | 8 | 9 | 10 | 11 | 12 |

# LEATHER PALMS



## GL1001W

Select split shoulder cowhide // Wing thumb // Rubberized safety cuff // Gunn cut

GL1001W L – 2XL



## GL1002W

Select split shoulder cowhide // Wing thumb // Rubberized gauntlet cuff // Gunn cut

GL1002W L – XL



## GL1003W

Premium grain cowhide // Wing thumb // Rubberized safety cuff // Gunn cut

GL1003W L – XL



## GL1004W

Premium grain cowhide // Wing thumb // Rubberized gauntlet cuff // Gunn cut

GL1004W L – XL



## GL1005W

Select split shoulder cowhide // Wing thumb // Rubberized gauntlet cuff // Gunn cut // Full leather back

GL1005W L – XL

# LEATHER DRIVERS



## GL2001K

Value shoulder grain cowhide // Keystone thumb // Gunn cut // Unlined

GL2001K S – 2XL




## GL2003K

Select grain shoulder cowhide // Keystone thumb // Hi-vis orange finger tips and “Watch Your Hands” logo // Gunn cut // Unlined

GL2003K S – 2XL



## GL2004

Select grain shoulder cowhide // Straight thumb // Gunn cut // Unlined

GL2004 S – 2XL



## GL2004K

Select grain shoulder cowhide // Keystone thumb // Gunn cut // Unlined

GL2004K S – 3XL



## GL3004CW

**ANSI/ISEA 105-2016 – CUT A7 | PUNCTURE 5 | ABRASION 4**
**ANSI/ISEA 138-2019 – IMPACT 1**
**EN388: 2016 – 3X43FP**

Premium grain goatskin // Reinforced wing thumb // Gunn cut // Para-aramid liner // TPR // Hi-vis // Hook + loop closure

GL3004CW S – 2XL



## GL4001K

Select grain pigskin // Keystone thumb // Gunn cut // Unlined

GL4001K S – 2XL



## GL2005K

Premium grain cowhide with split leather palm patch // Keystone thumb // Gunn cut // Unlined

GL2005K S – 2XL



## GL3001K

Select grain goatskin // Keystone thumb // Gunn cut // Unlined

GL3001K S – 2XL

# WELDING



## GL6001W

Premium grain + split cowhide // Wing thumb // Gauntlet cuff // Gunn cut // Kevlar® stitching // Unlined // MIG + TIG welding

GL6001W S – XL

# DIPPED GLOVES

## COATINGS

**Polyurethane**
Value work glove + Low particulate shed + Touch sensitivity with dexterity

**Latex**
Flexibility in extreme temperatures + Tear resistant + Suited for wet and dry conditions

**Nitrile**
Latex alternative + Absorbs oil + Outstanding grip

## GRIPS

**Smooth**
Great dry grip + Does not absorb liquids

**Micro-Foam**
Excellent dry grip + Touch sensitivity + Channels away liquids

**Crinkle**
Outstanding grip in wet/ dry conditions + Channels away liquids

**Sandy**
Enhances grip in wet/ harsh conditions

**Pattern**
Reinforces grip performance + Durable

## LINER

**Nylon**
Abrasion resistant + Highly absorbent + Touch sensitivity with dexterity

**Polyester**
Resistant to shrinking and stretching + Quick drying

**HPPE**
Higher performance polyethylene + Cut resistant + Maximum strength + Minimum weight

## GAUGE

The gauge of the liner is the number of rows of stitches per inch. A glove with a higher gauge will fit better and have more dexterity + tactile feel. Our liner gauge options include 10g, 13g, 15g and 18g.

## SIZING

The color of the binding around the cuff indicates the glove size.

| Small | Medium | Large | X-Large | 2X-Large |
|---|---|---|---|---|
| 7 | 8 | 9 | 10 | 11 |








## GL401

**ANSI/ISEA 105-2016 – PUNCTURE 2 | ABRASION 1**
**EN388: 2016 – 4131X**

Polyurethane palm coating // 13 gauge nylon liner // Touch sensitivity // Low particulate shed

GL401 S – 2XL




## GL402C5

**ANSI/ISEA 105-2016 – CUT A4 | PUNCTURE 4 | ABRASION 3**
**EN388: 2016 – 4X43D**

Polyurethane palm coating // 13 gauge HPPE liner // Touch sensitivity // Low particulate shed

GL402C5 S – 2XL




## GL403C

**ANSI/ISEA 105-2016 – CUT A2 | PUNCTURE 3 | ABRASION 2**
**EN388: 2016 – 4X42B**

Polyurethane palm coating // 13 gauge HPPE liner // Touch sensitivity // Low particulate shed

GL403C S – 2XL




## GL404C

**ANSI/ISEA 105-2016 – CUT A4 | PUNCTURE 4 | ABRASION 4**
**EN388: 2016 – 4X42D**

Polyurethane palm coating // 13 gauge HPPE liner // Hi-vis // Touch sensitivity // Low particulate shed

GL404C S – 2XL

# LATEX




## GL501C5

**ANSI/ISEA 105-2016 – CUT A4 | PUNCTURE 4 | ABRASION 4**
**EN388: 2016 – 3X42D**

Latex crinkle palm coating // 13 gauge HPPE liner // Good grip in all conditions

GL501C5 S – 2XL




## GL502

**ANSI/ISEA 105-2016 – PUNCTURE 2 | ABRASION 4**
**EN388: 2016 – 3131X**

Latex smooth full dipped coating // Double dipped latex sandy palm coating // 13 gauge nylon liner // Hi-vis // Water-resistant

GL502 S – 2XL




## GL503

**ANSI/ISEA 105-2016 – CUT A1 | PUNCTURE 3 | ABRASION 4**
**EN388: 2016 – 3142X**

Latex crinkle palm coating // 10 gauge polyester liner // Good grip in all conditions

GL503 S – 2XL



# NITRILE




## GL601

**ANSI/ISEA 105-2016 – PUNCTURE 2 | ABRASION 6**
**EN388: 2016 – 4131X**

Nitrile micro-foam palm coating // 15 gauge nylon + spandex liner (silicone free) // Touch sensitivity // Good grip in all conditions

GL601 S – 2XL




## GL601DP

**ANSI/ISEA 105-2016 – PUNCTURE 2 | ABRASION 6**
**EN388: 2016 – 4131X**

Nitrile micro-foam palm coating // Dotted palm // 15 gauge nylon + spandex liner (silicone free) // Reinforced thumb // Touch sensitivity // Good grip in all conditions

GL601DP S – 2XL




## GL602C3

**ANSI/ISEA 105-2016 – CUT A2 | PUNCTURE 3 | ABRASION 4**
**EN388: 2016 – 4X42B**

Nitrile micro-foam palm coating // 13 gauge HPPE liner // Good grip in all conditions

GL602C3 S – 2XL




## GL603C5

**ANSI/ISEA 105-2016 – CUT A4 | PUNCTURE 4 | ABRASION 4**
**EN388: 2016 – 4X43D**

Nitrile micro-foam palm coating // 13 gauge HPPE liner // Good grip in all conditions // Hides stains

GL603C5 S – 2XL




## GL603DPC5

**ANSI/ISEA 105-2016 – CUT A4 | PUNCTURE 4 | ABRASION 4**
**EN388: 2016 – 4X43D**

Nitrile micro-foam palm coating // Dotted palm // 13 gauge HPPE liner // Reinforced thumb // Good grip in all conditions // Hides stains

GL603DPC5 S – 2XL




## GL604C5

**ANSI/ISEA 105-2016 – CUT A4 | PUNCTURE 3 | ABRASION 6**
**EN388: 2016 – 4X43D**

Nitrile sandy palm coating // 13 gauge HPPE liner // Good grip in all conditions // Extra absorption

GL604C5 S – 2XL




## GL607C

**ANSI/ISEA 105-2016 – CUT A4 | PUNCTURE 4 | ABRASION 5**
**EN388: 2016 – 4X43D**

Nitrile micro-foam palm coating // 13 gauge HPPE liner // Hi-vis // Good grip in all conditions

GL607C S – 2XL




## GL608C

**ANSI/ISEA 105-2016 – CUT A6 | PUNCTURE 4 | ABRASION 4**
**EN388: 2016 – 4X43F**

Nitrile sandy palm coating // 13 gauge HPPE liner // Hi-vis // Good grip in all conditions // Extra absorption

GL608C S – 2XL




## GL605

**ANSI/ISEA 105-2016 – PUNCTURE 2 | ABRASION 6**
**EN388: 2016 – 4131X**

Nitrile smooth full dipped coating // Double dipped nitrile sandy palm coating // 15 gauge polyester liner // Water-resistant // Good grip in all conditions // Extra absorption

GL605 S – 2XL




## GL606DPC

**ANSI/ISEA 105-2016 – CUT A3 | PUNCTURE 4 | ABRASION 6**
**EN388: 2016 – 4X42C**

Nitrile micro-foam palm coating // Dotted palm // 18 gauge HPPE liner // Reinforced thumb // Good grip in all conditions

GL606DPC S – 2XL




## GL609C

ANSI / ISEA 138 2

**ANSI/ISEA 105-2016 – CUT A6 | PUNCTURE 4 | ABRASION 6**
**ANSI/ISEA 138-2019 – IMPACT 2**
**EN388: 2016 – 4X43EP**

Nitrile sandy palm coating // 13 gauge HPPE liner // Reinforced thumb // TPR // Good grip in all conditions // Extra absorption

GL609C S – 2XL




## GL610C

ANSI / ISEA 138 2

**ANSI/ISEA 105-2016 – CUT A6 | PUNCTURE 4 | ABRASION 6**
**ANSI/ISEA 138-2019 – IMPACT 2**
**EN388: 2016 – 4X43EP**

Nitrile sandy palm coating // 3/4 dipped on back of hand // 13 gauge HPPE liner // Reinforced thumb // TPR // Hook and loop closure // Good grip in all conditions // Extra absorption // Touch screen capability

GL610C S – 2XL

# SYNTHETIC LEATHER



## GL102

**EN388: 2003 – 3241**

Synthetic leather + silicone patches // Spandex plus mesh fabric on back // Embossed neoprene on knuckle // Hook + loop closure // Touchscreen capability

GL102 S – 2XL



## GL201

**EN388: 2003 – 2121**

Spandex on back // EVA on index finger // PVC patches with EVA padding // Terry cloth on the back of thumb // Hook + loop closure // TPR // Anti-vibration

GL201 S – 2XL



## GL802CR

**ANSI/ISEA 105-2016 – CUT A3**
**EN388: 2003 – 3541**

Polyethylene + fiberglass liner // Spandex on back // Rough PVC palm // Long neoprene cuff // TPR // Hi-vis

GL802CR S, M, L, 2XL



## Glove Clips

Keeps gloves handy by clipping to your belt loop or tool belt // Breakaway feature for safety // Dielectric

**With Pyramex Logo**

- GLC100
- GLC120

**Without Pyramex Logo**

- GLC100IMP
- GLC120IMP








ANSI TYPE R CLASS 2
VESTS 26 – 29
SHIRTS 29
INSULATED WEAR 33

ANSI TYPE R CLASS 3
VESTS 30
SHIRTS 30
OUTERWEAR 31 – 32
RAINWEAR 34

ANSI TYPE R CLASS E
INSULATED WEAR 33
RAINWEAR 35

CSA LEVEL 2 CLASS 2
VESTS 35 – 36
SHIRTS 36
OUTERWEAR 37 – 38

NON-RATED 39

ACCESSORIES 40


LEARN MORE ABOUT
**NEW WORKWEAR**
IN THE ADDENDUM

# VISIBILITY IS KEY

According to the Federal Highway Administration, in 2013 a fatality occured in workzone crashes every 15 hours.

*Source: Federal Highway Administration*

## CERTIFICATIONS

| | |
|---|---|
| ANSI/ISEA 107-2015 | ● |
| Cert. Mod. - CAN/CSA Z96-15 | ● |

## ANSI/ISEA 107-2015

**Type R**
Type R provides daytime and nighttime visual enhancement for workers in occupational environments, which include exposure to traffic from public access rights-of-way, roadway temporary traffic control (TTC) zones, or work vehicles and construction equipment within a roadway TTC zone.

**Type O**
Type O provides moderate visibility, ideal for off-road workers.

**Class 1**
Performance Class 1 offers low risk workers with good visibility. Class 1 is ideal for jobs in areas where traffic is traveling under 25 mph or where the work site is a safe distance from roadways.

**Class 2**
Performance Class 2 uses additional high-visibility materials, which allow design opportunities to define the human form more effectively. Compared to Performance Class 1, Class 2 high-visibility safety apparel (HVSA) has the potential to provide detection and identification for longer distances.

**Class 3**
Performance Class 3 can offer greater visibility through a full range of body movements in both complex and non-complex backgrounds by having retro-reflective and combined performance materials on sleeves.

**Class E**
Class E high-visibility garments do not meet ANSI safety requirements when worn alone, but when worn with a Class 2 or Class 3 garment, the overall ensemble is classified as Class 3.

## CAN/CSA Z96-15

**Level 2**
Level 2 is the highest retro-reflective performance material and is visible under dark conditions from a great distance. Retro-reflective material also reflects light produced by the headlights of oncoming traffic back to the vehicle operator.

**Class 1**
Performance Class 1 offers good visibility with the lowest recognized coverage. Class 1 is ideal for jobs on or in parking areas, warehouses, sidewalks, shipping or receiving operations, etc.

**Class 2**
Performance Class 2 provides moderate body coverage and superior visibility. To comply with CSA standard, apparel has to fully cover the upper torso (front, back, sides and over the shoulders) with the reflective striping composed of retro-reflective or combined performance materials. X-back is used to distinguish whether a worker is facing toward or facing away from a hazard. X-back configuration is mandatory in Canada, but can be used for ANSI apparel.

Sources: ISEA International Safety Equipment Association & CSA Group

## SELF-EXTINGUISHING

Self-extinguishing high-visibility garments are tested using a small scale vertical flame, and are coated and or comprised of material that is designed to suppress flames. These items are NOT flame resistant.


## FEATURES




## SELECTION CHART

| | | |
|---|---|---|
| RVZ2410 | ● | S – 5XL |
| RVZ2420 | ● | S – 5XL |

Size Descriptions
Certifications
Part Numbers
Hi-vis Color



## LIME VS. ORANGE

One common question we are often asked is what the difference is between high-visibility lime and high-visibility orange material, if any. ANSI considers both among the approved colors for high-visibility workwear in all classes. The main difference between the two comes when taking the complexity of the background of the wearer into consideration. High-visibility lime is often perceived as brighter, making it ideal for urban environments where it stands out against concrete or other gray backgrounds. High-visibility orange is commonly used for road work. It mimics the same orange used in recognizable traffic cones and road construction signs. It also stands out among the green in heavily foliage areas, making it perfect for hunters or outdoor enthusiasts.

## SINGLE VS. CONTRASTING TAPE

Reflective tape is used on high-visibility garments to help with their overall visibility. Its purpose is to reflect light, adding greater conspicuity to any garment. The more tape that exists against the fluorescent background, the more the garment will stand out. Contrasting tape simply allows for a hi-vis garment to stand out even more against a complex background by being an additional element likely to grab our attention.

# ANSI TYPE R CLASS 2 VESTS

## SINGLE TAPE



### RVZ21 Series ANSI •

TYPE R CLASS 2

| MESH MATERIAL | ZIPPER CLOSURE | POCKETS OUT | POCKETS IN |
|---|---|---|---|
| ● | ● | 1 | 1 |

RVZ2110 • S – 5XL
RVZ2120 • S – 5XL



### RVZ21CP Series ANSI •

TYPE R CLASS 2

| MESH MATERIAL | ZIPPER CLOSURE | POCKETS OUT | POCKETS IN |
|---|---|---|---|
| ● | ● | 2 | 1 |

Clear chest pocket with hook and loop closure

RVZ2110CP • S – 5XL
RVZ2120CP • S – 5XL



### RVZ21SE Series NOT FR ANSI •

TYPE R CLASS 2

| SELF-EXTINGUISHING | MESH MATERIAL | ZIPPER CLOSURE | POCKETS OUT | POCKETS IN |
|---|---|---|---|---|
| SE | ● | ● | 1 | 1 |

RVZ2110SE • M – 5XL
RVZ2120SE • M – 5XL



### RVHL25 Series ANSI •

TYPE R CLASS 2

| MESH MATERIAL | BREAKAWAY CLOSURE | REINFORCED D-RING SLOT | POCKETS OUT | POCKETS IN |
|---|---|---|---|---|
| ● | ● | ● | 1 | 1 |

RVHL2510BRD • M – 5XL
RVHL2520BRD • M – 5XL



### RVZ26 Series ANSI •

TYPE R CLASS 2

| MESH MATERIAL | ZIPPER CLOSURE | POCKETS OUT | POCKETS IN |
|---|---|---|---|
| ● | ● | 1 | 1 |

RVZ2610 • M – 5XL



### RVZ28 Series ANSI •

TYPE R CLASS 2

| MESH MATERIAL | ZIPPER CLOSURE | POCKETS OUT | POCKETS IN |
|---|---|---|---|
| ● | ● | 6 | 3 |

Black trim // Clear chest pocket for badges with hook and loop closure // Reach-through pocket on back with zipper closures // Metal grommets on upper front collar trim // Mic tab

RVZ2810 • M – 5XL
RVZ2820 • M – 5XL



### RVHL20 Series ANSI •

TYPE R CLASS 2

| MESH MATERIAL | HOOK & LOOP | POCKETS OUT | POCKETS IN |
|---|---|---|---|
| ● | ● | 3 | 2 |

Mic tab

RVHL2010 • S – 6XL
RVHL2020 • S – 6XL



### RVHL29 Series ANSI •

TYPE R CLASS 2

| SOLID MATERIAL | HOOK & LOOP | POCKETS OUT | POCKETS IN |
|---|---|---|---|
| ● | ● | 0 | 0 |

RVHL2910 • S – 3XL
RVHL2920 • M – 3XL



### RVHLM29 Series ANSI •

TYPE R CLASS 2

| MESH MATERIAL | HOOK & LOOP | POCKETS OUT | POCKETS IN |
|---|---|---|---|
| ● | ● | 0 | 0 |

RVHLM2910 • S – 3XL

# CONTRASTING TAPE



## RVZ22 Series ANSI •

TYPE R CLASS 2

| MESH MATERIAL | ZIPPER CLOSURE | POCKETS OUT | POCKETS IN |
|---|---|---|---|
| | | 1 | 1 |

- RVZ2210 • M – 5XL
- RVZ2220 • M – 5XL



## RVZ22SE Series NOT FR ANSI •

TYPE R CLASS 2

| SELF-EXTINGUISHING | MESH MATERIAL | ZIPPER CLOSURE | POCKETS OUT | POCKETS IN |
|---|---|---|---|---|
| SE | | | 1 | 1 |

- RVZ2210SE • M – 5XL
- RVZ2220SE • M – 5XL



## RVZ23 Series ANSI •

TYPE R CLASS 2

| MESH MATERIAL | ZIPPER CLOSURE | POCKETS OUT | POCKETS IN |
|---|---|---|---|
| | | 4 | 2 |

Mic tabs

- RVZ2310 • S – 5XL
- RVZ2320 • S – 5XL



## RVZ24 Series ANSI •

TYPE R CLASS 2

| SOLID & MESH MATERIAL | ZIPPER CLOSURE | POCKETS OUT | POCKETS IN |
|---|---|---|---|
| | | 5 | 3 |

Mic tabs

- RVZ2410 • S – 5XL
- RVZ2420 • S – 5XL



## RVZ24CP Series ANSI •

TYPE R CLASS 2

| SOLID & MESH MATERIAL | ZIPPER CLOSURE | POCKETS OUT | POCKETS IN |
|---|---|---|---|
| | | 6 | 3 |

Clear chest pocket with hook and loop closure // Mic tabs

- RVZ2410CP • S – 5XL
- RVZ2420CP • S – 5XL



## RVZ24SE Series NOT FR ANSI •

TYPE R CLASS 2

| SELF-EXTINGUISHING | SOLID & MESH MATERIAL | ZIPPER CLOSURE | POCKETS OUT | POCKETS IN |
|---|---|---|---|---|
| SE | | | 5 | 3 |

Mic tabs

- RVZ2410SE • M – 5XL
- RVZ2420SE • M – 5XL



# ANSI TYPE R CLASS 2 SHIRTS

## SINGLE TAPE



## RVHL27 Series ANSI •

TYPE R CLASS 2

| MESH MATERIAL | BREAKAWAY CLOSURE | POCKETS OUT | POCKETS IN |
|---|---|---|---|
| | | 1 | 1 |

Clear chest pocket with hook and loop closure

- RVHL2710BR • M – 5XL
- RVHL2720BR • M – 5XL



## RVZ44B Series ANSI •

TYPE R CLASS 2

| SOLID & MESH MATERIAL | ZIPPER CLOSURE | POCKETS OUT | POCKETS IN |
|---|---|---|---|
| | | 6 | 2 |

Clear chest pocket with hook and loop closure // Reach-through pocket on back with zipper closures // Metal grommets on upper front collar and at waist // Padded collar // Mic tabs

- RVZ4410B • M – 5XL
- RVZ4420B • M – 5XL



## RTS21 Series ANSI •

TYPE R CLASS 2

| SOLID MATERIAL | POCKETS OUT | POCKETS IN |
|---|---|---|
| | 1 | 0 |

Moisture-wicking material // Rated UPF 30+

- RTS2110 • M – 5XL
- RTS2120 • M – 5XL



## RTS21B Series ANSI •

TYPE R CLASS 2

| SOLID MATERIAL | POCKETS OUT | POCKETS IN |
|---|---|---|
| | 1 | 0 |

Moisture-wicking material // Rated UPF 30+

- RTS2110B • M – 4XL/5XL
- RTS2120B • M – 4XL/5XL



## RTSHS21 Series ANSI •

TYPE R CLASS 2

| SOLID MATERIAL | POCKETS OUT | POCKETS IN |
|---|---|---|
| | 1 | 0 |

Moisture-wicking material // Rated UPF 30+ // Heat sealed tape

- RTSHS2110 • S – 5XL



## RTS21NP Series ANSI •

TYPE R CLASS 2

| SOLID MATERIAL | POCKETS OUT | POCKETS IN |
|---|---|---|
| | 0 | 0 |

Moisture-wicking material // Rated UPF 30+

- RTS2110NP • M – 5XL

# ANSI TYPE R CLASS 3 VESTS

## SINGLE TAPE



### RVZ31 Series ANSI •

TYPE R CLASS 3

MESH MATERIAL | ZIPPER CLOSURE | POCKETS 3 OUT 4 IN

RVZ3110 • M – 5XL
RVZ3120 • M – 5XL

## CONTRASTING TAPE



### RVZ34 Series ANSI •

TYPE R CLASS 3

SOLID & MESH MATERIAL | ZIPPER CLOSURE | POCKETS 5 OUT 3 IN

Mic tabs

RVZ3410 • S – 5XL
RVZ3420 • S – 5XL



### RVZ36 Series ANSI •

TYPE R CLASS 3

MESH MATERIAL | ZIPPER CLOSURE | POCKETS 4 OUT 0 IN

Mic tabs // Side zippers

RVZ3610 • M – 5XL

# ANSI TYPE R CLASS 3 SHIRTS

## SINGLE TAPE



### RTS34 Series ANSI •

TYPE R CLASS 3

SOLID MATERIAL | POCKETS 1 OUT 0 IN

Moisture-wicking material // Rated UPF 30+

RTS3410 • M – 5XL
RTS3420 • M – 5XL



### RLTS31 Series ANSI •

TYPE R CLASS 3

SOLID MATERIAL | POCKETS 1 OUT 0 IN

Moisture-wicking material // Rated UPF 30+

RLTS3110 • M – 5XL



### RLTS31B Series ANSI •

TYPE R CLASS 3

SOLID MATERIAL | POCKETS 1 OUT 0 IN

Moisture-wicking material // Rated UPF 30+

RLTS3110B • M – 5XL
RLTS3120B • M – 5XL



# ANSI TYPE R CLASS 3 OUTERWEAR

## SINGLE TAPE



### RSSH32 Series ANSI •

TYPE R CLASS 3

SOLID MATERIAL | POCKETS 1 OUT 0 IN

Weather resistant // Elastic knit at wrists and waist // Mesh lined hood with adjustable pull cord // Reach-through pocket

RSSH3210 • M – 5XL



### RSZH32 Series ANSI •

TYPE R CLASS 3

SOLID MATERIAL | ZIPPER CLOSURE | POCKETS 2 OUT 0 IN

Weather resistant // Elastic knit at wrists and waist // Mesh lined hood with adjustable pull cord

RSZH3210 • M – 5XL



### RSZH33 Series ANSI •

TYPE R CLASS 3

SOLID MATERIAL | ZIPPER CLOSURE | POCKETS 4 OUT 0 IN

Weather resistant material — Teflon™ treated // Elastic band at the waist and wrists // Clear chest pocket with hook and loop closure // Mic tabs // Drawstring hood

RSZH3310 • M – 5XL
RSZH3320 • M – 5XL



### RJ31 Series ANSI •

TYPE R CLASS 3

SOLID MATERIAL | ZIPPER CLOSURE | POCKETS 5 OUT 3 IN

Waterproof – ANSI 107-2015: AATCC 127 // Polyester shell with zip-out polar fleece liner // Elastic band at the waist and wrists // Concealed detachable hood // Cell phone/radio chest pocket with clear panel on outside shell // Mic tabs and pencil pocket

RJ3110 • S – 5XL
RJ3120 • S – 5XL



### RJ32 Series ANSI •

TYPE R CLASS 3

SOLID MATERIAL | ZIPPER CLOSURE | POCKETS 4 OUT 1 IN

Waterproof – ANSI 107-2015: AATCC 127 // Polyester shell with quilted lining // Elastic band at the waist and wrists // Concealed hood // Cell phone/radio chest pocket with clear panel on outside shell // Mic tabs and pencil pocket

RJ3210 • M – 6XL



## RJR33 Series ANSI •

TYPE R CLASS 3 with sleeves hi-vis side only
TYPE R CLASS 2 without sleeves hi-vis side only

| SOLID MATERIAL | ZIPPER CLOSURE | POCKETS Hi-vis Side OUT | POCKETS Hi-vis Side IN | POCKETS Black Side OUT | POCKETS Black Side IN |
|---|---|---|---|---|---|
| | | 4 | 3 | 3 | 4 |

Weather resistant 4-in-1 reversible quilted polyfil jacket // Removable, zip-out sleeves – converts Class 3 jacket to Class 2 vest // Reverses from hi-vis lime/black bottom to all black // Silver reflective tape on hi-vis side

RJR3310 • M – 5XL

Non-rated when reversed to all black side.



## RJR34 Series ANSI •

TYPE R CLASS 3 with sleeves hi-vis side only
TYPE R CLASS 2 without sleeves hi-vis side only

| SOLID MATERIAL | ZIPPER CLOSURE | POCKETS Hi-vis Side OUT | POCKETS Hi-vis Side IN | POCKETS Black Side OUT | POCKETS Black Side IN |
|---|---|---|---|---|---|
| | | 3 | 3 | 3 | 3 |

Weather resistant 4-in-1 reversible windbreaker polyester jacket // Elastic band at wrists // Removable, zip-out sleeves – converts Class 3 jacket to Class 2 vest // Reverses from hi-vis lime to gray/black // Silver reflective tape on hi-vis side // Hi-vis reflective piping on gray/black side // Bottom hem adjustment — bungee cord/toggle pull // Mic tab on hi-vis side

RJR3410 • M – 5XL

Non-rated when reversed to all black side.



## RP31 Series ANSI •

TYPE R CLASS 3

| SOLID MATERIAL | ZIPPER CLOSURE | POCKETS OUT | POCKETS IN |
|---|---|---|---|
| | | 5 | 3 |

Waterproof – ANSI 107-2015: AATCC 127 // Parka has polyester shell with zip out polar fleece liner // Elastic band at the wrists // Concealed detachable hood with drawstring // Zipper front closure // Interior access zipper for print customization // Cell phone/radio chest pocket with clear panel and 2 mic tabs // Drawstring around bottom

RP3110 • M – 5XL
RP3120 • M – 5XL



## RPB36 Series ANSI •

TYPE R CLASS 3

| SOLID MATERIAL | ZIPPER CLOSURE | POCKETS Outer Parka OUT | POCKETS Outer Parka IN | POCKETS Inner Jacket OUT | POCKETS Inner Jacket IN |
|---|---|---|---|---|---|
| | | 7 | 5 | 2 | 2 |

**Outer Parka**
Waterproof – ANSI 107-2015: AATCC 127// Parka has rip-stop shell with quilted lining — Teflon™ treated // Elastic band at wrists // Concealed detachable hood with drawstring and slack adjustment // Interior access zipper for print customization // Dual zipper front closure with hook and loop storm flap // Badge lanyard, d-ring hook, and 2 mic tabs // Heat sealed seams // Drawstring around bottom

**Inner Jacket**
Fleece // Elastic band at wrists // Drawstring around bottom

RPB3610 • M – 5XL



# ANSI TYPE R CLASS 2 INSULATED WEAR
## SINGLE TAPE



## RWVZ45 Series ANSI •

TYPE R CLASS 2 hi-vis side only

| SOLID MATERIAL | ZIPPER CLOSURE | POCKETS Hi-vis Side OUT | POCKETS Hi-vis Side IN | POCKETS Black Side OUT | POCKETS Black Side IN |
|---|---|---|---|---|---|
| | | 2 | 2 | 2 | 2 |

Weather resistant polyester reversible vest // Quilted fiber fill interior // Silver glass bead reflective tape // Tapered back

RWVZ4510 • S – 5XL

Non-rated when reversed to all black side.

# ANSI TYPE R CLASS E INSULATED WEAR
## SINGLE TAPE



## RWB46 Series ANSI •

TYPE R CLASS E

| SOLID MATERIAL | POCKETS OUT | POCKETS IN |
|---|---|---|
| | 8 | 0 |

Weather resistant Oxford polyester with quilted interior insulation // Heavy duty black material at knees to hide dirt // Elastic waistband and adjustable suspenders // Boot zippers with storm flap // Hammer loop

RWB4610 • S – 5XL

# ANSI TYPE R CLASS 3 RAINWEAR
## SINGLE TAPE

### RRWJ31 Series ANSI •

TYPE R CLASS 3

SOLID MATERIAL | ZIPPER CLOSURE | POCKETS 2 OUT 0 IN



Waterproof – ANSI 107-2015: AATCC 127 // Breathable polyester with polyurethane coating // Drawstring hood stows away in collar // Cape back and underarm vents // Heavy duty zipper front closure with snap storm flaps // Sewn and sealed waterproof seams // Elastic cuffs

RRWJ3110 • S – 5XL

### RRWC31 Series ANSI •

TYPE R CLASS 3

SOLID MATERIAL | ZIPPER CLOSURE | POCKETS 2 OUT 0 IN



Waterproof – ANSI 107-2015: AATCC 127 // Breathable polyester with polyurethane coating // Drawstring hood stows away in collar // Cape back and underarm vents // Heavy duty zipper front closure with snap storm flaps // Sewn and sealed waterproof seams // Vented bottom // Elastic cuffs

RRWC3110 • S – 5XL

# ANSI TYPE R CLASS E RAINWEAR
## SINGLE TAPE



### RRWB31 Series ANSI • TYPE R CLASS E

SOLID MATERIAL | POCKETS 3 OUT 0 IN

Waterproof – ANSI 107-2015: AATCC 127 // Breathable polyester with polyurethane coating // Heavy duty material (Oxford polyester) at knees // Removable knee pads // Metal take up snaps at pant legs // Elastic waistband and adjustable suspenders // Sewn and sealed waterproof seams

RRWB3110 • S – 5XL



### RRWP31 Series ANSI • TYPE R CLASS E

SOLID MATERIAL | POCKETS 2 OUT 0 IN

Waterproof – ANSI 107-2015: AATCC 127 // Breathable polyester with polyurethane coating // Metal take up snaps at bottom of pant legs // Elastic waistband // Sewn and sealed waterproof seams

RRWP3110 • S – 5XL

# CSA LEVEL 2 CLASS 2 VESTS
## SINGLE TAPE



### RCZ21 Series ANSI • CSA •

CSA LEVEL 2 CLASS 2 | ANSI TYPE R CLASS 2

MESH MATERIAL | ZIPPER CLOSURE | POCKETS 1 OUT 1 IN

RCZ2110 •• M – 5XL
RCZ2120 •• M – 5XL



### RCA25 Series ANSI • CSA •

CSA LEVEL 2 CLASS 2 | ANSI TYPE R CLASS 2

MESH MATERIAL | BREAKAWAY CLOSURE | REINFORCED D-RING SLOT | POCKETS 1 OUT 2 IN

Adjustable waist band

RCA2510M •• Medium adjusts to XL
RCA2510X2 •• 2XL adjusts to 5XL



### RCA25SE Series NOT FR ANSI • CSA •

CSA LEVEL 2 CLASS 2 | ANSI TYPE R CLASS 2

SELF-EXTINGUISHING | MESH MATERIAL | BREAKAWAY CLOSURE | REINFORCED D-RING SLOT | POCKETS 1 OUT 2 IN

Adjustable waist band

RCA2510SEM •• Medium adjusts to XL
RCA2510SEX2 •• 2XL adjusts to 5XL
RCA2520SEM •• Medium adjusts to XL
RCA2520SEX2 •• 2XL adjusts to 5XL

# CONTRASTING TAPE



## RCZ24 Series ANSI • CSA •

CSA LEVEL 2 CLASS 2 | ANSI TYPE R CLASS 2

SOLID & MESH MATERIAL | ZIPPER CLOSURE

| POCKETS | |
|---|---|
| 5 OUT | 3 IN |

Mic tabs

| | | |
|---|---|---|
| | RCZ2410 ●● | M – 5XL |
| | RCZ2420 ●● | M – 5XL |



## RCA27 Series ANSI • CSA •

CSA LEVEL 2 CLASS 2 | ANSI TYPE R CLASS 2

MESH MATERIAL | BREAKAWAY CLOSURE | REINFORCED D-RING SLOT

| POCKETS | |
|---|---|
| 1 OUT | 2 IN |

Adjustable waist band

| | | |
|---|---|---|
| | RCA2710M ●● | Medium adjusts to XL |
| | RCA2710X2 ●● | 2XL adjusts to 5XL |



## RCA27SE Series NOT FR ANSI • CSA •

CSA LEVEL 2 CLASS 2 | ANSI TYPE R CLASS 2

SE | SELF-EXTINGUISHING | MESH MATERIAL | BREAKAWAY CLOSURE | REINFORCED D-RING SLOT

| POCKETS | |
|---|---|
| 1 OUT | 2 IN |

Adjustable waist band

| | | |
|---|---|---|
| | RCA2710SEM ●● | Medium adjusts to XL |
| | RCA2710SEX2 ●● | 2XL adjusts to 5XL |
| | RCA2720SEM ●● | Medium adjusts to XL |
| | RCA2720SEX2 ●● | 2XL adjusts to 5XL |

# CSA LEVEL 2 CLASS 2 SHIRTS

## CONTRASTING TAPE



## RCTS21 Series ANSI • CSA •

CSA LEVEL 2 CLASS 2 | ANSI TYPE R CLASS 2

SOLID MATERIAL

| POCKETS | |
|---|---|
| 1 OUT | 0 IN |

Moisture-wicking material // Rated UPF 30+

| | | |
|---|---|---|
| | RCTS2110 ●● | XL, 3XL |



## RCLTS31 Series ANSI • CSA •

CSA LEVEL 2 CLASS 2 | ANSI TYPE R CLASS 3

SOLID MATERIAL

| POCKETS | |
|---|---|
| 1 OUT | 0 IN |

Moisture-wicking material // Rated UPF 30+

| | | |
|---|---|---|
| | RCLTS3110 ●● | M – 5XL |
| | RCLTS3111 ●● | S – 5XL |
| | RCLTS3120 ●● | M – 5XL |

Black shirt is rated CAN/CSA Z96-15 Level 2 Class 1 and ANSI / ISEA Type O Class 1



# CSA LEVEL 2 CLASS 2 OUTERWEAR

## CONTRASTING TAPE

## RCSZH33 Series ANSI • CSA •

CSA LEVEL 2 CLASS 2 | ANSI TYPE R CLASS 3

SOLID MATERIAL | ZIPPER CLOSURE

| POCKETS | |
|---|---|
| 4 OUT | 0 IN |

Weather resistant polyester material — Teflon™ treated // Elastic band at the waist and wrists // Chest pocket with clear panel and hook and loop closure // Mic tabs // Drawstring hood

| | | |
|---|---|---|
| | RCSZH3310 ●● | M – 5XL |




## RCJ32 Series ANSI • CSA •

CSA LEVEL 2 CLASS 2 | ANSI TYPE R CLASS 3

SOLID MATERIAL | ZIPPER CLOSURE

| POCKETS | |
|---|---|
| 4 OUT | 1 IN |

Waterproof – ANSI 107-2015: AATCC 127 // Polyester shell with quilted lining // Elastic band at the waist and wrists // Cell phone/radio chest pocket with clear panel, mic tabs and pencil pocket // Concealed hood

| | | |
|---|---|---|
| | RCJ3210 ●● | M – 5XL |
| | RCJ3220 ●● | M – 5XL |



## RCP32 Series ANSI • CSA •

CSA LEVEL 2 CLASS 2 | ANSI TYPE R CLASS 3

SOLID MATERIAL | ZIPPER CLOSURE | POCKETS: 4 OUT, 1 IN

Waterproof – ANSI 107-2015: AATCC 127 // Polyester shell with quilted lining // Elastic band at the wrists // Cell phone/radio chest pocket with clear panel, mic tabs and pencil pocket // Storm flap snap pockets // Concealed hood

RCP3220 •• M – 5XL



## RC7P35 Series ANSI • CSA •

CSA LEVEL 2 CLASS 2 | ANSI TYPE R CLASS 3

SOLID MATERIAL | ZIPPER CLOSURE | POCKETS: 3 OUT, 3 IN (Outer Jacket) | POCKETS: 2 OUT, 2 IN (Inner Jacket)

**Outer Parka**

Waterproof – ANSI 107-2015: AATCC 127 // Polyester shell with quilted lining and black material on bottom and at storm cuffs // Heavy duty zipper front closure with snap storm flaps // Side zippers for greater range of motion // Concealed detachable hood with drawstring // Interior access zipper for print customization // Snaps to hold inner jacket in place // Inner and outer cell phone pocket, storm flap snap pockets, and mic tabs

**Inner Jacket**

Waterproof – ANSI 107-2015: AATCC 127 // Hi-vis orange polyester material with black on bottom and at cuffs— reverses from hi-vis orange to black // Heavy duty zipper front closure // Converts to vest with removable, zip-out elastic sleeves // Knit stand-up collar // Heat sealed seams // Storm flap snap pockets and mic tabs

RC7P3520 •• M – 5XL



Inner jacket is ANSI / ISEA Type R Class 2 when worn without sleeves. When reversed to all black, inner jacket with or without sleeves is non-rated.



# NON-RATED



## RTS21NS Series NON-RATED

SOLID MATERIAL | POCKETS: 1 OUT, 0 IN

Moisture-wicking material // Rated UPF 30+

RTS2110NS M – 5XL



## RLTS31NS Series NON-RATED

SOLID MATERIAL | POCKETS: 1 OUT, 0 IN

Moisture-wicking material // Rated UPF 30+

RLTS3110NS M – 5XL



## RV1 Series NON-RATED

MESH MATERIAL | HOOK & LOOP

RV110 One Size Fits Most
RV120 One Size Fits Most



## RV1NS Series NON-RATED

MESH MATERIAL | HOOK & LOOP

RV110NS One Size Fits Most
RV120NS One Size Fits Most



## RV Series NON-RATED

MESH MATERIAL | HOOK & LOOP

RV10 One Size Fits Most
RV20 One Size Fits Most



## RV12 Series NON-RATED

MESH MATERIAL | HOOK & LOOP | POCKETS: 1 OUT, 0 IN

RV1227 S – M, L – XL, 2XL – 3XL, 4XL – 5XL
RV1235 S – M, L – XL, 2XL – 3XL, 4XL – 5XL
RV1265 S – M, L – XL, 2XL – 3XL, 4XL – 5XL
RV1270 S – M, L – XL, 2XL – 3XL, 4XL – 5XL



## RAB Series NON-RATED

Reflective arm bands

RAB10 One size fits most
RAB20 One size fits most



## RSC Series NON-RATED

Reflective seat belt covers

RSC10
RSC20



## RH1 Series NON-RATED

100% acrylic knit cap // Reflective stripe

RH110 One size fits most
RH120 One size fits most

# ACCESSORIES

## RLG Series ANSI •

ANSI SUPPLEMENTAL CLASS E

Reflective leg gaiters



RLG10 • One size fits most
RLG20 • One size fits most

RLG series is non-rated when worn alone. When paired with a ANSI/ISEA 107-2015 Class 2 or Class 3 item, ensemble meets Performance Class E standards.

## RMP10 Series ANSI •

ANSI SUPPLEMENTAL CLASS E

Reflective mesh pants // Elastic waistband with drawstring // Elastic ankle cuffs // Pass through pockets



RMP10 • S – M, L – XL, 2XL – 3XL, 4XL – 5XL

RMP10 series is non-rated when worn alone. When paired with a ANSI/ISEA 107-2015 Class 2 or Class 3 item, ensemble meets Performance Class E standards.



## HPSHADE Series

NON-RATED

Hard hat brim with neck shade // Lightweight material // Fits on the outside of hard hats // Shown with Ridgeline® hard hat – sold separately

HPSHADE30
HPSHADE40

For more information about the HPSHADE series see page 117.



## HPSHADEC30

NON-RATED

Collapsible hard hat brim with neck shade // Lightweight material // Silver reflective stripe // Fits on the outside of full brim hard hats // Shown with Ridgeline hard hat – sold separately

HPSHADEC30

For more information about the HPSHADEC series see page 117.



## HPESHADE10

NON-RATED

Hard hat neck shade // Mesh material // Elastic ribbing allows shade to fit on the outside of hard hats // Rated UPF 40 // Shown with Ridgeline hard hat – sold separately

HPESHADE10

For more information about the HPESHADE10 see page 117.



## CNS1 Series

NON-RATED

Cooling hard hat pad and neck shade // Evaporative quilted hi-vis material // Fits on the suspension of hard hats with hook and loop closures // To activate, soak in cool water // Reusable – just reactivate // Machine washable // Shown with Ridgeline hard hat – sold separately

CNS130
CNS140

For more information about the CNS1 series see page 116.

CNSI series have been third party tested and can be worn under ANSI/ISEA compliant Pyramex hard hats (except SL Sleek Shell series).



## RRH10 NON-RATED

Lightweight ranger style hat // Rated UPF 50 //Reflective piping and tape

RRH10 One size fits most

For more information about the RRH10 see page 117.



## MPB10 NON-RATED

Moisture-wicking // Multi-purpose headwear band // Rated UPF 50 // Reusable // Machine washable

MPB10 One size fits most

For more information about the MPB series see page 118.





## CV200 Series TYPE R CLASS 2

ANSI cooling vest // Inner evaporative PVA panels // 2" silver reflective material // Quilted outer shell is made from soft polyester // Zipper front closure // Adjustable waist band // Submerge in cool water before wearing to activate // Reusable – just reactivate // Machine washable

CV200M Medium adjusts to XL (38" x 48")
CV200X2 2XL adjusts to 5XL (50" x 64")

For more information about the CV200 series see page 116.






SEALED 46 – 51

FULL FRAME 52 – 55

HALF FRAME 56 – 63

FRAMELESS 64 – 69

READERS 70 – 73

OVER THE SPECTACLE 74 – 75

GOGGLES 76 – 80

ACCESSORIES 81 – 82


LEARN MORE ABOUT
**NEW EYEWEAR**
IN THE ADDENDUM

# HAVE AN EYE FOR SAFETY

Experts believe that proper eye protection could have prevented 90% of eye injuries in accidents. 1 in 10 eye injuries result in one or more days away from work.

*Source: Prevent Blindness*

## FEATURES

- ADJUSTABLE NOSEPIECE
- ADJUSTABLE TEMPLES
- CO-INJECTED TEMPLES
- DIELECTRIC
- DUAL PANE LENS
- FOAM PADDING
- INCLUDES STRAP
- LOCKING TEMPLE
- MULTI LENSES
- MIL-PRF-32432
- POLARIZED OPTION
- RATCHETING TEMPLES
- RUBBER NOSEPIECE
- RUBBER TIPS
- VENTED FRAME
- VENTED LENS

## SELECTION CHART

Frame / Temple Color
Number of Variations

**Black Frame | 6 Variations**


| | | |
|---|---|---|
| | SB9310ST ●●● | Clear H2X AF |
| | SB9310STM ●●● | Clear H2MAX AF |
| | SB9323ST ●● | Dark Gray H2X AF |
| | SB9323STM ●● | Dark Gray H2MAX AF |
| | SB9330ST ●●● | Amber H2X AF |
| | SB9380ST ●●● | I/O Mirror AF |

Lens Descriptions
Certifications
Part Numbers
Lens Color

## CERTIFICATIONS

| | |
|---|---|
| ANSI Z87.1+ High Impact | ● |
| CE EN166 | ● |
| Cert. Mod. - CAN/CSA Z94.3 SG third-party certification | ● |
| AS/NZS 1337 | ● |
| MIL-PRF-32432 High Velocity Impact Standards | ● |

## MARKING CONFIRMATIONS



# TREATMENTS

## H2MAX ANTI-FOG COATING

The innovative technology behind the H2MAX creates a high performing, superior anti-fog coating that is durable enough to withstand repeated cleanings without losing adhesion. Not only does this premium treatment ensure maximum clarity in the most extreme temperature and humid conditions, but it also adds a layer to the lens that is abrasion and chemical resistant. The H2MAX anti-fog coating is made from non-hazardous environmental components. Coating resists scratching from steel wool up to 100g of weight. H2MAX passes ANSI Z87.1 standards, CE standards for N and K, and Canadian certification CAN/CSA Z94.3.

H2MAX products can be cleaned with Pyramex lens cleaning towelettes. Do not use abrasive cleaning compounds, solvents, ammonia, or alkaline cleaners.

**WATCH THE VIDEO**
Vimeo.com/Pyramex/H2MAX

## H2X ANTI-FOG COATING

H2X provides anti-fog, anti-scratch, and anti-static protection. Even after repeated cleanings, H2X will continue to be effective because the coating is bonded to the lenses. The H2X anti-fog coating is made from non-hazardous environmental components. Coating is waterproof with excellent scratch resistance. H2X passes ANSI Z87.1 standards and Canadian certification CAN/CSA Z94.3.

# TECHNOLOGY

## POLYCARBONATE

All Pyramex safety eyewear utilize polycarbonate lenses. Polycarbonate lenses are up to 10 times more impact-resistant than plastic or glass lenses and provide 99% protection from the sun's harmful UV rays. They are lightweight and include a scratch-resistant coating to prevent surface scratches.

## POLARIZED

Polarized lenses eliminate glare, increase visual clarity and enhance contrast all while reducing eye strain. We offer polarized options in forest gray, sky red mirror, green mirror, blue mirror and gray.

## PHOTOCHROMIC

Photochromic lenses change from clear to dark, after exposed to direct UV light. Lenses change from dark to clear, after removed from UV light.



# COLORS

## VISIBLE LIGHT TRANSMISSION

When light passes through a lens, some of it is absorbed and some of it is reflected back. The amount of light that passes through is known as the visible light transmission (VLT) and is represented by a percentage. Lens colors with a higher percentage of VLT will be lighter and allow more light to pass through, while lens colors with a lower percentage of VLT will be darker, blocking more light from reaching your eyes.

- 94% Clear
- 89% Amber
- 84% Photochromic
- 82% Pink
- 71% Infinity Blue
- 66% 1.5 IR Filter
- 64% Arc
- 61% Orange
- 52% Light Gray
- 51% I/O Mirror
- 43% Purple Haze
- 38% Vermilion
- 27% Coffee
- 27% Multi-color Mirror
- 27% Sandstone Bronze
- 27% Shooter's Amber
- 23% Bronze
- 23% Gray
- 20% Sun Block Bronze
- 18% Antique Mirror
- 18% Blue Mirror
- 18% Gold Mirror
- 18% Green Mirror
- 18% Silver Mirror
- 14% Sky Red Mirror
- 13% Ice Blue Mirror
- 11% 3.0 IR Filter
- 11% Smoke Green Mirror
- 10% Forest Gray
- 10% Ice Orange Mirror
- 10% Smoke Green
- 7% Dark Gray
- 2% 5.0 IR Filter

## APPLICATIONS

Use our suggested lens color guide to help decide which lens is best for the task at hand.

### Outdoor Use
- Light Gray
- I/O Mirror
- Coffee
- Multi-color Mirror
- Sandstone Bronze
- Bronze
- Gray
- Sun Block Bronze
- Blue Mirror
- Gold Mirror
- Green Mirror
- Silver Mirror
- Sky Red Mirror
- Ice Blue Mirror
- Smoke Green Mirror
- Forest Gray
- Ice Orange Mirror
- Smoke Green
- Dark Gray
- Polarized Gray
- Polarized Blue Mirror
- Polarized Green Mirror
- Polarized Sky Red Mirror
- Polarized Forest Gray

### Excessive Glare
- Light Gray
- I/O Mirror
- Gray
- Blue Mirror
- Gold Mirror
- Green Mirror
- Silver Mirror
- Sky Red Mirror
- Ice Blue Mirror
- Forest Gray
- Ice Orange Mirror
- Dark Gray
- Polarized Gray
- Polarized Blue Mirror
- Polarized Green Mirror
- Polarized Sky Red Mirror
- Polarized Forest Gray

### Indoor Use
- Clear
- Amber
- Pink
- Infinity Blue
- Orange
- I/O Mirror
- Purple Haze

### Low Light
- Amber
- Pink
- Infinity Blue
- Orange
- Purple Haze
- Shooter's Amber
- Sun Block Bronze

### Enhance Contrast
- Amber
- Pink
- Infinity Blue
- Orange
- Purple Haze
- Vermilion
- Sandstone Bronze
- Shooter's Amber

### Welding
- 1.5 IR Filter
- Arc – 1.5 IR Filter
- 3.0 IR Filter
- 5.0 IR Filter

1.5 IR is designed for peripheral personnel and visitors who are NOT exposed to direct IR radiation.

Arc is great for use under the welding helmet – allowing welder to see work clearly without suffering "welder's flash burn" from surrounding welders.

# SEALED

## Crossovr™ ANSI • CE • CSA •

VENTED FRAME | INCLUDES STRAP

Removable indirect vented rolled rubber gasket // Adjustable detachable strap with quick release

**Black and Gray Frame | 3 Variations**

| | | |
|---|---|---|
| | SBG10610DT ●●● | Clear H2X AF |
| | SBG10620DT ●●● | Gray H2X AF |
| | SBG10680DT ●● | I/O Mirror AF |

**Gray and Lime Frame | 1 Variation**

| | | |
|---|---|---|
| | SGL10610DT ●●● | Clear H2X AF |



SBG106

## Torser™ ANSI • CE • CSA •

DIELECTRIC

Dielectric // Flexible rubber gasket // Ratchet elastic headband with quick-fit retainer // Passes D3: Droplet and Splash Test // Passes D4: Dust Test

**Black Body | 3 Variations**

| | | |
|---|---|---|
| | GB10010TM ●●● | Clear H2MAX AF |
| | GB10020TM ●●● | Gray H2MAX AF |
| | GB10025TM ●● | Light Gray H2MAX AF |



## Isotope™ ANSI • CE • CSA • Ballistic •

DIELECTRIC | RUBBER NOSEPIECE | INCLUDES STRAP | ADJUSTABLE TEMPLES | MIL-PRF-32432

Dielectric // Interchangeable temples and neoprene strap // Temples adjust to three different lengths // Frame features a rubber gasket // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards when worn with strap // Passes D3: Droplet and Splash Test when worn with strap // Passes D4: Dust Test when worn with strap

**Black Frame | 4 Variations**

| | | |
|---|---|---|
| | GB9410STM ●●●● | Clear H2MAX AF |
| | GB9420STM ●●●● | Gray H2MAX AF |
| | GB9430STM ●●●● | Amber H2MAX AF |
| | GB9480ST ●●●● | I/O Mirror AF |



**WATCH THE VIDEO**
Vimeo.com/Pyramex/Isotope

## I-Force® and I-Force Slim ANSI • CE • CSA • AS • Ballistic •

DUAL PANE LENS | FOAM PADDING | INCLUDES STRAP | VENTED FRAME | MIL-PRF-32432

Dual pane lens // Outer polycarbonate lens protects against the environment, while inner acetate lens prevents fogging // Outside lens is coated with anti-fog treatment // Quick release interchangeable temples and strap // Removable vented flame resistant foam carriage // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards



**I-Force**
**Black Frame | 4 Variations**

| | | |
|---|---|---|
| | SB7010SDT ●●●●● | Clear Dual Pane H2X AF |
| | SB7020SDT ●●●●● | Gray Dual Pane H2X AF |
| | SB7030SDT ●●●● | Amber Dual Pane H2X AF |
| | SB7080SDT ●●●● | I/O Mirror Dual Pane AF |

**I-Force Slim**
**Black Frame | 3 Variations**

| | | |
|---|---|---|
| | SB7010SDNT ●●●●● | Clear Dual Pane H2X AF |
| | SB7020SDNT ●●●●● | Gray Dual Pane H2X AF |
| | SB7080SDNT ●●●● | I/O Mirror Dual Pane AF |





148 mm



157mm

**WATCH THE VIDEO**
Vimeo.com/Pyramex/I-Force

I-Force Slim is about 6% smaller than the I-Force.

## V2G® ANSI • CE • CSA • AS • Ballistic •

FOAM PADDING | INCLUDES STRAP | RATCHETING TEMPLES | VENTED FRAME | MIL-PRF-32432

Flame resistant foam padding // Vented lens and frame // Interchangeable temples and strap included // Strap and temples feature ratchet adjustment with quick-fit retainer // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

**Black Frame | 8 Variations**

| | | |
|---|---|---|
| GB1810ST | ● ● ● ● ● | Clear H2X AF |
| GB1810STM | ● ● ● | Clear H2MAX AF |
| GB1820ST | ● ● ● ● ● | Gray H2X AF |
| GB1820STM | ● ● ● | Gray H2MAX AF |
| GB1830ST | ● ● ● ● ● | Amber H2X AF |
| GB1850SFT | ● | 5.0 IR Filter H2X AF |
| GB1860SFT | ● ● | 3.0 IR Filter H2X AF |
| GB1880ST | ● ● ● ● ● | I/O Mirror AF |





### V2G Rx Insert

RX1800



Securely snaps into place above nosepiece // Includes micro-fiber storage case // Accommodates -3.0 to +3.0 prescription lenses // Take insert to local optometrist for Rx lens installation

V2G Readers on page 73.

## Highlander™ ANSI • CE •

FOAM PADDING | INCLUDES STRAP

Removable soft foam carriage // Durable frame with detachable strap

**Black Frame | 5 Variations**

| | | |
|---|---|---|
| SBB5010DT | ● ● | Clear H2X AF |
| SBB5020DT | ● ● | Gray H2X AF |
| SBB5055DT | ● ● | Sky Red Mirror AF |
| SBB5070DT | ● ● | Silver Mirror AF |
| SBB5080DT | ● | I/O Mirror AF |





SBR50



SSB50

**Black and Red Frame | 2 Variations**

| | | |
|---|---|---|
| SBR5010DT | ● | Clear H2X AF |
| SBR5020DT | ● | Gray H2X AF |

**Black and Silver Frame | 2 Variations**

| | | |
|---|---|---|
| SSB5020DT | ● | Gray H2X AF |
| SSB5065DT | ● | Ice Blue Mirror AF |

Highlander is partially foam padded which allows for airflow.



## V3T™ ANSI • CSA •

FOAM PADDING | INCLUDES STRAP | VENTED FRAME

Vented lens and frame // Quick release strap // Flame resistant foam padding // Passes D3: Droplet and Splash Test

**Black Frame | 4 Variations**

| | | |
|---|---|---|
| SB10310ST | ● ● | Clear H2X AF |
| SB10320ST | ● ● | Gray H2X AF |
| SB10330ST | ● ● | Amber H2X AF |
| SB10380ST | ● ● | I/O Mirror AF |



## Fyxate™ ANSI • CSA •

DIELECTRIC | FOAM PADDING | RUBBER NOSEPIECE | RUBBER TIPS | INCLUDES STRAP

Dielectric // Rubber temple tips and nosepiece // Single wraparound lens // Flame resistant foam padding available on select options // Quick release strap available on foam padded options only

**Lens and Temples | 5 Variations**

| | | |
|---|---|---|
| SB10210S | ● ● | Clear |
| SB10210ST | ● ● | Clear H2X AF |
| SB10220S | ● ● | Gray |
| SB10220ST | ● ● | Gray H2X AF |
| SB10280S | ● ● | I/O Mirror |

**Foam Padded | 2 Variations**

| | | |
|---|---|---|
| SB10210STMFP | ● ● | Clear H2MAX AF |
| SB10220STMFP | ● ● | Gray H2MAX AF |



## Highlander™ Plus ANSI • CE • CSA • Ballistic •

FOAM PADDING | INCLUDES STRAP | VENTED FRAME | MIL-PRF-32432

Removable indirect vented flame resistant foam carriage // Detachable strap // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

**Black and Gray Frame | 5 Variations**

| | | |
|---|---|---|
| SBG5010DT | ● ● ● | Clear H2X AF |
| SBG5020DT | ● ● ● | Gray H2X AF |
| SBG5030DT | ● ● ● | Amber H2X AF |
| SBG5055DT | ● ● ● | Sky Red Mirror AF |
| SBG5080DT | ● ● ● ● | I/O Mirror AF |

Highlander Plus is partially foam padded which allows for airflow.



## XSG® ANSI • CE • CSA •

FOAM PADDING | INCLUDES STRAP

Flame resistant foam padding // Strap has quick-fit retainer // Interchangeable temples and strap included

**Black Frame | 4 Variations**

| | | |
|---|---|---|
| GB4010ST ••• | Clear H2X AF |
| GB4010STM ••• | Clear H2MAX AF |
| GB4020ST ••• | Gray H2X AF |
| GB4080ST ••• | I/O Mirror AF |

XSG Readers on page 73.



## XSG Kit ANSI • CE • Ballistic •

MULTI LENSES | FOAM PADDING | INCLUDES STRAP | MIL-PRF-32432

Interchangeable lenses, temples, and strap // Black nylon case for storage // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

**Black Frame | 3 Interchangeable Options**

| | | |
|---|---|---|
| GB4010KIT ••• | Clear H2X AF | Gray H2X AF | Amber H2X AF |




## XS3 PLUS® ANSI • CSA • AS •

FOAM PADDING | INCLUDES STRAP | CO-INJECTED TEMPLES

Unique slim temple design with co-injected temple tips // Flame resistant foam padding // Detachable strap // Passes D3: Droplet and Splash Test

**Black Frame | 3 Variations**

| | |
|---|---|
| SB4610STP ••• | Clear H2X AF |
| SB4620STP ••• | Gray H2X AF |
| SB4680STP •• | I/O Mirror AF |



## PMXCEL® ANSI •

FOAM PADDING | INCLUDES STRAP | POLARIZED OPTION

Flame resistant inner foam padding // Detachable strap

**Black Frame | 2 Variations**

| | |
|---|---|
| SB7320DT • | Gray AF |
| SB7321DT • | **Polarized** Gray AF |



## Proximity® ANSI • CE • CSA •

FOAM PADDING | CO-INJECTED TEMPLES

Removable flame resistant foam padding // Lightweight spectacle – 26.3gm // Slim co-injected temples

**Black Frame | 6 Variations**

| | |
|---|---|
| SB9310ST ••• | Clear H2X AF |
| SB9310STM ••• | Clear H2MAX AF |
| SB9323ST •• | Dark Gray H2X AF |
| SB9323STM •• | Dark Gray H2MAX AF |
| SB9330ST ••• | Amber H2X AF |
| SB9380ST ••• | I/O Mirror AF |



## Accurist® ANSI • CSA •

FOAM PADDING | CO-INJECTED TEMPLES | RUBBER NOSEPIECE

Flame resistant foam padding // Built-in rubber nosepiece // Co-injected temple tips



SBR87

**Black Frame | 4 Variations**

| | |
|---|---|
| SB8710DTP •• | Clear AF |
| SB8720DTP •• | Gray AF |
| SB8725DTP •• | Light Gray AF |
| SB8770DP •• | Silver Mirror |

**Black and Red Frame | 2 Variations**

| | |
|---|---|
| SBR8710DTP •• | Clear AF |
| SBR8720DTP •• | Gray AF |



# FULL FRAME

## Conaire™ ANSI • CSA •


RUBBER TIPS

Lightweight // Rubber temples

**Black Frame | 2 Variations**

| | | |
|---|---|---|
| | SB10710D • • | Clear |
| | SB10720D • • | Gray |



## Exeter® ANSI • CE • AS •


RUBBER NOSEPIECE


CO-INJECTED TEMPLES

Built-in rubber nosepiece // Co-injected rubber temples // Extended lens

**Glossy Black Frame | 7 Variations**

| | | |
|---|---|---|
| | SB5110DT • • | Clear H2X AF |
| | SB5120DT • • • | Gray H2X AF |
| | SB5133DT • | Shooter's Amber H2X AF |
| | SB5155DT • • • | Sky Red Mirror AF |
| | SB5170DT • • • | Silver Mirror AF |
| | SB5175DT • • | Blue Mirror AF |
| | SB5180DT • | I/O Mirror AF |



## Velar™ ANSI • CE • CSA •


RUBBER NOSEPIECE


CO-INJECTED TEMPLES

Built-in rubber nosepiece // Co-injected rubber temples

**Black Frame | 3 Variations**

| | | |
|---|---|---|
| | SB10410D • • • | Clear |
| | SB10420D • • • | Gray |
| | SB10465D • • • | Ice Blue Mirror |

**Black and Red Frame | 1 Variation**

| | | |
|---|---|---|
| | SBRF10445D • • • | Ice Orange Mirror |

**White and Blue Frame | 1 Variation**

| | | |
|---|---|---|
| | SWBL10465D • • | Ice Blue Mirror |

**White and Red Frame | 1 Variation**

| | | |
|---|---|---|
| | SWR10455D • • | Sky Red Mirror |




SB104


SWBL104


SWR104

## Goliath® ANSI • CE • CSA • AS •


CO-INJECTED TEMPLES


POLARIZED OPTION

Co-injected rubber temples

**Black Frame | 9 Variations**

| | | |
|---|---|---|
| | SB5610D • • • | Clear |
| | SB5610DT • | Clear H2X AF |
| | SB5620D • • • | Gray |
| | SB5620DT • • • | Gray H2X AF |
| | SB5621D • • • • | **Polarized** Gray |
| | SB5645D • • | Ice Orange Mirror |
| | SB5665D • • • • | Ice Blue Mirror |
| | SB5670D • • | Silver Mirror |
| | SB5680D • | I/O Mirror |



**White Frame | 3 Variations**

| | | |
|---|---|---|
| | SW5620D • • • | Gray |
| | SW5655D • • | Sky Red Mirror |
| | SW5665D • • • | Ice Blue Mirror |


SW56

## Solara® ANSI •



RUBBER NOSEPIECE

CO-INJECTED TEMPLES

Straight back temples with rubber insert // Built-in rubber nosepiece // Extended lens

**Black Frame | 5 Variations**

| | | |
|---|---|---|
| SB4310D • | Clear |
| SB4320D • | Gray |
| SB4360D • | Infinity Blue |
| SB4375D • | Blue Mirror |
| SB4380D • | I/O Mirror |

**Translucent Gray Frame | 2 Variations**

| | | |
|---|---|---|
| STG4310D • | Clear |
| STG4370D • | Silver Mirror |



STG43

## Azera® ANSI •



RUBBER NOSEPIECE

Straight back temples // Built-in rubber flange nosepiece

**Black Frame | 1 Variation**

| | | |
|---|---|---|
| SB4420D • | Gray |

## Trifecta® ANSI •



Provides excellent eye protection for work environments with high humidity that require impact protection // Meets ANSI Z87.1 requirements for screen lenses



SB74

**Black Frame | 2 Variations**

| | | |
|---|---|---|
| SB74WMD • | Black Wire Mesh |
| SB76WMD • | Black Punched Steel |

## Furix® ANSI •



Lightweight contemporary frame // Straight back temples

**Black Frame | 4 Variations**

| | | |
|---|---|---|
| SB8510DT • | Clear AF |
| SB8515DT • | Coffee AF |
| SB8520DT • | Gray AF |
| SB8575DT • | Blue Mirror AF |



## Monitor™ ANSI •

Conventional plastic frame with wire core temple for easy adjustment

**Caramel Frame | 1 Variation**

| | | |
|---|---|---|
| SC210C • | Clear |
| | |



## Pathfinder™ ANSI •

Metal frame features traditional aviator style // Integrated side shields

**Gold Metal Frame | 1 Variation**

| | | |
|---|---|---|
| SG310A • | Clear |
| | |

## Zone II® ANSI • CE • AS •



RUBBER NOSEPIECE

RUBBER TIPS

Built-in rubber nosepiece // Rubber coated temple tips

**Matte Black Frame | 6 Variations**

| | | |
|---|---|---|
| SB3310E • • | Clear |
| SB3320E • • • | Gray |
| SB3345E • • | Ice Orange Mirror |
| SB3365E • • | Ice Blue Mirror |
| SB3370E • • | Silver Mirror |
| SB3380E • • | I/O Mirror |

**Silver Frame | 5 Variations**

| | | |
|---|---|---|
| SS3320E • • | Gray |
| SS3345E • | Ice Orange Mirror |
| SS3365E • | Ice Blue Mirror |
| SS3370E • | Silver Mirror |
| SS3375E • | Blue Mirror |



SS33

# HALF FRAME

## Ever-Lite® ANSI • CE • CSA •



RUBBER NOSEPIECE | CO-INJECTED TEMPLES

Soft nosepiece for snug fit // Slim co-injected temples // Lightweight spectacle – 22 gm

**Black Frame | 19 Variations**

| | | |
|---|---|---|
| SB8610D | Clear | |
| SB8610DT | Clear H2X AF | |
| SB8610DTM | Clear H2MAX AF | |
| SB8620D | Gray | |
| SB8620DT | Gray H2X AF | |
| SB8620DTM | Gray H2MAX AF | |
| SB8623D | Dark Gray | |
| SB8623DT | Dark Gray H2X AF | |
| SB8624D | Photochromic | |
| SB8625DTM | Light Gray H2MAX AF | |
| SB8630D | Amber | |
| SB8650SF | 5.0 IR Filter | |
| SB8660D | Infinity Blue | |
| SB8660DT | Infinity Blue H2X AF | |
| SB8660DTM | Infinity Blue H2MAX AF | |
| SB8660SF | 3.0 IR Filter | |
| SB8665D | Ice Blue Mirror | |
| SB8680D | I/O Mirror | |
| SB8680DT | I/O Mirror AF | |

Photochromic lenses change from clear to dark, after exposed to direct UV light. Lenses change from dark to clear, after removed from UV light.

Ever-Lite Readers on page 71.

## Flex-Lyte™ ANSI • CE • CSA •

RUBBER NOSEPIECE | DIELECTRIC | CO-INJECTED TEMPLES

Soft nosepiece for snug fit // Special dielectric hinge design // Slim co-injected temples channel away sweat // Lightweight spectacle – 22 gm

**Black and Gray Frame | 5 Variations**

| | |
|---|---|
| SBG10510D | Clear |
| SBG10510DTM | Clear H2MAX AF |
| SBG10520D | Gray |
| SBG10520DTM | Gray H2MAX AF |
| SBG10580D | I/O Mirror |

**Black and Lime Frame | 5 Variations**

| | |
|---|---|
| SBL10510D | Clear |
| SBL10510DTM | Clear H2MAX AF |
| SBL10520D | Gray |
| SBL10520DTM | Gray H2MAX AF |
| SBL10580D | I/O Mirror |



SBG105

## Sitecore™ ANSI • CE • CSA •



RUBBER NOSEPIECE | RATCHETING TEMPLES | ADJUSTABLE TEMPLES

Built-in rubber nosepiece // Flexible and ventilated temples // Ratcheting temples // Temples adjust to three different lengths

**Black and Gray Frame | 6 Variations**

| | |
|---|---|
| SBG10110D | Clear |
| SBG10110DTM | Clear H2MAX AF |
| SBG10120D | Gray |
| SBG10120DTM | Gray H2MAX AF |
| SBG10130D | Amber |
| SBG10180D | I/O Mirror |

**Gray and Lime Frame | 5 Variations**

| | |
|---|---|
| SGL10110D | Clear |
| SGL10110DTM | Clear H2MAX AF |
| SGL10120D | Gray |
| SGL10120DTM | Gray H2MAX AF |
| SGL10180D | I/O Mirror |



SBG101

## Venture 3® ANSI • CE • CSA • AS • Ballistic •

VENTED FRAME | ADJUSTABLE NOSEPIECE | ADJUSTABLE TEMPLES | CO-INJECTED TEMPLES | CO-INJECTED TEMPLES | MIL-PRF-32432

Soft, adjustable nosepiece // Ventilated frame // Adjustable co-injected rubber temples // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

**Black Frame | 9 Variations**

| | |
|---|---|
| SB5710D | Clear |
| SB5710DT | Clear H2X AF |
| SB5710DTM | Clear H2MAX AF |
| SB5720D | Gray |
| SB5720DT | Gray H2X AF |
| SB5730D | Amber |
| SB5760D | Infinity Blue |
| SB5770D | Silver Mirror |
| SB5780D | I/O Mirror |

Venture 3 retail packaged products on page 143.





## Venture II® ANSI • CE • CSA • Ballistic •

RUBBER NOSEPIECE | ADJUSTABLE TEMPLES | MIL-PRF-32432

Temples adjust to four different lengths // Rubber nosepiece secures the glass and prevents slipping // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

**Black Frame | 15 Variations**

| | | |
|---|---|---|
| SB1810S | • • • • | Clear |
| SB1810ST | • • • • | Clear H2X AF |
| SB1820S | • • • • | Gray |
| SB1820ST | • • • • | Gray H2X AF |
| SB1830S | • • • • | Amber |
| SB1835S | • • • • | Sun Block Bronze |
| SB1840S | • • • • | Orange |
| SB1850SF | • • | 5.0 IR Filter |
| SB1860S | • • • • | Infinity Blue |
| SB1860SF | • • | 3.0 IR Filter |
| SB1870S | • • • • | Silver Mirror |
| SB1875S | • • • • | Blue Mirror |
| SB1880S | • • • • | I/O Mirror |
| SB1880ST | • • • • | I/O Mirror AF |
| SB1890S | • • • • | Gold Mirror |

REALTREE hardwoods HD

Venture II Readers on page 71.



SH18



SMB18



SSG18

**Realtree Hardwoods HD® Frame | 3 Variations**

| | | |
|---|---|---|
| SH1810S | • • | Clear |
| SH1820S | • • | Gray |
| SH1830S | • • | Amber |

**Slate Gray Frame | 1 Variation**

| | | |
|---|---|---|
| SSG1810S | • • | Clear |

**Metallic Blue Frame | 3 Variations**

| | | |
|---|---|---|
| SMB1810S | • • • | Clear |
| SMB1820S | • • | Gray |
| SMB1880S | • • | I/O Mirror |



## V2® Metal ANSI • CE • CSA •

RUBBER NOSEPIECE

Spring loaded temples allows for easy positioning // Contemporary metal frame and temples fit most facial sizes

**Gun Metal Frame | 2 Variations**

| | | |
|---|---|---|
| SGM1810S | • • • | Clear |
| SGM1820S | • • • | Gray |



## Gravex® ANSI •

Built-in nosepiece

**Black Frame | 4 Variations**

| | | |
|---|---|---|
| SB8910S | • | Clear |
| SB8910ST | • | Clear H2X AF |
| SB8920S | • | Gray |
| SB8980S | • | I/O Mirror |



## PMXTREME® ANSI • CE •

RUBBER NOSEPIECE | INCLUDES STRAP | RUBBER TIPS

Built-in rubber nosepiece // Ventilated flexible temples with rubber temple tips // Includes black lanyard cord

**Black Frame with Cord | 11 Variations**

| | | |
|---|---|---|
| SB6310SP | • | Clear |
| SB6310STP | • • | Clear AF |
| SB6320SP | • | Gray |
| SB6320STP | • • | Gray AF |
| SB6330SP | • | Amber |
| SB6345SP | • | Ice Orange Mirror |
| SB6360SP | • | Infinity Blue |
| SB6370SP | • | Silver Mirror |
| SB6375SP | • | Blue Mirror |
| SB6376SP | • | Smoke Green Mirror |
| SB6380SP | • | I/O Mirror |

**Camo Frame with Cord | 3 Variations**

| | | |
|---|---|---|
| SCM6310STP | • | Clear AF |
| SCM6318STP | • | Sandstone Bronze AF |
| SCM6320STP | • | Gray AF |

**Red Frame with Cord | 1 Variation**

| | | |
|---|---|---|
| SR6320SP | • | Gray |

PMXTREME Readers on page 72.



SCM63



SR63



## PMXTREME LED ANSI • CE •

RUBBER NOSEPIECE | RUBBER TIPS

Super bright swiveling LED bulbs (three lumens per side) allows you to see in dark places while keeping your hands free // Built-in rubber nosepiece and rubber temple tips // The alkaline batteries provide up to 50 hours of use before replacing. Three L44 alkaline batteries per temple (six total) are included // Easy to use push button on/off switches are located at the top of each temple

**Black Frame | 2 Variations**

| | | |
|---|---|---|
| SB6310SPLED | • | Clear |
| SB6310STPLED | • • | Clear AF |

PMXTREME LED Readers on page 72.



## PMXTREME Rx ANSI •

RUBBER NOSEPIECE | RUBBER TIPS

Includes RX insert which accommodates -3.0 to +3.0 prescription lenses // Take insert to local optometrist for Rx lens installation

**Black Frame | 2 Variations**

| | | |
|---|---|---|
| SB6310STRX | • | Clear AF |
| SB6320STRX | • | Gray AF |

## Rendezvous® ANSI • CE • Ballistic •



ADJUSTABLE NOSEPIECE | ADJUSTABLE TEMPLES | RATCHETING TEMPLES | MIL-PRF-32432

Adjustable nosepiece // Temples adjust to four different lengths // Lens angle aligns to proper position for work application with ratcheting lens pitch adjustment // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

**Black Frame | 10 Variations**

| | | |
|---|---|---|
| | SB2810S • • • | Clear |
| | SB2810ST • • • | Clear H2X AF |
| | SB2820S • • • | Gray |
| | SB2820ST • • | Gray H2X AF |
| | SB2830S • • • | Amber |
| | SB2840S • • • | Orange |
| | SB2860S • • | Infinity Blue |
| | SB2860ST • • | Infinity Blue H2X AF |
| | SB2870S • • • | Silver Mirror |
| | SB2880S • • • | I/O Mirror |



SCG28

**Crystal Gray Frame | 1 Variation**

| | | |
|---|---|---|
| | SCG2810ST • • | Clear H2X AF |

## Reatta® ANSI •

ADJUSTABLE NOSEPIECE | RUBBER NOSEPIECE | VENTED LENS

Adjustable rubber nosepiece // Straight back flexible temples // Vented lens allows airflow to prevent fogging

**Charcoal Frame | 2 Variations**

| | | |
|---|---|---|
| | SCH4810DT • | Clear H2X AF |
| | SCH4820D • | Gray |

**Charcoal and Blue Frame | 3 Variations**

| | | |
|---|---|---|
| | SNC4810D • | Clear |
| | SNC4820D • | Gray |
| | SNC4880D • | I/O Mirror |





SNC48

## Ionix® ANSI • CSA • Ballistic •

RUBBER NOSEPIECE | MIL-PRF-32432

Built-in rubber nosepiece // Flexible and ventilated temples // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

**Black Frame | 6 Variations**

| | | |
|---|---|---|
| | SB8110D • • • | Clear |
| | SB8110DT • • • | Clear AF |
| | SB8120D • • • | Gray |
| | SB8120DT • • • | Gray AF |
| | SB8165D • • • | Ice Blue Mirror |
| | SB8170D • • • | Silver Mirror |



## Onix® ANSI • CE • AS • Ballistic •

CO-INJECTED TEMPLES | ADJUSTABLE NOSEPIECE | RATCHETING TEMPLES | MIL-PRF-32432

Ratcheting co-injected temples // Adjustable rubber nosepiece // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

**Black and Green Frame | 1 Variation**

| | | |
|---|---|---|
| | SGR4910ST • • | Clear H2X AF |

Onix retail packaged products on page 143.



## Onix Plus ANSI • CE • AS •

CO-INJECTED TEMPLES | ADJUSTABLE NOSEPIECE | RATCHETING TEMPLES | MULTI LENSES

Co-injected temples // Adjustable rubber nosepiece // Unique 3-angle adjustable flip lens // Outer lens flips down for applications where IR lenses are needed

**Black Frame | 2 Variations**

| | | |
|---|---|---|
| | SB4950STP • • | Clear with 5.0 IR H2X AF |
| | SB4960STP • • • | Clear with 3.0 IR H2X AF |



## Fortress® ANSI •

ADJUSTABLE NOSEPIECE | RUBBER NOSEPIECE | VENTED LENS | RUBBER TIPS

Adjustable rubber nosepiece // Straight-back rubber coated temple tips // Vented lens allows airflow to prevent fogging

**Black Frame | 4 Variations**

| | | |
|---|---|---|
| | SB3710D • | Clear |
| | SB3710DT • | Clear AF |
| | SB3720D • | Gray |
| | SB3780D • | I/O Mirror |



**Gray Frame | 1 Variation**

| | | |
|---|---|---|
| | SG3710D • | Clear |

**Silver Frame | 2 Variations**

| | | |
|---|---|---|
| | SS3710D • | Clear |
| | SS3720D • | Gray |



SG37



SS37

## Integra® ANSI • CE • CSA •



ADJUSTABLE TEMPLES

RATCHETING TEMPLES

Adjustable temples ensure reliable performance



SM4 SN4 SNWR4 SR4

**Black Frame | 5 Variations**

| | | |
|---|---|---|
| | SB410S • • • | Clear |
| | SB410ST • | Clear AF |
| | SB420S • • | Gray |
| | SB450SF • • | 5.0 IR Filter |
| | SB460SF • | 3.0 IR Filter |

**Black Ratchet Frame | 1 Variation**

| | | |
|---|---|---|
| | SB410SR • | Clear |

**Mixed Blue Frame | 1 Variation**

| | | |
|---|---|---|
| | SM410S • | Clear |

**Blue Frame | 1 Variation**

| | | |
|---|---|---|
| | SN410S • | Clear |

**Red, White & Blue Frame | 1 Variation**

| | | |
|---|---|---|
| | SNWR410S • | Clear |

**Red Frame | 1 Variation**

| | | |
|---|---|---|
| | SR410S • | Clear |

## Surveyor® ANSI •

RUBBER NOSEPIECE

CO-INJECTED TEMPLES

Rubber comfort-fit temples // Soft nosepiece



**Black Temples | 4 Variations**

| | | |
|---|---|---|
| | SB6110ST • | Clear AF |
| | SB6120S • | Gray |
| | SB6145S • | Ice Orange Mirror |
| | SB6170S • | Silver Mirror |

## Avanté® ANSI •



VENTED FRAME

RUBBER NOSEPIECE

Vented frame // Flexible temples // Built-in rubber nosepiece



SGM45 SS45 SSB45

**Black Frame | 7 Variations**

| | | |
|---|---|---|
| | SB4510D • | Clear |
| | SB4520D • | Gray |
| | SB4530D • | Amber |
| | SB4560D • | Infinity Blue |
| | SB4570D • | Silver Mirror |
| | SB4575D • | Blue Mirror |
| | SB4580D • | I/O Mirror |

**Gun Metal | 2 Variations**

| | | |
|---|---|---|
| | SGM4510D • | Clear |
| | SGM4520D • | Gray |

**Silver Frame | 5 Variations**

| | | |
|---|---|---|
| | SS4510D • | Clear |
| | SS4520D • | Gray |
| | SS4545D • | Ice Orange Mirror |
| | SS4580D • | I/O Mirror |
| | SS4585D • | Ice Blue Mirror |

**Silver and Black Frame | 3 Variations**

| | | |
|---|---|---|
| | SSB4510D • | Clear |
| | SSB4520D • | Gray |
| | SSB4570D • | Silver Mirror |

## Forum® ANSI • Ballistic •

ADJUSTABLE NOSEPIECE

MIL-PRF-32432

Adjustable rubber nosepiece // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

**Black Frame | 1 Variation**

| | | |
|---|---|---|
| | SB6680D • • | I/O Mirror |



# FRAMELESS



## Endeavor™ Plus ANSI • CSA •

RUBBER NOSEPIECE | DIELECTRIC | CO-INJECTED TEMPLES | ADJUSTABLE NOSEPIECE | FOAM PADDING

Built-in brow guard // Special dielectric hinge design // Curved co-injected temples // One-piece wraparound lens // Soft adjustable nosepiece // Foam padding is available in select options

**Black and Gray Temples | 5 Variations**

| | | |
|---|---|---|
| | SBG9610S • • | Clear |
| | SBG9610ST • • | Clear H2X AF |
| | SBG9620S • • | Gray |
| | SBG9620ST • • | Gray H2X AF |
| | SBG9680S • • | I/O Mirror |

**Black and Green Temples | 4 Variations**

| | | |
|---|---|---|
| | SBGR9610S • • | Clear |
| | SBGR9610ST • • | Clear H2X AF |
| | SBGR9620S • • | Gray |
| | SBGR9680S • • | I/O Mirror |



SBG96



SBP96

**Black and Gray Temples with Foam Padding | 2 Variations**

| | | |
|---|---|---|
| | SBG9610STMFP • • | Clear H2MAX AF |
| | SBG9620STMFP • • | Gray H2MAX AF |

**Black and Green Temples with Foam Padding | 2 Variations**

| | | |
|---|---|---|
| | SBGR9610STMFP • • | Clear H2MAX AF |
| | SBGR9620STMFP • • | Gray H2MAX AF |

**Black and Pink Temples | 2 Variations**

| | | |
|---|---|---|
| | SBP9610S • • | Clear |
| | SBP9610ST • • | Clear H2X AF |

## TruLock™ ANSI • CE • CSA •

LOCKING TEMPLE | DIELECTRIC

Dielectric // Lightweight spectacle – 21 gm // Patented temples lock into place

**Black Temples | 8 Variations**

| | | |
|---|---|---|
| | SB9510S • • • | Clear |
| | SB9510ST • • • | Clear H2X AF |
| | SB9520S • • • | Gray |
| | SB9520ST • • • | Gray H2X AF |
| | SB9530S • • • | Amber |
| | SB9556S • • • | Multi-color Mirror |
| | SB9580S • • • | I/O Mirror |
| | SB9580ST • • | I/O Mirror AF |



**WATCH THE VIDEO**
Vimeo.com/Pyramex/TruLock

## TruLock Multi-Colors ANSI • CE • CSA •

Sold in dozen quantity only // Comes with six assorted temple colors: red, blue, green, purple, orange and black // Multi-pack includes two of each temple color with clear lenses // Perfect for work areas where color coding is necessary

**Multi-Color Temples | 2 Variations**

| | | |
|---|---|---|
| | S9510SMP • • • | Clear |
| | S9520SMP • • | Gray |



## Intrepid® II ANSI • CE • Ballistic •

RUBBER NOSEPIECE | RUBBER TIPS | MIL-PRF-32432

Nosepiece flange eliminates pressure on bridge of nose by evenly distributing weight of glass // Flexible rubber temples provide pressure-free fit behind the ear // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

**Black Temples | 5 Variations**

| | | |
|---|---|---|
| | SB8810S • • • | Clear |
| | SB8820S • • • | Gray |
| | SB8830S • • • | Amber |
| | SB8835S • • • | Sun Block Bronze |
| | SB8880S • • • | I/O Mirror |



## Itek® ANSI • CE • CSA • AS • Ballistic •

RUBBER NOSEPIECE | CO-INJECTED TEMPLES | MIL-PRF-32432

Integrated nosepiece with rubber posts // Soft co-injected rubber temple tips // Lens provides excellent side protection // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

**Lens and Temples | 10 Variations**

| | | |
|---|---|---|
| | S5810S • • • • • | Clear |
| | S5810ST • • • • | Clear H2X AF |
| | S5810STM • • • | Clear H2MAX AF |
| | S5820S • • • • • | Gray |
| | S5820ST • • • • | Gray H2X AF |
| | S5830S • • • • • | Amber |
| | S5860S • • • • | Infinity Blue |
| | S5870S • • • • | Silver Mirror |
| | S5875S • • • • | Blue Mirror |
| | S5880S • • • • | I/O Mirror |



## Cortez® ANSI • CE •



CO-INJECTED TEMPLES

RUBBER NOSEPIECE

Durable co-injected temples // Ribbed cushioned nosepiece

**Black Temples | 4 Variations**

| | | |
|---|---|---|
| | SB3610S • • | Clear |
| | SB3610ST • • | Clear H2X AF |
| | SB3620S • • | Gray |
| | SB3680S • • | I/O Mirror |

**Gray Temples | 2 Variations**

| | | |
|---|---|---|
| | SG3610S • | Clear |
| | SG3620S • | Gray |

**Orange Temples | 1 Variation**

| | | |
|---|---|---|
| | SO3610S • | Clear |



SG36



SO36

**Navy Temples | 1 Variation**

| | | |
|---|---|---|
| | SN3610S • | Clear |



SN36

## PMXSLIM® ANSI • CE • AS •

ADJUSTABLE NOSEPIECE

CO-INJECTED TEMPLES

Slim fit for smaller facial features // Soft adjustable nosepiece // Co-injected temple design includes soft rubber tips for a non-slip fit



**Black Temples | 6 Variations**

| | | |
|---|---|---|
| | SB7110S • • | Clear |
| | SB7110ST • • • | Clear H2X AF |
| | SB7120S • • | Gray |
| | SB7120ST • • • | Gray H2X AF |
| | SB7138S • • | Sandstone Bronze |
| | SB7180S • • | I/O Mirror |

## Neshoba™ ANSI • CE • CSA •

Frameless design with thin flexible temples // Ultra lightweight spectacle – 16 gm



**Black Temples | 10 Variations**

| | | |
|---|---|---|
| | S9710S • • • | Clear |
| | S9710ST • • • | Clear H2X AF |
| | S9710STM • • | Clear H2MAX AF |
| | S9720S • • • | Gray |
| | S9720ST • • • | Gray H2X AF |
| | S9720STM • • | Gray H2MAX AF |
| | S9730S • • • | Amber |
| | S9760S • • | Infinity Blue |
| | S9770S • • | Silver Mirror |
| | S9780S • • • | I/O Mirror |

## Ztek® ANSI • CE • CSA •

RUBBER TIPS

Integrated nosepiece // Soft non-slip rubber temple tips provide non-binding fit

**Lens and Temples | 18 Variations**

| | | |
|---|---|---|
| | S2510S • • • | Clear |
| | S2510ST • • • | Clear H2X AF |
| | S2514S • • • | 1.5 IR Filter |
| | S2515S • • • | Coffee |
| | S2520S • • • | Gray |
| | S2520ST • • | Gray H2X AF |
| | S2530S • • • | Amber |
| | S2540S • • • | Orange |
| | S2550SF • | 5.0 IR Filter |
| | S2560S • • • | Infinity Blue |
| | S2560SF • | 3.0 IR Filter |
| | S2560ST • • | Infinity Blue H2X AF |
| | S2565S • • | Purple Haze |
| | S2570S • • | Silver Mirror |
| | S2575S • • • | Blue Mirror |
| | S2580S • • • | I/O Mirror |
| | S2590S • • | Gold Mirror |
| | S25ARCS • • | Arc – 1.5 IR Filter |





128 mm



137mm

## Mini Ztek ANSI • CE • CSA •

Mini Ztek has all the great features of Ztek in a design better suited for slimmer facial sizes

**Lens and Temples | 8 Variations**

| | | |
|---|---|---|
| | S2510SN • • • | Clear |
| | S2510SNT • • | Clear H2X AF |
| | S2517SN • • | Pink |
| | S2520SN • • • | Gray |
| | S2530SN • • • | Amber |
| | S2560SN • • | Infinity Blue |
| | S2575SN • • • | Blue Mirror |
| | S2580SN • • • | I/O Mirror |

Mini Ztek is about 6% smaller than the Ztek.

S2514S is designed for peripheral personnel and visitors who are NOT exposed to direct IR radiation.

S25ARCS is great for use under the welding helmet – allowing welder to see work clearly without suffering "welder's flash burn" from surrounding welders.

Ztek Readers on page 72.

## Provoq® ANSI • CSA •

RUBBER NOSEPIECE

RUBBER TIPS

Soft nosepiece // Rubber temples

**Black Temples | 11 Variations**

| | | |
|---|---|---|
| | S7210S • • | Clear |
| | S7210ST • • | Clear AF |
| | S7220S • • | Gray |
| | S7220ST • • | Gray AF |
| | S7230S • • | Amber |
| | S7255S • | Multi-Color Mirror |
| | S7260S • | Infinity Blue |
| | S7270S • • | Silver Mirror |
| | S7275S • • | Blue Mirror |
| | S7280S • • | I/O Mirror |
| | S7280ST • | I/O Mirror AF |





SP72

**Pink Temples | 1 Variation**

| | | |
|---|---|---|
| | SP7210ST • | Clear AF |



## Intruder® ANSI • CE • CSA •

FOAM PADDING

Integrated nosepiece // Lightweight frameless protection // Foam padding is available in select options

**Lens and Temples | 11 Variations**

| | | |
|---|---|---|
| | S4110S • • • | Clear |
| | S4110ST • • • | Clear AF |
| | S4110SUC • | Uncoated Clear |
| | S4120S • • • | Gray |
| | S4120ST • • • | Gray AF |
| | S4130S • • • | Amber |
| | S4160S • • | Infinity Blue |
| | S4170S • • | Silver Mirror |
| | S4175S • | Blue Mirror |
| | S4180S • • | I/O Mirror |
| | S4180ST • | I/O Mirror AF |

**Foam Padded Frame | 3 Variations**

| | | |
|---|---|---|
| | S4110STFP • | Clear AF |
| | S4120STFP • | Gray AF |
| | S4180STFP • | I/O Mirror AF |

**Black Temples | 1 Variation**

| | | |
|---|---|---|
| | SB4110S • • | Clear |

**Blue Temples | 1 Variation**

| | | |
|---|---|---|
| | SN4110S • • | Clear |

**Red Temples | 1 Variation**

| | | |
|---|---|---|
| | SR4110S • • | Clear |



SB41



SN41



SR41

Intruder Readers on page 73.

## Mini Intruder ANSI •

Mini Intruder has all the great features of Intruder in a design better suited for smaller facial sizes

**Lens and Temples | 5 Variations**

| | | |
|---|---|---|
| | S4110SN • | Clear |
| | S4110SNT • | Clear AF |
| | S4120SN • | Gray |
| | S4130SN • | Amber |
| | S4180SN • | I/O Mirror |







Mini Intruder is about 8% smaller than the Intruder.

## Intruder and Mini Intruder Multi-Colors

ANSI • CE • CSA •

Sold in dozen quantity only // Comes with six assorted temple colors: red, blue, green, purple, orange and black // Multi-pack includes two of each temple color with clear lenses // Perfect for work areas where color coding is necessary

**Multi-Color Temples | 2 Variations**

| | | |
|---|---|---|
| | S4110SMP • • • | Clear (Intruder) |
| | S4110SNMP • | Clear (Mini Intruder) |



## Achieva® ANSI •

RUBBER NOSEPIECE

RUBBER TIPS

Brow guard // Built-in rubber nosepiece // Unique rubber temple tips

**Gray Temples Tips | 3 Variations**

| | | |
|---|---|---|
| | SG6510S • | Clear |
| | SG6510ST • | Clear H2X AF |
| | SG6520S • | Gray |

**Pink Temples Tips | 1 Variation**

| | | |
|---|---|---|
| | SP6510S • | Clear |



SP65

## Atoka® ANSI • CSA •

RUBBER TIPS

Integrated nosepiece // Soft non-slip rubber temple tips provide non-binding fit

**Lens and Temples | 8 Variations**

| | | |
|---|---|---|
| | S9110S • • | Clear |
| | S9110ST • • | Clear H2X AF |
| | S9120S • • | Gray |
| | S9120ST • • | Clear H2X AF |
| | S9130S • • | Amber |
| | S9160S • • | Infinity Blue |
| | S9180S • • | I/O Mirror |
| | S9180ST • • | I/O Mirror AF |



## Alair® ANSI • CE •

Straight temples // Integrated nosepiece

**Lens and Temples | 7 Variations**

| | | |
|---|---|---|
| | S3210S • • | Clear |
| | S3210ST • • | Clear H2X AF |
| | S3220S • • | Gray |
| | S3260S • • | Infinity Blue |
| | S3270S • | Silver Mirror |
| | S3275S • | Blue Mirror |
| | S3280S • | I/O Mirror |



## Fastrac® ANSI •

DIELECTRIC

Dielectric // Frame/lens combination provides maximum single lens protection

**Lens and Temples | 2 Variations**

| | | |
|---|---|---|
| | S1410S • | Clear |
| | S1420S • | Gray |



# READERS

## Emerge® Plus ANSI • CSA •



RUBBER TIPS

RUBBER NOSEPIECE

Rubber temple tips // Soft nosepiece provides comfort for extended use

**Full Readers**
**Translucent Gray Frame | 7 Variations**

| | | | |
|---|---|---|---|
| SG9810R15 ●● | Clear | +1.5 Mag |
| SG9810R20 ●● | Clear | +2.0 Mag |
| SG9810R25 ●● | Clear | +2.5 Mag |
| SG9810R30 ●● | Clear | +3.0 Mag |
| SG9820R15 ● | Gray | +1.5 Mag |
| SG9820R20 ● | Gray | +2.0 Mag |
| SG9820R25 ● | Gray | +2.5 Mag |

**Top Insert Readers**
**Translucent Gray Frame | 2 Variations**

| | | | |
|---|---|---|---|
| SG9810TR15 ●● | Clear | +1.5 Mag |
| SG9810TR20 ●● | Clear | +2.0 Mag |

The top insert reader for the Emerge Plus is strategically placed for applications in which user is frequently looking up.



## Ever-Lite® Readers ANSI • CSA •

Soft nosepiece for snug fit // Slim co-injected temples // Lightweight spectacle – 22 gm

**Black Frame | 7 Variations**

| | | | |
|---|---|---|---|
| SB8610R15 ●● | Clear | +1.5 Mag |
| SB8610R20 ●● | Clear | +2.0 Mag |
| SB8610R25 ●● | Clear | +2.5 Mag |
| SB8610R30 ●● | Clear | +3.0 Mag |
| SB8620R15 ●● | Gray | +1.5 Mag |
| SB8620R20 ●● | Gray | +2.0 Mag |
| SB8620R25 ●● | Gray | +2.5 Mag |

See more Ever-Lite options on page 56.



## Emerge ANSI • CE • CSA •

RUBBER NOSEPIECE

Soft nosepiece provides comfort for extended use // RX options accommodate an Rx lens to the maximum of +3 to -3 diopters // Available with a full reader +1.5 or +2.0 lens or as a prescription lens // Dual lens design with full eye protection // Plano, prescription, and full reader lens adaptable

**Black Frame | 3 Variations**

| | | |
|---|---|---|
| SB7910DRX ●●● | Clear | |
| SB7910D15 ●● | Clear | +1.5 Mag |
| SB7910D20 ●● | Clear | +2.0 Mag |

**Translucent Gray Frame | 3 Variations**

| | | |
|---|---|---|
| SG7910DRX ●●● | Clear | |
| SG7910D15 ●● | Clear | +1.5 Mag |
| SG7910D20 ●● | Clear | +2.0 Mag |

Frame must be presented to your optometrist in order to be fitted with prescription lenses.



SG79

## Venture II® Readers ANSI • CE • CSA •

Temples adjust to four different lengths // Rubber nosepiece secures the glass and prevents slipping

**Black Frame | 18 Variations**

| | | | |
|---|---|---|---|
| SB1810R10 ●●● | Clear | +1.0 Mag |
| SB1810R15 ●●● | Clear | +1.5 Mag |
| SB1810R15T ●●● | Clear H2X AF | +1.5 Mag |
| SB1810R20 ●●● | Clear | +2.0 Mag |
| SB1810R20T ●●● | Clear H2X AF | +2.0 Mag |
| SB1810R25 ●●● | Clear | +2.5 Mag |
| SB1810R25T ●●● | Clear H2X AF | +2.5 Mag |
| SB1810R30 ●●● | Clear | +3.0 Mag |
| SB1820R15 ●● | Gray | +1.5 Mag |
| SB1820R20 ●● | Gray | +2.0 Mag |
| SB1820R25 ●● | Gray | +2.5 Mag |
| SB1820R30 ●● | Gray | +3.0 Mag |
| SB1830R15 ● | Amber | +1.5 Mag |
| SB1830R20 ● | Amber | +2.0 Mag |
| SB1830R25 ● | Amber | +2.5 Mag |
| SB1880R15 ●● | I/O Mirror | +1.5 Mag |
| SB1880R20 ●● | I/O Mirror | +2.0 Mag |
| SB1880R25 ●● | I/O Mirror | +2.5 Mag |

See more Venture II options on page 58.



## Ztek® Readers ANSI • CE • CSA •

Integrated nosepiece // Soft non-slip rubber temple tips provide non-binding fit

**Lens and Temples | 8 Variations**

| | | | |
|---|---|---|---|
| | S2510R15 • • • | Clear | +1.5 Mag |
| | S2510R20 • • • | Clear | +2.0 Mag |
| | S2510R25 • • • | Clear | +2.5 Mag |
| | S2514R15 • | 1.5 IR Filter | +1.5 Mag |
| | S2514R20 • | 1.5 IR Filter | +2.0 Mag |
| | S2520R15 • | Gray | +1.5 Mag |
| | S2520R20 • | Gray | +2.0 Mag |
| | S2520R25 • | Gray | +2.5 Mag |

See more Ztek options on page 67.

S2514R is designed for peripheral personnel and visitors who are NOT exposed to direct IR radiation.



## PMXTREME® Readers ANSI •

Built-in rubber nosepiece // Ventilated flexible temples with rubber temple tips // Includes black lanyard cord

**Black Frame with Cord | 3 Variations**

| | | | |
|---|---|---|---|
| | SB6310SPR15 • | Clear | +1.5 Mag |
| | SB6310SPR20 • | Clear | +2.0 Mag |
| | SB6310SPR25 • | Clear | +2.5 Mag |

See more PMXTREME options on page 59.



## PMXTREME LED Readers ANSI •

Super bright swiveling LED bulbs (three lumens per side) allows you to see in dark places while keeping your hands free // Built-in rubber nosepiece and rubber temple tips // The alkaline batteries provide up to 50 hours of use before replacing. Three L44 alkaline batteries per temple (six total) are included // Easy to use push button on/off switches are located at the top of each temple

**Black Frame | 3 Variations**

| | | | |
|---|---|---|---|
| | SB6310STPLEDR15 • | Clear AF | +1.5 Mag |
| | SB6310STPLEDR20 • | Clear AF | +2.0 Mag |
| | SB6310STPLEDR25 • | Clear AF | +2.5 Mag |

See more PMXTREME LED options on page 59.



## Intruder® Readers ANSI •

Integrated nosepiece // Lightweight frameless protection

**Lens and Temples | 3 Variations**

| | | | |
|---|---|---|---|
| | S4110R15 • | Clear | +1.5 Mag |
| | S4110R20 • | Clear | +2.0 Mag |
| | S4110R25 • | Clear | +2.5 Mag |

See more Intruder options on page 68.



## V2G® Readers ANSI • CSA •

Flame resistant foam padding // Vented lens and frame // Interchangeable temples and strap included // Strap and temples feature ratchet adjustment with quick-fit retainer

**Black Frame | 3 Variations**

| | | | |
|---|---|---|---|
| | GB1810STR15 • • | Clear H2X AF | +1.5 Mag |
| | GB1810STR20 • • | Clear H2X AF | +2.0 Mag |
| | GB1810STR25 • • | Clear H2X AF | +2.5 Mag |

See more V2G options on page 48.



## XSG® Readers ANSI • CSA •

Flame resistant foam padding // Strap has quick-fit retainer // Interchangeable temples and strap included

**Black Frame | 3 Variations**

| | | | |
|---|---|---|---|
| | GB4010STR15 • • | Clear H2X AF | +1.5 Mag |
| | GB4010STR20 • • | Clear H2X AF | +2.0 Mag |
| | GB4010STR25 • • | Clear H2X AF | +2.5 Mag |

See more XSG options on page 50.



# OVER THE SPECTACLE

## OTS® and OTS XL ANSI • CE • CSA • AS •

RATCHETING TEMPLES | ADJUSTABLE TEMPLES

Fits over prescription glasses // Lightweight nylon temples adjust for length and pitch



**OTS**
**Black Temples | 7 Variations**

| | | |
|---|---|---|
| | S3510SJ • • • | Clear |
| | S3510STJ • • • • | Clear H2X AF |
| | S3520SJ • • • | Gray |
| | S3530SJ • • | Amber |
| | S3550SFJ • | 5.0 IR Filter |
| | S3560SFJ • | 3.0 IR Filter |
| | S3580SJ • • • | I/O Mirror |

**OTS XL**
**Black Temples | 4 Variations**

| | | |
|---|---|---|
| | S7510SJ • • • | Clear |
| | S7510STJ • • • | Clear H2X AF |
| | S7520SJ • • • | Gray |
| | S7580SJ • • • | I/O Mirror |

OTS XL is about 9% larger than the OTS. OTS fits over frames up to 137mm x 44mm. OTS XL fits over frames up to 151mm x 49mm.







## Solo® ANSI • CE • CSA •

Temples are vented to reduce fogging

**Lens and Temples | 4 Variations**

| | | |
|---|---|---|
| | S510S • • • | Clear |
| | S510SD • • | Clear Dispenser pack – 12 per box |
| | S510SJ • | Clear Jumbo |
| | S520S • | Gray |

Only S510SJ is designed to be used over prescription spectacles.



## Cappture™ and Cappture with Rubber Gasket ANSI • CE • CSA •

DIELECTRIC

Dielectric // Fits over prescription glasses // Temples extend from browbar to avoid interference with prescription frame's temples // Rubber gasket is available in select options

**Lens and Temples | 3 Variations**

| | | |
|---|---|---|
| | S9910ST • • • | Clear H2X AF |
| | S9920ST • • • | Gray H2X AF |
| | S9930ST • | Amber H2X AF |

**Rubber Gasket | 2 Variations**

| | | |
|---|---|---|
| | S9910STMRG • • • | Clear H2MAX AF |
| | S9920STMRG • • | Gray H2MAX AF |

Cappture retail packaged product on page 143.





## Defiant® ANSI • CE •

RATCHETING TEMPLES | ADJUSTABLE TEMPLES

Tilt type adjustment allows optimum visibility // Temples adjust to four settings

**Black Temples | 2 Variations**

| | | |
|---|---|---|
| | SB1010S • | Clear |
| | SB1010SJ • • | Clear Jumbo |

Only SB1010SJ is designed to be used over prescription spectacles.



# GOGGLES

## Capstone® Shield ANSI • CE • CSA •

Fully adjustable elastic band // Fits over prescription glasses // Lens is coated to prevent fogging // GG504DTSHIELD goggle has a dual pane lens // Soft vinyl goggle body conforms to facial contours // Goggles pass D3: Droplet and Splash Test // Goggles pass D4: Dust Test // Removable vent caps allow the user to remove when more ventilation is required or leave in place for unsurpassed chemical splash resistance // Goggle combined with removable shield provides full face protection // Four ventilation holes provide airflow // Ratchet shield allows user to open or close in three positions for adjustment // Polycarbonate shield conforms to the face offering increased impact and dust protection

**Lens and Shield | 5 Variations**

| | |
|---|---|
| GG504TSHIELD • • • | Clear H2X AF |
| GG504DTSHIELD • | Clear Dual Pane H2X AF |
| GG504TSHIELDIR3 • • | 3.0 IR Filter H2X AF |
| GG504TSHIELDIR5 • • | 5.0 IR Filter H2X AF |
| GG524TSHIELD • • | Gray H2X AF |

Fits over most prescription glasses.

Only the goggles for GG504TSHIELDIR3 and GG504TSHIELDIR5 contain IR dye. Due to the nature of the vented holes, the shield is only green tinted and does not contain the IR resin.



## Capstone Face Shield and Strap

CAPSHIELD

Ratcheting shield includes strap and clips allowing the user to add to either of the Capstone 500 Series goggles // Sold as a replacement shield for GG504TSHIELD and GG504DTSHIELD



## Disposable Capstone Shield Visors

VPACK6

Pack of 6 clear disposable, tear-off visors, suitable for high dust or muddy working environments



## Capstone® Dual Lens ANSI • CE • CSA • AS • Ballistic •

DUAL PANE LENS

MIL-PRF-32432

Fully adjustable elastic strap // Fits over prescription glasses // Outer polycarbonate lens protects against the environment while an inner acetate lens prevents fogging // Soft vinyl goggle body conforms to facial contours // Provides protection against dust and chemical splash // Removable vent caps allow the user to remove when more ventilation is required or leave in place for unsurpassed chemical splash resistance // Passes D3: Droplet and Splash Test // Passes D4: Dust Test // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

**Gray Body with Quick Release Strap | 1 Variation**

| | |
|---|---|
| G504DT • • • • • | Clear Dual Pane H2X AF |

Fits over most prescription glasses.



## Capstone 500 ANSI • CE • CSA • AS • Ballistic •

MIL-PRF-32432

Fits over prescription glasses // Soft vinyl goggle body conforms to facial contours // Goggle provides protection against dust and chemical splash // Removable vent caps allow the user to remove when more ventilation is required or leave in place for unsurpassed chemical splash resistance // Passes D3: Droplet and Splash Test // Passes D4: Dust Test // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

**Gray Body with Quick Release Strap | 2 Variations**

| | |
|---|---|
| GG504T • • • • | Clear H2X AF |
| GG504TM • • • | Clear H2MAX AF |

**Chemical Green Body with Neoprene Strap | 1 Variation**

| | |
|---|---|
| GC504TN • • • | Clear H2X AF |

Fits over most prescription glasses.



GC504TN

## Capstone® 600 ANSI • CE • CSA • AS • Ballistic •

MIL-PRF-32432

Fits over prescription glasses // Indirect ventilation system prevents fogging // Includes interchangeable cloth and neoprene straps // Co-material goggle provides superior protection against dust entry and chemical splash // Thermoplastic (TPE) body with universal nose bridge is flexible and contours to the user's face // Passes D3: Droplet and Splash Test // Passes D4: Dust Test // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

**Gray Body with Adjustable Strap | 1 Variation**

G604T2 ••••• Clear H2X AF

Fits over most prescription glasses.



## V2G-Plus® ANSI • CE • CSA • AS • Ballistic •

DUAL PANE LENS

MIL-PRF-32432

Includes a wide adjustable elastic strap with quick release system for secure fit // TPU frame features excellent resistance to cold and heat // Thermo lens system provides excellent resistance to fog caused by temperature differences in your environment // Special indirect ventilation system located at the top and bottom of frame allows airflow and heat release // Multi-functional goggle with 180° vision protects against chemical splash, sun glare, dust, flying particles, and wind // Outer polycarbonate lens protects against the environment while an inner acetate lens prevents fogging // Inner lens is separated by a thin spacer of air and sealed together with foam // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards // Passes D3: Droplet and Splash Test

**Black Body with Strap | 2 Variations**

GB6410SDT ••••• Clear Dual Pane H2X AF

GB6420SDT •••• Gray Dual Pane H2X AF





### V2G-Plus Rx Insert

RX6400

Accommodates -3.0 to +3.0 prescription lenses // Securely snaps into place above nosepiece // Includes micro-fiber storage case // Take insert to local optometrist for Rx lens installation

## Top Shelf Chemical Splash Goggle ANSI • CE • CSA •

Special one-way vent allows air in while keeping liquids out // Generously sized heavy duty body and lens // Fits over prescription spectacles // Tinted body helps reduce glare // G304TN comes with a neoprene strap // Passes D3: Droplet and Splash Test // Passes D4: Dust Test

**Tinted Body with Black Strap | 2 Variations**

G304 •• Clear

G304T ••• Clear H2X AF

**Tinted Body with Neoprene Strap | 1 Variation**

G304TN • Clear H2X AF

Fits over most prescription glasses.



## Top Shelf Chemical Splash Goggle with Foam Padding ANSI • CSA •

FOAM PADDING

Special one-way vent allows air to enter while keeping liquids out // Breakaway headband provides added protection and features quick-fit retainer // Fits over prescription spectacles // Tinted body helps reduce glare // Generously sized heavy duty body and lens with foam padding for comfort // Passes D3: Droplet and Splash Test // Passes D4: Dust Test

**Tinted Body with Black Strap | 1 Variation**

G404T •• Clear H2X AF

Fits over most prescription glasses.



## Low-Profile Chemical Splash Goggle ANSI • CE •

Low-profile, modern sport design with anti-glare frame // Direct ventilation // Adjustable elastic band and soft PVC frame // Passes D3: Droplet and Splash Test // Passes D4: Dust Test

**Gray Body with Black Strap | 2 Variations**

G704T •• Clear AF

G724T • Gray AF



# ACCESSORIES

## Wire Mesh Goggle ANSI •

Single wire mesh lens with PVC frame // Ideal for: forestry, landscaping, and agriculture applications // For work environments with extreme heat and high humidity where impact protection is required // Low-profile design with wide elastic strap provides secure fit // Soft rubber gasket seals out unwanted particles and is comfortable for all day wear // Meets ANSI Z87.1 requirements for screen lenses

**Black Body with Adjustable Strap | 1 Variation**

G9WMG • Black Wire Mesh



## Chemical Splash Goggle ANSI •

Vent caps restrict influx of liquids

**Clear Body with Black Strap | 2 Variations**

G204 • Clear

G204T • Clear AF



## Perforated Goggle ANSI •

Goggle provides excellent ventilation

**Clear Body with Black Strap | 2 Variations**

G201 • Clear

G201T • Clear AF



## Ventless Goggle ANSI •

Goggle provides protection against vapors // Passes D3: Droplet and Splash Test // Passes D4: Dust Test // D5: Fine Dust Test


**Clear Body with Black Strap | 1 Variation**

G200T • Clear H2X AF





CLIPCORDS Clip-On Cord



CORDS Lanyard Loop



CORDS1A Cotton Cord



CORDS7A Cord with Rubber Tips



CORDS8A Breakaway Cord



CORDS9A Bungee Cord



NEOCORD Neoprene Breakaway Cord



NEO1 Neoprene Cord



CA200B Zippered Case



CA500B Hard Case



NEOCASE Neoprene Case



PYRBAGS Cloth Drawstring Spectacle Bag (6.25" x 3.75")

PYRBAGLG Large Cloth Drawstring Spectacle Bag (9.50" x 5")



PYRBAGSU Suede Drawstring Spectacle Bag (6.25" x 3.75")



CLEANCLOTH Nylon Microfiber Cleaning Cloth



IDBADGE Identification Badge Lanyard



SS100 Pliable Slip on Side Shields

Meets ANSI Z87.1 High Impact Requirements Only

Products shown with cases are sold separately.




CRA003 60 Individually Packaged Fog Buster™ Towelettes




GALSOL Gallon of Lens Cleaning Solution




HCW100 100 Individually Packaged Alcohol Free Hygienic Wipes (5" x 8")
HCW100A 100 Individually Packaged Alcohol Hygienic Wipes (5" x 8")
HCW100XL 100 Individually Packaged Alcohol Free Hygienic Wipes (8" x 11")

Safe and effective for cleaning respirators, hard hat suspensions and other personal protective equipment, but not to be used on disposable particulate respirators.




LCC100 Canister with 100 Lens Cleaning Wet Tissues




LCS10 8 oz. Lens Cleaning Station with 600 Tissues
LT300 Refill Tissues for LCS10 and LCS20
LT760 760 Pack of 5x8 Cleaning Tissues




LCS20 16 oz. Lens Cleaning Station with 1,200 Tissues
LCB16 16 oz. Cleaning Solution Replacement Bottle with Pump




LCT100 100 Individually Packaged 5x8 Cleaning Towelettes
LCTBULK 100 Individually Packaged 5x8 Cleaning Towelettes in a bag

Packaging for cleaning products may vary.

Products shown with displays are sold separately.



DIS5BL Stationary Display - holds up to 5 units




DIS9TR Stationary Display - holds up to 9 units



DIS10 Stationary Display - holds up to 10 units




DISPLAY Rotating Display - holds up to 36 units





RIDGELINE® 86 – 89
SL SERIES 90 – 91
BASEBALL BUMP CAPS 91
HARD HAT STICKERS 92
ADAPTERS 92 – 93
FACE SHIELDS 93 – 94
HEADGEAR 94
KITS 95
N95 RESPIRATORS 96
BALACLAVAS 96

# USE YOUR HEAD

**According to the Bureau of Labor Statistics, only 16% of workers who sustained head injuries in recent years were wearing a hard hat.**

*Source: Bureau of Labor Statistics*

## CERTIFICATIONS

| | |
|---|---|
| ANSI Z89.1 (hard hats)<br>ANSI Z87.1 (brackets and face shields)<br>ANSI Z87.1+ (polycarbonate face shields) | ● |
| CE EN 397:2012 + A1:2012 | ● |
| Cert. Mod. - CAN/CSA Z94.1-15 ,CE third-party certification | ● |

## ANSI/ISEA Z89.1 & CSA Z94.1 - 2015

**Type 1 – Top Impact**
ANSI: Type I hard hat is designed to reduce the force of impact on top of the head.
CSA: Type I hard hat provides impact and penetration protection for the crown only.

**Class E – Electrical** High-Voltage / Non-Conducting
Class E hard hats are intended to protect against falling objects and reduce the risk of exposure to high-voltage electrical shocks and burns. Class E offers the highest protection with high-voltage shock and burn protection up to 20,000 volts.

**Class G – General** Limited Voltage / Non-Conducting
Class G hard hats are intended to protect against falling objects and reduce the risk of exposure to low voltage electrical conductors. Class G offers impact and penetration resistance and protection from up to 2,200 volts.

**Class C – Conductive**
Class C hard hats are not intended to protect against electrical danger. Class C offers lightweight comfort and impact protection.

## CE EN 397:2012 + A1:2012

EN 397 certifies that safety helmets are designed to offer protection from lateral impact or top impact. All helmets certified according to EN 397 must meet these requirements: shock absorption – vertical, penetration resistance, flame resistance, chin strap attachment: chin strap releases at minimum 150 N and maximum 250 N.

## CE EN 12492:2012

EN 12492 certifies helmets for mountaineers. Ridgeline XR7 meets Shock Absorption (Clauses 4.2.1.1; 4.2.1.2; 4.2.1.3; 4.2.1.4) and Penetration (Clause 4.2.2) only.


## SELECTION CHART

Suspension Type
Number of Variations

**6-Point Ratchet | 7 Variations**

| | | |
|---|---|---|
| | HP46110 ● | White |
| | HP46120 ● | Red |
| | HP46130 ● | Yellow |
| | HP46131 ● | Hi-vis Lime |
| | HP46135 ● | Green |
| | HP46141 ● | Hi-vis Orange |
| | HP46160 ● | Blue |

Descriptions
Certifications
Part Numbers
Hard Hat Color



XR7® RIDGELINE

INDUSTRIAL SAFETY HELMETS



# NEW TO THE RIDGELINE SERIES




## RIDGELINE XR7®

ABS + PC material blend offers superior strength and heat resistance // Interior crown foam // 6-point ratchet suspension with swinging hinge points // Suspension can adjust for height and angle // Easy to grasp knob adjust suspension for head size // Soft breakaway 4-point chin strap // Packaging includes reflective decals // Universal accessory slots // Custom imprinting available

| | |
|---|---|
| HP76110 | White |
| HP76113 | Slate Gray |
| HP76117 | Black Graphite Pattern |
| HP76130 | Yellow |
| HP76131 | Hi-vis Lime |
| HP76160 | Blue |

LEARN MORE ABOUT **RIDGELINE XR7** IN THE ADDENDUM

Ridgeline XR7 passes ANSI Z89.1-2014 Type I, Class E and CE EN 397:2012 +A1:2012 / EN 12492 Shock Absorption (Clauses 4.2.1.1; 4.2.1.2; 4.2.1.3; 4.2.1.4) and Penetration (Clause 4.2.2) only.



RIDGELINE®

# HARD HATS



Non-vented

Vented

## Ridgeline® Cap Style ANSI • CSA • (with clip only)

ABS material // Low-profile design // Available with 4- and 6-point ratchet suspensions // Swinging hinge points // 4-position harness points // Easy to grasp knob adjusts the suspension from 6½ to 8 head size // Rear padded suspension // Vented pressure pad // Universal accessory slots // Passes reverse orientation, high temperature (HT) and low temperature (LT) // Non-vented options meet Class E, G, and C // Vented options meet Class C //Hi-vis colors have been tested for the HV mark // Custom imprinting available

**WATCH THE VIDEO**
Vimeo.com/Pyramex/Ridgeline

**4-Point Ratchet | 15 Variations**

| | | |
|---|---|---|
| | HP44110 • | White |
| | HP44110C •• | White |
| | HP44112 • | Gray |
| | HP44113 • | Slate Gray |
| | HP44120 • | Red |
| | HP44130 • | Yellow |
| | HP44130C •• | Yellow |
| | HP44131 • | Hi-vis Lime |
| | HP44131C •• | Hi-vis Lime |
| | HP44135 • | Green |
| | HP44141 • | Hi-vis Orange |
| | HP44160 • | Blue |
| | HP44162 • | Light Blue |
| | HP44165C •• | Dark Blue |
| | HP44170 • | Hi-vis Pink |

**Vented 4-Point Ratchet | 7 Variations**

| | | |
|---|---|---|
| | HP44110V • | White |
| | HP44112V • | Gray |
| | HP44120V • | Red |
| | HP44130V • | Yellow |
| | HP44131V • | Hi-vis Lime |
| | HP44141V • | Hi-vis Orange |
| | HP44160V • | Blue |

**6-Point Ratchet | 7 Variations**

| | | |
|---|---|---|
| | HP46110 • | White |
| | HP46120 • | Red |
| | HP46130 • | Yellow |
| | HP46131 • | Hi-vis Lime |
| | HP46135 • | Green |
| | HP46141 • | Hi-vis Orange |
| | HP46160 • | Blue |



HPR441
Cap Style 4-point Ratchet Replacement Suspension



HPR461
Cap Style 6-point Ratchet Replacement Suspension



HP44110C | HP44130C | HP44131C | HP44165C
Ridgeline Cap Style with side clips to meet CSA standards.




## Ridgeline® Full Brim ANSI • CSA •

ABS material // 4-point and 6-point ratchet suspension // 4-point ratchet suspension may be converted to 6-point ratchet suspension with optional strap (HP6PTSUS) // Vented options have universal accessory slots // Passes high temperature (HT) and low temperature (LT) // Non-vented options meet Class E, G, and C // Vented options meet Class C // Hi-vis colors have been tested for the HV mark // Custom imprinting available

**4-Point Ratchet | 11 Variations**

| | | |
|---|---|---|
| | HP54110 • • | White |
| | HP54111 • • | Black |
| | HP54112 • • | Gray |
| | HP54113 • • | Slate Gray |
| | HP54120 • • | Red |
| | HP54130 • • | Yellow |
| | HP54131 • • | Hi-vis Lime |
| | HP54135 • • | Green |
| | HP54141 • • | Hi-vis Orange |
| | HP54160 • • | Blue |
| | HP54170 • • | Hi-vis Pink |

**Vented 4-Point Ratchet | 6 Variations**

| | | |
|---|---|---|
| | HP54110V • • | White |
| | HP54113V • • | Slate Gray |
| | HP54130V • • | Yellow |
| | HP54131V • • | Hi-vis Lime |
| | HP54141V • • | Hi-vis Orange |
| | HP54160V • • | Blue |

**6-Point Ratchet | 5 Variations**

| | | |
|---|---|---|
| | HP56110 • | White |
| | HP56120 • | Red |
| | HP56130 • | Yellow |
| | HP56135 • | Green |
| | HP56160 • | Blue |



HPR541
Full Brim 4-point Ratchet Replacement Suspension



HPRBANDR
Ridgeline Cap Style and Full Brim Hard Hat Sweat Band



HP6PTSUS
6-point Ratchet Replacement Suspension Strap

## Ridgeline Bump Caps NON-RATED

Polyethylene material // For applications where hard hats are not required, but some protection from minor bumps and scalp lacerations are needed // Available with 4-point glide lock suspension // Ventilation holes // Replaceable sweat band // Not designed to meet the safety standards for industrial head protection // Custom imprinting available

**4-Point Glide Lock | 11 Variations**

| | | |
|---|---|---|
| | HP40010 | White |
| | HP40011 | Black |
| | HP40012 | Gray |
| | HP40015 | Brown |
| | HP40020 | Red |
| | HP40030 | Yellow |
| | HP40031 | Hi-vis Lime |
| | HP40035 | Green |
| | HP40040 | Orange |
| | HP40041 | Hi-vis Orange |
| | HP40060 | Blue |



BPRBAND
Bump Cap Sweat Band



RIDGELINE®



Matte White Graphite Pattern



Shiny White Graphite Pattern



Matte Black Graphite Pattern



Shiny Black Graphite Pattern



Matte Copper Pattern




Matte Realtree AP® Camo Pattern



Matte Red Pattern



Matte Blue Pattern

## Ridgeline® Hydro Dipped ANSI • CSA •

**Cap Style 4-Point Ratchet | 10 Variations**

| | |
|---|---|
| HP44116 • | Matte White Graphite Pattern |
| HP44116S • | Shiny White Graphite Pattern |
| HP44117 • | Matte Black Graphite Pattern |
| HP44117C • • | Matte Black Graphite Pattern (CSA with clip only) |
| HP44117S • | Shiny Black Graphite Pattern |
| HP44118 • | Matte Copper Pattern |
| HP44119 • | Matte Realtree AP Camo Pattern |
| HP44121 • | Matte Red Pattern |
| HP44122 • | Matte Blue Pattern |
| HP44MIX • | HP44116 (4), HP44117 (4), HP44118 (4) + HP44119 (4) |

**Cap Style Vented 4-Point Ratchet | 2 Variations**

| | |
|---|---|
| HP44116SV • | Shiny White Graphite Pattern |
| HP44117V • | Matte Black Graphite Pattern |

HP44117C
Ridgeline Cap Style with side clips to meet CSA standards.

**Full Brim 4-Point Ratchet | 9 Variations**

| | |
|---|---|
| HP54116 • • | Matte White Graphite Pattern |
| HP54116S • • | Shiny White Graphite Pattern |
| HP54117 • • | Matte Black Graphite Pattern |
| HP54117S • • | Shiny Black Graphite Pattern |
| HP54118 • • | Matte Copper Pattern |
| HP54119 • • | Matte Realtree AP Camo Pattern |
| HP54121 • • | Matte Red Pattern |
| HP54122 • • | Matte Blue Pattern |
| HP54MIX • • | HP54116 (3), HP54117 (3), HP54118 (3) + HP54119 (3) |

**Full Brim Vented 4-Point Ratchet | 1 Variation**

| | |
|---|---|
| HP54117V • • | Matte Black Graphite Pattern |

## SL Series Cap Style ANSI • CSA •



Low-profile design // High density polyethylene materials // Rain trough // Universal accessory slots // Available with 4- and 6-point nylon suspensions – snap lock and ratchet styles // Passes for reverse orientation and low temperature (LT) // Meets Class E, G, and C // Hi-vis colors have been tested for the HV mark // Custom imprinting available

**4-Point Ratchet | 13 Variations**

| | | |
|---|---|---|
| | HP14110 • • | White |
| | HP14111 • • | Black |
| | HP14112 • • | Gray |
| | HP14120 • • | Red |
| | HP14130 • • | Yellow |
| | HP14131 • • | Hi-vis Lime |
| | HP14135 • • | Green |
| | HP14140 • • | Orange |
| | HP14141 • • | Hi-vis Orange |
| | HP14160 • • | Blue |
| | HP14162 • • | Light Blue |
| | HP14165 • • | Dark Blue |
| | HP14170 • • | Hi-vis Pink |

**6-Point Ratchet | 7 Variations**

| | | |
|---|---|---|
| | HP16110 • | White |
| | HP16120 • | Red |
| | HP16130 • | Yellow |
| | HP16135 • | Green |
| | HP16140 • | Orange |
| | HP16141 • | Hi-vis Orange |
| | HP16160 • | Blue |

**4-Point Snap Lock | 8 Variations**

| | | |
|---|---|---|
| | HP14010 • | White |
| | HP14020 • | Red |
| | HP14030 • | Yellow |
| | HP14031 • | Hi-vis Lime |
| | HP14035 • | Green |
| | HP14040 • | Orange |
| | HP14060 • | Blue |
| | HP14062 • | Light Blue |

**6-Point Snap Lock | 6 Variations**

| | | |
|---|---|---|
| | HP16010 • | White |
| | HP16020 • | Red |
| | HP16030 • | Yellow |
| | HP16035 • | Green |
| | HP16040 • | Orange |
| | HP16060 • | Blue |

## SL Series Full Brim ANSI • CSA •

High density polyethylene materials // Available with 4- and 6-point ratchet suspensions // Passes low temperature (LT) // Meets Class E, G, and C // Hi-vis colors have been tested for the HV mark // Custom imprinting available



**4-Point Ratchet | 10 Variations**

| | | |
|---|---|---|
| | HP24110 • • | White |
| | HP24111 • • | Black |
| | HP24120 • • | Red |
| | HP24130 • • | Yellow |
| | HP24131 • • | Hi-vis Lime |
| | HP24135 • • | Green |
| | HP24140 • • | Orange |
| | HP24141 • • | Hi-vis Orange |
| | HP24160 • • | Blue |
| | HP24162 • • | Light Blue |

**6-Point Ratchet | 6 Variations**

| | | |
|---|---|---|
| | HP26110 • | White |
| | HP26120 • | Red |
| | HP26130 • | Yellow |
| | HP26135 • | Green |
| | HP26140 • | Orange |
| | HP26160 • | Blue |



## SL Series Sleek Shell ANSI •




Seamless low-profile design // Polyethylene materials// 4-point ratchet suspension // Ideal for linemen // Options meet Class E, G, and C // Custom imprinting available

**Cap Style**
**4-Point Ratchet | 5 Variations**

| | | |
|---|---|---|
| | HPS14110 • | White |
| | HPS14112 • | Gray |
| | HPS14120 • | Red |
| | HPS14130 • | Yellow |
| | HPS14160 • | Blue |

**Full Brim**
**4-Point Ratchet | 5 Variations**

| | | |
|---|---|---|
| | HPS24110 • | White |
| | HPS24112 • | Gray |
| | HPS24120 • | Red |
| | HPS24130 • | Yellow |
| | HPS24160 • | Blue |

## SL Series Accessories



HP141
Cap Style
4-point Ratchet
Replacement
Suspension



HP161
Cap Style
6-point Ratchet
Replacement
Suspension



HP241
Full Brim
4-point Ratchet
Replacement
Suspension



HP261
Full Brim
6-point Ratchet
Replacement
Suspension



HPSSUS
Sleek Shell
4-point Ratchet
Replacement
Suspension



HPCSTRAP
Chin Strap



HPTRBANBL
Universal Hard Hat Blue
Terry Cloth Sweat Band

HPTBL20
Universal Hard Hat Blue
Terry Cloth Sweat Band
(20 bulk pack)

HPTBL100
Universal Hard Hat Blue
Terry Cloth Sweat Band
(100 bulk pack)



HPTRBAN
Universal Hard Hat Gray
Terry Cloth Sweat Band



HHBAND
SL Series Cap Style and Full Brim
Hard Hat Sweat Band

## Baseball Bump Caps NON-RATED

Bump cap and baseball cap in one // Soft inner foam cushion // Adjustable size // ABS removable shell // Outer cap is fully washable // Ventilation holes // Ideal for meter readers, food processors, and other industries that don't require full hard hat protection // Not designed to meet the safety standards for industrial head protection // Custom imprinting available

**4 Variations**

| | | |
|---|---|---|
| | HP50011 | Black |
| | HP50031 | Hi-vis Lime |
| | HP50041 | Hi-vis Orange |
| | HP50065 | Navy |



HP500REP
Replacement Insert



# HARD HAT STICKERS



## Reflective Hard Hat Stickers NON-RATED

Microprismatic vinyl stickers increase visibility // Self-adhesive back with a peel-off liner // 16 stickers per sheet // Shown with Ridgeline hard hat – sold separately

**3 Variations**

| | | |
|---|---|---|
| | HVRSLM | Hi-vis Lime |
| | HVRSOR | Hi-vis Orange |
| | HVRSWH | White |




## Hard Hat ID Sticker NON-RATED

Sticker stores medical info and emergency contacts // Fixes securely to hard hat // Tamper-proof seal // 3M Scotchlite™ reflective material // Weather resistant

**1 Variation**

HPID ID Sticker

# ADAPTERS & FACE SHIELDS



## Ridgeline® Cap Style Adapter

ANSI •

Fits Ridgeline cap style hard hats and accommodates a variety of face shields // Dielectric // Hard hat adapters fit into slots of cap style hard hats // Use with cap mounted earmuff (CM6010) // Adjustable while using cap mounted earmuff // Shown with Ridgeline hard hat and CM6010 earmuff – sold separately

HHABCMR •



## SL Series Cap Style Adapter

ANSI •

Fits SL Series cap style hard hats and accommodates a variety of face shields // Dielectric // Hard hat adapters fit into slots of cap style hard hats // Use with cap mounted earmuff (CM6010) // Adjustable while using cap mounted earmuff // Shown with SL Series hard hat and CM6010 earmuff – sold separately

HHABCMS •





## Aluminum Cap Style Adapter

ANSI •

Lightweight aluminum // Fits most cap style hard hats

HHAA •



## Deluxe Aluminum Cap Style Adapter

ANSI •

Lightweight aluminum // Designed to fit more rounded cap style hard hats // Accommodates a variety of face shields – does not fit S1060

HHAAD •



## Aluminum Full Brim Adapter

ANSI •

Lightweight aluminum // Fits most full brim hard hats

HHAAW •



## Cap Style Adapter

ANSI •

Durable nylon with plastic coated tension spring // Fits most cap style hard hats

HHAB •

Adapters accommodates a variety of face shields.



## Dielectric Cap Style Adapter

ANSI •

Dielectric // Nylon material // Fits most cap style hard hats

HHAN •



## Dielectric Full Brim Adapter

ANSI •

Dielectric // High impact resistant ABS resin // Fits most full brim hard hats

HHABW •



## Polyethylene Face Shield

ANSI •

Meets ANSI Z87.1 // 8" x 15" // .040" thick

S1010 •



## Aluminum Bound Polyethylene Face Shield

ANSI •

Meets ANSI Z87.1 // 8" x 15" // .040" thick // Aluminum bound allows shield to bend into preferred shape

S1015 •



## Dark Green Tinted Polyethylene Face Shield

ANSI •

Meets ANSI Z87.1 // 8" x 15" // .040" thick // Not IR resin – use for heat and glare

S1035 •



## Polycarbonate Face Shield

ANSI •

Meets ANSI Z87.1+ // 8" x 15" // .040" thick // Provides 99% UVA/B/C protection

S1020 •



## Aluminum Bound Polycarbonate Face Shield

ANSI •

Meets ANSI Z87.1+ // 8" x 15" // .040" thick // Aluminum bound allows shield to bend into preferred shape // Provides 99% UVA/B/C protection

S1040 •



## Tapered Polycarbonate Face Shield

ANSI •

Meets ANSI Z87.1+ // 8" x 15" // .078" thick // Provides 99% UVA/B/C protection

S1110 •

All face shields are shown with HGBR - sold separately.

Face Shields with universal slots will accommodate a wide variety of adapters and headgear. Face shields offer secondary protection and must be worn with spectacles or goggles.

S1040 retail packaged product on page 143.



## Cylinder Polycarbonate Face Shield

ANSI •

Meets ANSI Z87.1+ // 8" x 15.5" // .078" thick // Provides 99% UVA/B/C protection

S1210 •



## Tapered IR5 Polycarbonate Face Shield

ANSI •

Meets ANSI Z87.1+ // 8" x 15.5" // .078" thick // Provides 99% UVA/B/C protection

S1150 •



## Cylinder IR5 Polycarbonate Face Shield

ANSI •

Meets ANSI Z87.1+ // 8" x 15.5" // .078" thick // Provides 99% UVA/B/C protection

S1250 •



## Steel Wire Mesh Face Shield

ANSI •

Meets ANSI Z87.1 requirements for screen window // 8" x 15.5" // Provides good airflow for comfort // Does not accommodate the HHAAD hard hat adapter

S1060 •



## Cylinder Polycarbonate Face Shield with slots for Chin Cup

ANSI •

Meets ANSI Z87.1+ // 8" x 15.5" // .078" thick // Provides 99% UVA/B/C protection // Accessory slots on bottom accommodate CHICUP – sold separately

S1210CC •



## Chin Protector for S1210CC

NON-RATED

8.46" x 2.74" // 0.09" thick // Accommodates S1210CC – sold separately

CHICUP



## Ridgeline® Ratchet Headgear

ANSI •

Meets ANSI Z87.1+ // Constructed from durable nylon // Ratchet adjustment for easy fit // Pivoting action allows user to lift face shield while wearing // Adjustable pegs will accommodate a wide variety of face shields

HGBR •



## Face Shield & Ridgeline Ratchet Headgear Combo

ANSI •

Aluminum Bound Polycarbonate Face Shield with Ridgeline® Ratchet Headgear in a packaged combo kit // See page 94 for HGBR features // See page 93 for S1040 features

HGBRKITCS •

All face shields are shown with HGBR - sold separately.

Face Shields with universal slots will accommodate a wide variety of adapters and headgear. Face shields offer secondary protection and must be worn with spectacles or goggles.

HGBRKITCS retail packaged product on page 143.



# KITS



## New Hire Kits

Intruder® – S4110S clear lens or S4120S gray lens // RVZ2110 lime or orange RVZ2120 Type R Class 2 vest // SL Series hard hat – HP14010 white cap style with 4-point snap lock suspension or HP24110 white full brim 4-point ratchet suspension // DP1001 disposable corded earplugs – NRR 32dB SNR 37dB // GL401L polyurethane gloves – 13 gauge nylon liner

**SL Series Cap Style | 11 Variations**

| | | |
|---|---|---|
| | NHCM | HP14010 - S4110S - DP1001 - RVZ2110M - GL401L |
| | NHCL | HP14010 - S4110S - DP1001 - RVZ2110L - GL401L |
| | NHCXL | HP14010 - S4110S - DP1001 - RVZ2110XL - GL401L |
| | NHCX2 | HP14010 - S4110S - DP1001 - RVZ2110X2 - GL401L |
| | NHGL | HP14010 - S4120S - DP1001 - RVZ2110L - GL401L |
| | NHGXL | HP14010 - S4120S - DP1001 - RVZ2110XL - GL401L |
| | NHGX2 | HP14010 - S4120S - DP1001 - RVZ2110X2 - GL401L |
| | NHCORM | HP14010 - S4110S - DP1001 - RVZ2120M - GL401L |
| | NHCORL | HP14010 - S4110S - DP1001 - RVZ2120L - GL401L |
| | NHCORXL | HP14010 - S4110S - DP1001 - RVZ2120XL - GL401L |
| | NHCORX2 | HP14010 - S4110S - DP1001 - RVZ2120X2 - GL401L |

**SL Series Full Brim | 4 Variations**

| | | |
|---|---|---|
| | NHFBCL | HP24110 - S4110S - DP1001 - RVZ2110L - GL401L |
| | NHFBCXL | HP24110 - S4110S - DP1001 - RVZ2110XL - GL401L |
| | NHFBGL | HP24110 - S4120S - DP1001 - RVZ2110L - GL401L |
| | NHFBGXL | HP24110 - S4120S - DP1001 - RVZ2110XL - GL401L |

Intruder meets ANSI Z87.1+, CE EN166, CSA Z94.3 and AS/NZS 1337 standards. All lenses are hard coated scratch-resistant polycarbonate and provide 99% protection from harmful UV rays. Hi-vis workwear meets ANSI/ISEA 107-2015 Type R Class 2 standards. SL series hard hats meet ANSI Z89.1, CSA Z94.1 - 2015, Type 1, Class C, G, and E standards for industrial head protection standards. Disposable corded earplugs meet ANSI S3.19 and CE EN-352:2002 standards. Gloves meets European EN388:2003 and EN388:2016 standards. Contents are subject to change.



## Ridgeline® Forestry Kits

HHABCMR Ridgeline ratchet headgear // HP44110 white Ridgeline cap style hard hat with 4-point ratchet suspension or HP44141 hi-vis orange Ridgeline cap style hard hat with 4-point ratchet suspension // CM6010 cap mounted earmuff – NRR 23dB // S1060 steel wire mesh face shield

**Ridgeline Cap Style | 2 Variations**

| | | |
|---|---|---|
| | FORKIT10 | HP44110 - HHABCMR - S1060 - CM6010 |
| | FORKIT41 | HP44141 - HHABCMR - S1060 - CM6010 |

Ridgeline headgear meets ANSI Z87.1 standards. Ridgeline hard hat meets ANSI Z89.1, Type 1, Class C, G, and E standards for industrial head protection standards. Cap mounted earmuff meets ANSI S3.19 standards. Face shield meets ANSI Z87.1 requirements for screen window. Face shield offers secondary protection and must be worn with spectacles or goggles.



## SL Series Forestry Kits

HHABCMS SL series ratchet headgear // HP14110 white SL series cap style hard hat with 4-point ratchet suspension or HP14141 hi-vis orange SL series cap style hard hat with 4-point ratchet suspension // CM6010 cap mounted earmuff – NRR 23dB // S1060 steel wire mesh face shield

**SL Series Cap Style | 2 Variations**

| | | |
|---|---|---|
| | FORKIT10SL | HP14110 - HHABCMS - S1060 - CM6010 |
| | FORKIT41SL | HP14141 - HHABCMS - S1060 - CM6010 |

SL series headgear meets ANSI Z87.1 standards. SL series hard hats meet ANSI Z89.1, CSA Z94.1 - 2015, Type 1, Class C, G, and E standards for industrial head protection standards.Cap mounted earmuff meets ANSI S3.19 standards. Face shield meets ANSI Z87.1 requirements for screen window. Face shield offers secondary protection and must be worn with spectacles or goggles.

# N95 RESPIRATORS

## Disposable Particulate Respirators

N95 – 95% efficient respiratory protection in non-oil areas // Ultrasonically welded straps eliminate the need for staples // Straps are latex free // Shell is durable and keeps structure under heavy humidity // Soft, smooth outer and inner layer is comfortable on the skin // Inner foam strip reduces the potential for eyewear fogging // Outer aluminum adjustable nosepiece holds shape for proper fit




National Institute for Occupational Safety and Health NIOSH

Disposable Respirators meet the NIOSH standard for N95 particulate respirators.

**N95 Particulate Respirator | 1 Variation**

RM10 One Size Fits Most

**N95 Particulate Respirator with One Way Valve | 1 Variation**

RM10V One Size Fits Most

**Do Not Use Against**

Vapors, paint spray, oil-based aerosols, asbestos and sand blasting. Any contaminant whose concentration is unknown, or immediately dangerous to life. Concentrations of dust and mists which exceed the maximum use of concentration or 10 times contaminant's permissible exposure limit established by OSHA.

**Use Against**

NIOSH approved for protection against particulate aerosols free of oils. Pyramex recommends this respirator for use against particulates containing materials such as flour, iron ore, coal and minerals.

N95 Respirator retail packaged products on page 143.

# BALACLAVAS

## BL1 Series NON-RATED

SE SELF-EXTINGUISHING

Balaclava can be worn in a variety of ways from face mask to neck gaiter // Mesh breathing panels increase airflow while minimizing condensation on your eyewear // Self-extinguishing thermal fleece and mesh material



**2 Variations**

| | | | |
|---|---|---|---|
| ■ | BL111 | Black | One Size Fits Most |
| ■ | BL140 | Hi-vis Orange | |

BL1 series has been third party tested and can be worn under ANSI/ISEA compliant Pyramex hard hats (except SL Sleek Shell series).





AUTO-DARKENING HELMETS 100 – 101
ACCESSORIES 102
PASSIVE HELMET 102
IR FILTER PROTECTION 103 – 104

# SPARK AN INTEREST

32 feet is the minimum distance you must be away from an arc flash in order to not be at risk for Welder's Flash; a welding eye injury that occurs from exposure to intense ultraviolet light.

*Source: High Speed Training UK*

## WELDING HELMET CERTIFICATIONS

| | |
|---|---|
| ANSI Z87.1 + | ● |
| CE EN175: 1997 (shells)<br>CE EN379: 2003 + A1: 2009 (filters)<br>CE EN166: 2001 (cover plates) | ● |
| Cert. Mod. - CAN/CSA Z94.3 + third-party certification | ● |


## IR PRODUCTS CERTIFICATIONS

| | |
|---|---|
| ANSI Z87.1+ High Impact | ● |
| CE EN166 | ● |
| Cert. Mod. - CAN/CSA Z94.3 + third-party certification | ● |
| AS/NZS 1337 | ● |

## SELECTION CHART

| | | |
|---|---|---|
|  | WHAM3030AE ● | American Eagle |
|  | WHAM3030FL ●●● | Flame |
|  | WHAM3030FM ●●● | Fire Metal |
|  | WHAM3030GB ●●● | Glossy Black |

Descriptions
Certifications
Part Numbers
Colors / Patterns



# AUTO-DARKENING HELMETS

LEADHEAD®

## WHAM30 Series ANSI • CE • CSA •

4 / 5-8 / 9-13 stepless variable shade // 3.858" x 3.425" (98 x 87 mm) view area // Manual internal controls // Four independent sensors in staggered design // Solar cells and replaceable lithium-battery // Cutting, grinding and welding modes // 1/30,000 second switch speed // 5 amps and below TIG rating // High-impact resistant nylon // Up to shade DIN16 at all times

| | | |
|---|---|---|
|  | WHAM3030AE • | American Eagle |
|  | WHAM3030FL • • • | Flame |
|  | WHAM3030FM • • • | Fire Metal |
|  | WHAM3030GB • • • | Glossy Black |





WHAM3030AE WHAM3030FL WHAM3030FM WHAM3030GB

Auto-darkening helmets are suitable for all types of electro-weldings: covered electrodes, MIG/MAG, TIG/WIG, plasma welding, cutting and laser welding (only selected models with two shade ranges, i.e.5-8 and 9-13), except for gas welding. Pyramex recommends Duracell® DL2450 replacement lithium coin battery for WHAM30 and WHAD60 and Duracell® DL2032 for WHAM10.

## WHAM1020MB ANSI • CE •

4 / 9-13 stepless variable shade // 3.937" x 1.77" (100 x 45 mm) view area // Manual external/internal controls // Four independent sensors in staggered design // Solar cells and replaceable lithium-battery // Grinding and welding modes // 1/30,000 second switch speed // 5 amps and below TIG rating // High-impact resistant nylon // Up to shade DIN16 at all times

| | | |
|---|---|---|
|  | WHAM1020MB • • | Matte Black |



## WHAD60 Series ANSI •

4 / 5-13 digital display // 3.937" x 2.362" (100 x 60 mm) view area // Digital internal controls // Four independent sensors in staggered design // Solar cells and replaceable lithium-battery // Cutting, grinding and welding modes // 1/30,000 second switch speed // 5 amps and below TIG rating // High-impact resistant nylon // Up to shade DIN16 at all times

| | | |
|---|---|---|
|  | WHAD6030GB • | Glossy Black |
|  | WHAD6030MB • | Metallic Blue |



WHAD6030GB

# ACCESSORIES AND REPLACEMENT PARTS

### Magnifying Inserts | 3 Variations

WMAG1.5 +1.5 magnifying insert – fits all
WMAG2.0 +2.0 magnifying insert – fits all
WMAG2.5 +2.5 magnifying insert – fits all

Auto-darkening helmets include a magnification lens holder.

### Replacement Filters | 3 Variations

WRAM10 ●● Auto-darkening filter – WHAM10
WRAM30 ●●● Auto-darkening filter – WHAM30
WRAD60 ● Auto-darkening filter – WHAD60

### Replacement Front Cover Plates | 2 Variations

ROWH10PK5 ●● Front cover plate 5 pack – WHAM10
ROWH3060PK5 ●●● Front cover plate 5 pack – WHAM30 & WHAD60

### Replacement Inside Cover Plates | 3 Variations

RIWH10PK5 ●● Inside cover plate 5 pack – WHAM10
RIWH30PK5 ●●● Inside cover plate 5 pack – WHAM30
RIWH60PK5 ● Inside cover plate 5 pack – WHAD60

### Replacement Headgear | 1 Variation

WHARS1 Headgear – fits all

### Replacement Sweatband | 1 Variation

WHBAND2 Sweatband 2 pack – fits all

# PASSIVE HELMET

## WHP100 ANSI •

IR shade #10 welding filter // Lift front lens // 4.25" x 2" (107.95 x 50.8 mm) view area // Thermoplastic shell with nylon suspension // Optimally balanced "shake down" helmet minimizes carbon monoxide build up // Ample space for respirators

WHP100 ● Black



# IR FILTER PROTECTION



## Tapered IR5 Face Shield

ANSI •

Tapered polycarbonate face shield // Shown with HGBR – sold separately

S1150 ● 5.0 IR Filter

For more information about the S1150 see page 94.



## Cylinder IR5 Face Shield

ANSI •

Cylinder polycarbonate face shield // Shown with HGBR – sold separately

S1250 ● 5.0 IR Filter

For more information about the S1250 see page 94.



## Capstone® Shield ANSI • CE •

Fully adjustable elastic band // Fits over most prescription glasses // Goggles pass D3: Droplet and Splash Test // Goggles pass D4: Dust Test // Removable vent caps // Goggle combined with removable shield provides full face protection

### Lens and Shield | 2 Variations

GG504TSHIELDIR3 ●● 3.0 IR Filter H2X AF
GG504TSHIELDIR5 ●● 5.0 IR Filter H2X AF

For more information about the Capstone Shield see page 76.

Only the goggles contain IR dye. The shield is only green tinted.



## V2G® ANSI • AS •

Flame resistant foam padding // Vented lens and frame // Interchangeable temples and strap included // Strap and temples feature ratchet adjustment with quick-fit retainer

### Black Frame | 2 Variations

GB1850SFT ● 5.0 IR Filter H2X AF
GB1860SFT ●● 3.0 IR Filter H2X AF

For more information about the V2G see page 48.

V2G Readers on page 73.



## Emerge® ANSI • CSA •

Soft nosepiece provides comfort for extended use

### Black Frame | 2 Variations

SB7950SF ●● 5.0 IR Filter
SB7960SF ●● 3.0 IR Filter

For more information about the Emerge see page 70.



## Ever-Lite® ANSI •

Soft nosepiece for snug fit // Slim co-injected temples // Lightweight spectacle – 22 gm

### Black Frame | 2 Variations

SB8650SF ● 5.0 IR Filter
SB8660SF ● 3.0 IR Filter

For more information about the Ever-Lite see page 56.

Ever-Lite Readers on page 71.



## Venture II® ANSI • CE •

Temples adjust to four different lengths // Rubber nosepiece secures the glass and prevents slipping

**Black Frame | 2 Variations**

| | | |
|---|---|---|
| | SB1850SF • • | 5.0 IR Filter |
| | SB1860SF • • | 3.0 IR Filter |

For more information about the Venture II see page 58.

Venture II Readers on page 71.



## Integra® ANSI • CE •

Adjustable temples ensure reliable performance

**Black Frame | 2 Variations**

| | | |
|---|---|---|
| | SB450SF • • | 5.0 IR Filter |
| | SB460SF • | 3.0 IR Filter |

For more information about the Integra see page 62.



## Onix® Plus ANSI • CE • AS •

Co-injected temples // Adjustable rubber nosepiece // Unique 3-angle adjustable flip lens // Outer lens flips down for applications where IR lenses are needed

**Black Frame | 2 Variations**

| | | |
|---|---|---|
| | SB4950STP • • | Clear with 5.0 IR H2X AF |
| | SB4960STP • • • | Clear with 3.0 IR H2X AF |

For more information about the Onix Plus see page 61.



## OTS® ANSI •

Fits over most prescription glasses // Lightweight nylon temples adjust for length and pitch

**Black Temples | 2 Variations**

| | | |
|---|---|---|
| | S3550SFJ • | 5.0 IR Filter |
| | S3560SFJ • | 3.0 IR Filter |

For more information about the OTS see page 74.



## Ztek® ANSI • CE • CSA •

Integrated nosepiece // Soft non-slip rubber temple tips provide non-binding fit

**Lens and Temples | 4 Variations**

| | | |
|---|---|---|
| | S2514S • • • | 1.5 IR Filter |
| | S2550SF • | 5.0 IR Filter |
| | S2560SF • | 3.0 IR Filter |
| | S25ARCS • • | Arc – 1.5 IR Filter |

For more information about the Ztek see page 67.

S2514S is designed for peripheral personnel and visitors who are NOT exposed to direct IR radiation.

S25ARCS is great for use under the welding helmet – allowing welder to see work clearly without suffering "welder's flash burn" from surrounding welders.




## Ztek Readers ANSI •

Integrated nosepiece // Soft non-slip rubber temple tips provide non-binding fit

**Lens and Temples | 2 Variations**

| | | | |
|---|---|---|---|
| | S2514R15 • | 1.5 IR Filter | +1.5 Mag |
| | S2514R20 • | 1.5 IR Filter | +2.0 Mag |





ELECTRONIC EARMUFFS 108
PASSIVE EARMUFFS 109
CAP MOUNTED EARMUFFS 110
METAL DETECTABLE EARPLUGS 110
EARPLUGS 111 – 112

# HEAR US OUT

24% of hearing loss in the U.S has been attributed to workplace exposure.

*Source: Hearing Health Foundation*

## FEATURES

REUSABLE EARPLUG

DISPOSABLE EARPLUG

METAL DETECTABLE

BLUETOOTH CAPABILITY

HEARING AMPLIFICATION

HD CLEAR SOUND SPEAKERS

AUX JACK

RAPID NOISE SUPPRESSION

## SELECTION CHART

| | | |
|---|---|---|
| | PM8010 ● ● | Gray |
| | PM8031 ● ● | Hi-vis Lime |
| | PM8041 ● ● | Hi-vis Orange |

Descriptions
Certifications
Part Numbers
Colors / Patterns

## CERTIFICATIONS


| | |
|---|---|
| ANSI S3.19 | ● |
| CE EN 352:2002 | ● |

### ANSI S3.19

**NRR**
Noise Reduction Rating (NRR) is an estimated unit of measurement used to determine the amount of sound in decibels (dB) that a hearing device is capable of blocking out when properly worn.

### CE EN 352:2002

**SNR**
Single Number Rating (SNR) is an estimated unit of measurement used to determine the amount of sound in decibels (dB) that a hearing device is capable of blocking out when properly worn. SNR also rates hearing protection by the noise environments in three categories: high-frequency (H), mid-frequency (M), and low-frequency (L).



# ELECTRONIC EARMUFFS

## Amp BT™ ANSI •

NRR 26dB

BLUETOOTH CAPABILITY · AUX JACK · RAPID NOISE SUPPRESSION



Quad microphones // Bluetooth capability // Noise suppression after 85db // Easy-adjust volume and ambient noise controls // Auto shut-off after four hours // 3.5 mm AUX jack cord for use of MP3 and mobile devices // 2 AAA batteries are included // Available in a VG clamshell

| | | |
|---|---|---|
| VGPME30BT • | Black |
| VGPME31BT • | Tan |
| VGPME32BT • | Urban Gray |

## Sentinel™ ANSI •

NRR 26dB

AUX JACK · RAPID NOISE SUPPRESSION · HEARING AMPLIFICATION



Front facing microphone // Amplifies hearing while suppressing harmful sounds and reducing them to a safe level // Auto shut-off after four hours // 3.5 mm AUX jack cord for use of MP3 and mobile devices // 2 AAA batteries are included // Available in a VG clamshell

| | | |
|---|---|---|
| VGPME20 • | Black |
| VGPME26 • | Powder Blue |

## Clandestine™ ANSI •

NRR 24dB

HD CLEAR SOUND SPEAKERS · RAPID NOISE SUPPRESSION · HEARING AMPLIFICATION



Omnidirectional microphone // Amplifies hearing while suppressing harmful sounds and reducing them to a safe level // External access for easy battery replacement // 2 AAA batteries are included // Available in a VG capture clam

| | | |
|---|---|---|
| VGPME10 • | Black |
| VGPME17 • | Black Graphite |

VENTUREGEAR BY PYRAMEX

Amp BT | Sentinel | Clandestine
Electronic earmuffs are VG packaged products. See page 140 for more information.

# PASSIVE EARMUFFS



## PM80 Series ANSI • CE •

NRR 26dB SNR 30dB

Low-profile ear cup design // Height adjustment to fit most // Fold-away padded headband

| | | |
|---|---|---|
| PM8010 • • | Gray |
| PM8031 • • | Hi-vis Lime |
| PM8041 • • | Hi-vis Orange |



## PM3010 ANSI • CE •

NRR 27dB SNR 28dB

Height adjustment to fit most // Fold-away padded headband

PM3010 • •



## PM2010 ANSI •

NRR 23dB

Dielectric // Lightweight and comfortable // Durable nylon headband

PM2010 •



## BH9010 ANSI •

NRR 22dB

Can be worn with hard hats, shields, and other PPE // Adjustable and durable neckband // Ear cups tilt for optimum comfort and efficiency

BH9010 •



## PM9011 ANSI •

NRR 19dB

Smaller headband designed for slimmer fit // Height adjustment to fit most // Fold-away padded headband

PM9011 •



## PM9010 ANSI •

NRR 24dB

Low-profile ear cup design // Height adjustment to fit most // Fold-away padded headband

| | |
|---|---|
| PM9010 • | Gray |

PM80 | PM9010
For additional color options, see the Venture Gear section on page 141.



## PM2000 ANSI •

NRR 21dB

Soft padded ear cups // Rotatable headband

PM2000 •

# CAP MOUNTED EARMUFFS



## CM6010 ANSI •

NRR 22dB

Cap mounted earmuff – fits slotted cap style hard hats // Dielectric // Easily accessible while working // Flip down over ears to use or flip up when not in use // Shown with SL Series hard hat – sold separately

CM6010 •



## CMFB6010 ANSI •

NRR 23dB

Cap mounted earmuff – fits slotted full brim hard hats // Dielectric // Easily accessible while working // Flip down over ears to use or flip up when not in use // Shown with Ridgeline® hard hat – sold separately

CMFB6010 •

# METAL DETECTABLE EARPLUGS



## RPD3001

ANSI • CE •

NRR 25dB SNR 30dB

REUSABLE EARPLUG · METAL DETECTABLE

Metal shavings embedded in the plug and cord for metal and magnetic detectability // Eye-catching blue color contrasts with most food products // Three flexible rubber flanges form a secure seal // Reusable earplugs can be cleaned with soap and water

RPD3001 • •



## RPD2001

ANSI •

NRR 25dB

REUSABLE EARPLUG · METAL DETECTABLE

Iron ball embedded in the plug for metal and magnetic detectability // Eye-catching blue color contrasts with most food products // Three rubber flanges form a secure seal // Reusable earplugs can be cleaned with soap and water

RPD2001 •



## DPD1001MS

ANSI •

NRR 31dB

DISPOSABLE EARPLUG · METAL DETECTABLE

Iron ball embedded in the plug and metal shavings embedded in cord for metal and magnetic detectability // Eye-catching blue color contrasts with most food products // Expands to fit ear canal // Closed cell foam earplugs are resistant to dirt build up

DPD1001MS •



## DPD1001

ANSI • CE •

NRR 30dB SNR 37dB

DISPOSABLE EARPLUG · METAL DETECTABLE

Iron ball embedded in the plug for metal and magnetic detectability // Eye-catching blue color contrasts with most food products // Expands to fit ear canal // Closed cell foam earplugs are resistant to dirt build up

DPD1001 • •

RPD2001 | RPD3001 | DPD1001 | DPD1001MS

Metal detectable earplugs are designed for those working in food manufacturing. Almost all food manufacturing facilities use some form of metal detection in order to test outgoing products, ensuring they are free from contaminants. The blue color is an important component of the earplug — it is a popular choice because it contrasts with most food color.



# EARPLUGS



## RP4000 ANSI •

NRR 25dB

REUSABLE EARPLUG

Stem eliminates earplug contact with fingers // Three flexible rubber flanges form a secure seal // Reusable earplugs can be cleaned with soap and water

RP4000 •



## RP3001 ANSI • CE •

NRR 25dB SNR 30dB

REUSABLE EARPLUG

Three flexible rubber flanges form a secure seal // Reusable earplugs can be cleaned with soap and water

RP3001 • •

RP3001PC • Small case with RP3001

RP3001 retail packaged product on page 143.



## RP2001 ANSI •

NRR 26dB

REUSABLE EARPLUG

Three rubber flanges form a secure seal // Reusable earplugs can be cleaned with soap and water

RP2001 •



## DP3000 ANSI •

NRR 30dB

DISPOSABLE EARPLUG

No earplug roll down required // Stem eliminates earplug contact with fingers // Expands to fit ear canal // Closed cell foam earplugs are resistant to dirt build up

DP3000 •



## DP1201 ANSI •

NRR 30dB

DISPOSABLE EARPLUG

Expands to fit ear canal // Closed cell foam earplugs are resistant to dirt build up

DP1201 •



## DP1200 ANSI •

NRR 30dB

DISPOSABLE EARPLUG

Expands to fit ear canal // Closed cell foam earplugs are resistant to dirt build up

DP1200 •



## DP1001 ANSI • CE •

NRR 31dB SNR 37dB

DISPOSABLE EARPLUG

Expands to fit ear canal // Closed cell foam earplugs are resistant to dirt build up

DP1001 • •



## DP1000 ANSI • CE •

NRR 32dB SNR 38dB

DISPOSABLE EARPLUG

Expands to fit ear canal // Closed cell foam earplugs are resistant to dirt build up

DP1000 • •

DP1000 retail packaged products on page 143.



## BP3000 ANSI • CE •

NRR 22dB SNR 27dB

REUSABLE EARPLUG

Designed for environments with intermittent noise hazards // Flexible band can rest around neck when not in use // Conical shaped earplugs that require no roll down

BP3000 • •





## PD500

Convenient dispenser with twist knob and catch basin // 500 pair of disposable uncorded earplugs (included) // Can be wall mounted or used as freestanding display

| | |
|---|---|
| PD500 | Earplug Dispenser with DP1000 |
| PD500R | Replacement 500 pair of DP1000 |







EVAPORATIVE 116 – 117

SUN SHADE 117

MOISTURE-WICKING 118

LEARN MORE ABOUT
**NEW COOLING**
IN THE ADDENDUM

# THE HEAT IS ON

Each year an estimated 10 million workers in the U.S will be affected by heat stress.

*Source: OSHA Occupational Heat Exposure*

## THE HOURS MATTER

The most dangerous heat hours are between 11 am–5 pm. Schedule frequent rest breaks to ensure you will not overheat.

## DRINK MORE WATER

Drink about 1 cup of water every 15 to 20 minutes to prevent heat related stress or injury. Drink water before becoming thirsty.

## SELECTION CHART

C260 Blue (26" x 8.5")

- Color / Size
- Part Numbers
- Colors / Patterns

## KNOW THE SYMPTOMS

Be aware of the signs and symptoms of heat-induced illnesses. Heat causes more deaths than any other weather-related hazards.

## THE RIGHT CLOTHING

Wear clothing that is breathable, lightweight, and loose-fitting. Cooling products work as an additional relief from the heat.

## ANSI/ISEA COMPLIANT

CNS1 series, CPH160, CSK1 series, and CSKT2 series have been third-party tested and can be worn under ANSI/ISEA compliant Pyramex hard hats (except SL Sleek Shell series).

# EVAPORATIVE



## CV200 Series TYPE R CLASS 2

ANSI cooling vest // Inner evaporative PVA panels // 2" silver reflective material // Quilted outer shell is made from soft polyester // Zipper front closure // Adjustable waist band // Submerge in cool water before wearing to activate // Reusable – just reactivate // Machine washable

| | | |
|---|---|---|
| CV200M | Medium adjusts to XL (38" x 48") |
| CV200X2 | 2XL adjusts to 5XL (50" x 64") |



## CV100 Series NON-RATED

Cooling vest // Inner evaporative PVA panels // Quilted outer shell is made from soft polyester // Zipper front closure // Adjustable waist band // Submerge in cool water before wearing to activate // Reusable – just reactivate // Machine washable

| | | |
|---|---|---|
| CV100M | Medium adjusts to XL (38" x 48") |
| CV100X2 | 2XL adjusts to 5XL (50" x 64") |



## CPH160 NON-RATED

Cooling hard hat pad // Evaporative cooling material // Fits on the suspension of cap style and full brim hard hats with hook and loop closures // To activate, soak in cool water // Reusable – just reactivate // Shown with Ridgeline® hard hat – sold separately

| | |
|---|---|
| CPH160 | Blue |

CPH160 has been third-party tested and can be worn under ANSI/ISEA compliant Pyramex hard hats (except SL Sleek Shell series).



## CNS1 Series NON-RATED

Cooling hard hat pad and neck shade // Evaporative quilted hi-vis material // Fits on the suspension of hard hats with hook and loop closures // To activate, soak in cool water // Reusable – just reactivate // Machine washable // Shown with Ridgeline hard hat – sold separately

| | |
|---|---|
| CNS130 | Hi-vis Lime |
| CNS140 | Hi-vis Orange |

CNS1 series has been third-party tested and can be worn under ANSI/ISEA compliant Pyramex hard hats (except SL Sleek Shell series).



## CNB12PK + CNB100 Series NON-RATED

Cooling beaded bandana // Polymer crystal beads // Conveniently ties around neck // To activate, simply soak in cool water then knead and spread cooling gel for comfortable fit // Reusable – just reactivate // Machine washable // One size fits most

12 Pack

| | |
|---|---|
| CNB12PKB | Blue Paisley |
| CNB12PKFLG | American Flag |
| CNB12PKKH | Khaki |
| CNB12PKR | Red Paisley |
| CNB12PKRB | Royal Blue |

100 Pack

| | |
|---|---|
| CNB100B | Blue Paisley |
| CNB100G | Gray Paisley |
| CNB100MIX | Blue Paisley, Gray Paisley, Red Paisley & Royal Blue |
| CNB100R | Red Paisley |
| CNB100RB | Royal Blue |



## C260 NON-RATED

Cooling towel wrap // Evaporative PVA material // Anti-microbial treated to help prevent mold build-up and unwanted odors // Use as a neck wrap by pulling end of wrap through slit // To activate, simply soak in cool water // Reusable – just reactivate // Machine washable

| | |
|---|---|
| C260 | Blue (26" x 8.5") |



## C160 NON-RATED

Cooling towel // Evaporative PVA material // Anti-microbial treated to help prevent mold build-up and unwanted odors // To activate, simply soak in cool water // Reusable – just reactivate // Machine washable

| | |
|---|---|
| C160 | Blue (26" x 17") |

# SUN SHADE



## HPSHADE Series NON-RATED

Hard hat brim with neck shade // Lightweight material // Fits on the outside of hard hats // Shown with Ridgeline® hard hat – sold separately

| | |
|---|---|
| HPSHADE10 | White |
| HPSHADE30 | Hi-vis Lime |
| HPSHADE40 | Hi-vis Orange |
| HPSHADE60 | Blue |



## HPSHADEC Series NON-RATED

Collapsible hard hat brim with neck shade // Lightweight material // Fits on the outside of full brim hard hats // Shown with Ridgeline hard hat – sold separately

| | |
|---|---|
| HPSHADEC10 | White |
| HPSHADEC30 | Hi-vis Lime with Silver Reflective Stripe |
| HPSHADEC60 | Blue |
| HPSHADECKH | Khaki |



## HPESHADE10 NON-RATED

Hard hat neck shade // Mesh material // Elastic ribbing allows shade to fit on the outside of hard hats // Rated UPF 40 // Shown with Ridgeline hard hat – sold separately

| | |
|---|---|
| HPESHADE10 | Hi-vis Lime |

## RRH10 NON-RATED

Lightweight ranger style hat // Rated UPF 50 // Reflective piping and tape // One size fits most

| | |
|---|---|
| RRH10 | Hi-vis Lime |



# MOISTURE-WICKING



## C330 NON-RATED

Microfiber towel // Provides hours of cooling relief by regulating core body temperature // Reusable – simply soak in cool water // Machine washable

C330 Lime (11.5" x 33")



## CSKT2 Series NON-RATED

Skull cap with ties // Traps and absorbs sweat, keeping it out of your eyes // Designed for easy tying // Rated UPF 50 // Machine washable // One size fits most

CSKT212 Gray
CSKT260 Blue



## CSK1 Series NON-RATED

Skull cap // Traps sweat, keeping it out of your eyes // Fits under hard hats // Rated UPF 45 // Machine washable // One size fits most

CSK111 Black
CSK1FLG American Flag

CSK1 series and CSKT2 series have been third-party tested and can be worn under ANSI/ISEA compliant Pyramex hard hats (except SL Sleek Shell series).



## MPB Series NON-RATED

Multi-purpose headwear band // Rated UPF 50 // Reusable // Machine washable // One size fits most

MPB10 Hi-vis Lime
MPB60 Blue




## CS1 Series NON-RATED

Nylon/spandex sleeve with thumb hole // Rated UPF 50 // Reusable // Machine washable // One size fits most

CS111 Black
CS160 Blue





# LIFT LIKE YOU SHOULD

According to the Federal Bureau of Labor Statistics, back injuries of more than 1 million workers account for nearly 20 percent of all injuries and illnesses in the workplace.

*Source: Bureau of Labor Statistics*

# BACK SUPPORT



## BBS100 Series NON-RATED

General use back support – economy weight // Constructed from lightweight, durable material // Plastic support stays // Features breakaway suspenders // 2 overlap style adjustable panels // Contoured shape allows flexibility and complete freedom of movement // Washable and shrink resistant

BBS100 S – 3XL

# KNEE PADS



## BKP100 Series NON-RATED

Economy light duty knee pads // Wide and long for wraparound comfort // Durable 600D polyester fabric cover // 15mm closed cell foam padding // Injection plastic button/clip strap connectors provide easy adjustment and secure fit // Washable and shrink resistant

BKP100 One Size Fits Most



## BKP200 Series NON-RATED

Hard cap knee pads // Smooth hard cap attached with nickel plated grommets easily slides over various surfaces // Durable 600D polyester fabric // 15mm EVA foam padding // Anti-bacterial treated // Injection plastic button/clip strap connectors provide easy adjustment and secure fit // Washable and shrink resistant

BKP200 One Size Fits Most






VENTURE GEAR TACTICAL® 124 – 126

VENTURE GEAR® 127 – 131

CARHARTT® 132 – 135

DUCKS UNLIMITED® 136 – 137

DISPLAYS 138

PACKAGING 139

HEARING 140 – 141

KITS 142

PYRAMEX® RETAIL 143








# OUT PERFORM AT EVERY LEVEL

Don't rationalize away the need for safety protection during recreational activities. More than 40,000 adults and children suffer eye injuries each year, while more than 28 million people have hearing impairments.

*Source: Center for Hearing and Communication*

## EYEWEAR FEATURES

ADJUSTABLE NOSEPIECE

ADJUSTABLE TEMPLES

CO-INJECTED TEMPLES

FOAM PADDING

INCLUDES STRAP

MIL-PRF-32432

MULTI LENSES

POLARIZED OPTION

RATCHETING TEMPLES

RUBBER NOSEPIECE

RUBBER TIPS

VENTED FRAME

VENTED LENS

## EYEWEAR CERTIFICATIONS

| | |
|---|---|
| ANSI Z87.1+ High Impact | *ANSI* |
| CE EN166 | *CE* |
| Cert. Mod. - CAN/CSA Z94.3<br>third-party certification | *CSA* |
| MIL-PRF-32432 High Velocity Impact Standards | *MIL-PRF-32432* |

## HEARING CERTIFICATIONS

| | |
|---|---|
| ANSI S3.19<br>NRR - Noise Reduction Rating | *ANSI* |
| CE EN 352:2002<br>SNR - Single Number Rating | *CE* |

## BRANDS YOUR CUSTOMERS KNOW

Our longstanding relationships with major distributors, buy groups, and co-ops allow us to offer competitive pricing for the most in-demand brands on the market, including Carhartt, Ducks Unlimited, Venture Gear, and Venture Gear Tactical.

VENTUREGEAR TACTICAL

VENTUREGEAR

carhartt

DUCKS UNLIMITED

## PROGRAMS CUSTOMIZED FOR YOU

Pyramex strives to bolster our service through meeting our customers face to face at trade shows so we can understand what helps your business amplify its sales. We customize our proven programs to present you with researched solutions that help maximize your keystone margins while making multiple turns on inventory.

## MERCHANDISING SOLUTIONS

We offer customized planograms and retail-ready packaging, removing an extra step of work for you. Our branded displays maximize floor space, so all you have to decide is what products best serve your business.




## Overwatch® *ANSI MIL-PRF-32432*

RUBBER NOSEPIECE · CO-INJECTED TEMPLES · MIL-PRF-32432

Available in a VGT clamshell and includes microfiber cleaning bag

**Black Frame**

| | |
|---|---|
| VGSB718T | Bronze Anti-fog |
| VGSB722T | Forest Gray Anti-fog |

**OD Green Frame**

| | |
|---|---|
| VGSG718T | Bronze Anti-fog |
| VGSG722T | Forest Gray Anti-fog |

**Urban Gray Frame**

| | |
|---|---|
| VGSUG710T | Clear Anti-fog |
| VGSUG722T | Forest Gray Anti-fog |







## Stonewall® *ANSI MIL-PRF-32432*

RUBBER NOSEPIECE · RUBBER TIPS · MIL-PRF-32432

Available in a VGT clamshell and includes microfiber cleaning bag

**Black Frame**

| | |
|---|---|
| VGSB418T | Bronze Anti-fog |
| VGSB470T | Silver Mirror Anti-fog |



## Howitzer™ *ANSI CSA MIL-PRF-32432*

RUBBER NOSEPIECE · ADJUSTABLE NOSEPIECE · CO-INJECTED TEMPLES · MIL-PRF-32432

Available in a VGT clamshell and includes microfiber cleaning bag



**Black Frame**

| | |
|---|---|
| VGSB1310T | Clear Anti-fog |
| VGSB1318T | Bronze Anti-fog |
| VGSB1322T | Forest Gray Anti-fog |



**Tan Frame**

| | |
|---|---|
| VGST1310T | Clear Anti-fog |
| VGST1318T | Bronze Anti-fog |
| VGST1322T | Forest Gray Anti-fog |

## Drone® *ANSI MIL-PRF-32432*

RUBBER NOSEPIECE · ADJUSTABLE NOSEPIECE · CO-INJECTED TEMPLES · MIL-PRF-32432

Available in a VGT clamshell and includes microfiber cleaning bag

**Black Frame**

| | |
|---|---|
| VGSB8310ST | Clear Anti-fog |
| VGSB8320ST | Gray Anti-fog |



RETAIL





RETAIL

## Semtex 2.0™ *ANSI CSA MIL-PRF-32432*


RUBBER NOSEPIECE


ADJUSTABLE NOSEPIECE


CO-INJECTED TEMPLES


MIL-PRF-32432

Available in a VGT clamshell and includes microfiber cleaning bag



**Gun Metal Frame**

| | | |
|---|---|---|
| | VGSGM1410T | Clear Anti-fog |
| | VGSGM1418T | Bronze Anti-fog |
| | VGSGM1422T | Forest Gray Anti-fog |



**Tan Frame**

| | | |
|---|---|---|
| | VGST1410T | Clear Anti-fog |
| | VGST1418T | Bronze Anti-fog |
| | VGST1422T | Forest Gray Anti-fog |

## Loadout™ *ANSI MIL-PRF-32432*


FOAM PADDING


VENTED FRAME


RUBBER NOSEPIECE


INCLUDES STRAP


MIL-PRF-32432

Fits over prescription glassess // Passes 3: Droplet and Splash Test // Passes D4: Dust Test // Integrated sleeve protects lens when not in use // Available in a VGT box and includes canvas storage case with MOLLE compatible snap straps

**Black Body**

| | | |
|---|---|---|
| | VGGB1510STM | Clear H2MAX Anti-fog |





Loadout ballistic goggle shot with 12 gauge shotgun and 2 ¾ inch steel #6 at 25 yards.






## Vallejo® *ANSI CSA*


RUBBER NOSEPIECE


VENTED FRAME


POLARIZED OPTION

Available in a VG polybag



**Black Frame**

| | | |
|---|---|---|
| | VGSB922T | Forest Gray Anti-fog |
| | VGSB931 | ***Polarized*** Green Mirror |
| | VGSB965T | Ice Blue Mirror Anti-fog |



**Clear Frame**

| | | |
|---|---|---|
| | VGSC965T | Ice Blue Mirror Anti-fog |



**Tortoise Frame**

| | | |
|---|---|---|
| | VGST918T | Bronze Anti-fog |



**White Frame**

| | | |
|---|---|---|
| | VGSW922T | Forest Gray Anti-fog |
| | VGSW931 | ***Polarized*** Green Mirror |
| | VGSW965T | Ice Blue Mirror Anti-fog |

## Brevard® *ANSI*

FOAM PADDING · RUBBER NOSEPIECE · CO-INJECTED TEMPLES

Available in a VG polybag



**Shiny Black Frame**

| | | |
|---|---|---|
| | VGSB1010DTB | Clear Anti-fog |
| | VGSB1026DTB | Forest Gray Anti-fog |
| | VGSB1057DTB | Green Mirror Anti-fog |



**Camo Frame**

| | | |
|---|---|---|
| | VGSCM1010DTB | Clear Anti-fog |
| | VGSCM1026DTB | Forest Gray Anti-fog |

## Pagosa® *ANSI*

RUBBER NOSEPIECE · CO-INJECTED TEMPLES · POLARIZED OPTION

Available in a VG box



**Black Frame**

| | | |
|---|---|---|
| | VGSB518T | Bronze Anti-fog |
| | VGSB522T | Forest Gray Anti-fog |
| | VGSB523 | ***Polarized*** Forest Gray |
| | VGSB565T | Ice Blue Mirror Anti-fog |
| | VGSB570T | Silver Mirror Anti-fog |



**White Frame**

| | | |
|---|---|---|
| | VGSW518T | Bronze Anti-fog |
| | VGSW522T | Forest Gray Anti-fog |
| | VGSW561 | ***Polarized*** Ice Blue Mirror |
| | VGSW565T | Ice Blue Mirror Anti-fog |



## Tensaw® *ANSI*

ADJUSTABLE NOSEPIECE · RUBBER NOSEPIECE · CO-INJECTED TEMPLES · POLARIZED OPTION

Available in a VG box



**Black and Gray Frame**

| | | |
|---|---|---|
| | VGSB310T | Clear Anti-fog |
| | VGSB318T | Bronze Anti-fog |
| | VGSB322T | Forest Gray Anti-fog |
| | VGSB323 | ***Polarized*** Forest Gray |
| | VGSB327T | Vermilion Anti-fog |
| | VGSB331 | ***Polarized*** Green Mirror |
| | VGSB365T | Ice Blue Mirror Anti-fog |
| | VGSB370T | Silver Mirror Anti-fog |



**White and Gray Frame**

| | | |
|---|---|---|
| | VGSW365T | Ice Blue Mirror Anti-fog |



**White and Blue Frame**

| | | |
|---|---|---|
| | VGSWB365T | Ice Blue Mirror Anti-fog |



**White and Red Frame**

| | | |
|---|---|---|
| | VGSWR351 | ***Polarized*** Sky Red Mirror |
| | VGSWR355T | Sky Red Mirror Anti-fog |

## Waverton™ *ANSI*

RUBBER NOSEPIECE · CO-INJECTED TEMPLES

Available in a VG polybag



**Black Frame**

| | | |
|---|---|---|
| | VGSB1110DB | Clear |
| | VGSB1126DB | Forest Gray |
| | VGSB1165DB | Ice Blue Mirror |
| | VGSB1170DB | Silver Mirror |




**Brown Frame**

| | | |
|---|---|---|
| | VGSBR1118DB | Bronze |
| | VGSBR1156DB | Multi-color Mirror |




RETAIL

## Monteagle™ *ANSI*




Available in a VG polybag







**Clear and Blue Frame**

- VGSC162OT Gray Anti-fog
- VGSC1665T Ice Blue Mirror Anti-fog

**Gun Metal and Black Frame**

- VGSGM1618T Bronze Anti-fog
- VGSGM162OT Gray Anti-fog
- VGSGM1622T Forest Gray Anti-fog
- VGSGM1665T Ice Blue Mirror Anti-fog

**Gun Metal and Hi-vis Yellow Frame**

- VGSGMV162OT Gray Anti-fog
- VGSGMV1657T Ice Blue Mirror Anti-fog

## Atwater™ *ANSI*




Available in a VG polybag






**Black Frame**

- VGSB1226TB Forest Gray H2X Anti-fog

**Silver Frame**

- VGSSB1226TB Forest Gray H2X Anti-fog
- VGSSB1265TB Ice Blue Mirror Anti-fog

## Zumbro® *ANSI*




Available in a VG box



**Bronze Frame**

- VGSBR222T Forest Gray Anti-fog

## Drop Zone® *ANSI CE MIL-PRF-32432*




Includes: removable temples, crush-resistant neoprene storage case, microfiber cleaning cloth, and four interchangeable lenses // Available in a VG clamshell



**Black Temples**

VGSB88KIT

- Clear H2X Anti-fog
- Forest Gray H2X Anti-fog
- Orange H2X Anti-fog
- Vermilion H2X Anti-fog











RETAIL




## Carthage® *ANSI CSA*

FOAM PADDING | RUBBER NOSEPIECE | INCLUDES STRAP

Available in a Carhartt polybag




**Black and Tan Frame**

| | | |
|---|---|---|
| | CHB410DTP | Clear Anti-fog |
| | CHB418DTP | Sandstone Bronze Anti-fog |
| | CHB420DTP | Gray Anti-fog |

## Toccoa™ *ANSI CE CSA*

FOAM PADDING | INCLUDES STRAP

Available in a Carhartt polybag




**Black and Tan Frame**

| | | |
|---|---|---|
| | CHB1010DTMP | Clear H2MAX Anti-fog |
| | CHB1018DTMP | Sandstone Bronze H2MAX Anti-fog |
| | CHB1020DTMP | Gray H2MAX Anti-fog |

## Carbondale® *ANSI CSA*

RUBBER NOSEPIECE | CO-INJECTED TEMPLES | POLARIZED OPTION

Available in a Carhartt capture clam or polybag




**Black and Tan Frame** *(capture clam)*

| | | |
|---|---|---|
| | CHB210DCC | Clear |
| | CHB218DCC | Sandstone Bronze |
| | CHB220DCC | Gray |
| | CHB290DCC | Antique Mirror |

**Black and Tan Frame** *(polybag)*

| | | |
|---|---|---|
| | CHB210D | Clear |
| | CHB210DT | Clear Anti-fog |
| | CHB218D | Sandstone Bronze |
| | CHB219 | ***Polarized*** Sandstone Bronze |
| | CHB220D | Gray |
| | CHB220DT | Gray Anti-fog |
| | CHB221 | ***Polarized*** Gray |
| | CHB290D | Antique Mirror |
| | CHB291 | ***Polarized*** Antique Mirror |

## Ironside® *ANSI*

RUBBER NOSEPIECE | CO-INJECTED TEMPLES

Available in a Carhartt capture clam or polybag




**Black and Tan Frame** *(capture clam)*

| | | |
|---|---|---|
| | CHB618DTCC | Sandstone Bronze Anti-fog |
| | CHB620DTCC | Gray Anti-fog |
| | CHB690DTCC | Antique Mirror Anti-fog |

**Black and Tan Frame** *(polybag)*

| | | |
|---|---|---|
| | CHB618DT | Sandstone Bronze Anti-fog |
| | CHB620DT | Gray Anti-fog |
| | CHB690DT | Antique Mirror Anti-fog |

## Braswell™ *ANSI CSA*

RUBBER NOSEPIECE · ADJUSTABLE NOSEPIECE · RATCHETING TEMPLES

Available in a Carhartt polybag



**Black and Tan Frame**

| | | |
|---|---|---|
| CHB1110DT | Clear Anti-fog | |
| CHB1118DT | Sandstone Bronze Anti-fog | |
| CHB1120DT | Gray Anti-fog | |

**Black and Tan Frame – Readers**

| | | |
|---|---|---|
| CHB1110TR15 | Clear Anti-fog | +1.5 Mag |
| CHB1110TR20 | Clear Anti-fog | +2.0 Mag |
| CHB1110TR25 | Clear Anti-fog | +2.5 Mag |



## Spokane® *ANSI CSA*

RUBBER NOSEPIECE · ADJUSTABLE NOSEPIECE · CO-INJECTED TEMPLES · POLARIZED OPTION

Available in a Carhartt capture clam or polybag

**Black Frame** *(capture clam)*

| | |
|---|---|
| CHB310DCC | Clear |
| CHB318DCC | Sandstone Bronze |
| CHB320DCC | Gray |

**Black Frame** *(polybag)*

| | |
|---|---|
| CHB310D | Clear |
| CHB318D | Sandstone Bronze |
| CHB319 | ***Polarized*** Sandstone Bronze |
| CHB320D | Gray |
| CHB321 | ***Polarized*** Gray |
| CHB361 | ***Polarized*** Blue Mirror |







## Easley™ *ANSI CE CSA*

RUBBER NOSEPIECE · ADJUSTABLE NOSEPIECE · VENTED FRAME

Available in a Carhartt polybag

**Black and Tan Frame**

| | |
|---|---|
| CHB810ST | Clear Anti-fog |
| CHB818ST | Sandstone Bronze Anti-fog |
| CHB820ST | Gray Anti-fog |



## Cayce™ *ANSI CE CSA*

RUBBER NOSEPIECE · ADJUSTABLE NOSEPIECE · RUBBER TIPS

Available in a Carhartt polybag

**Black Frame**

| | |
|---|---|
| CHB910ST | Clear Anti-fog |
| CHB918ST | Sandstone Bronze Anti-fog |
| CHB920ST | Gray Anti-fog |



## Rockwood® *ANSI*

RUBBER NOSEPIECE · ADJUSTABLE NOSEPIECE · CO-INJECTED TEMPLES

Available in a Carhartt capture clam or polybag

**Black and Tan Frame** *(capture clam)*

| | |
|---|---|
| CHB718DTCC | Sandstone Bronze Anti-fog |
| CHB720DTCC | Gray Anti-fog |

**Black and Tan Frame** *(polybag)*

| | |
|---|---|
| CHB710DT | Clear Anti-fog |
| CHB718DT | Sandstone Bronze Anti-fog |
| CHB720DT | Gray Anti-fog |



## Billings® *ANSI CSA*

RUBBER TIPS

Available in a Carhartt clamshell or polybag

**Lens and Temples** *(clamshell)*

| | |
|---|---|
| CH110STCS | Clear Anti-fog |
| CH120STCS | Gray Anti-fog |

**Lens and Temples** *(polybag)*

| | |
|---|---|
| CH110S | Clear |
| CH110ST | Clear Anti-fog |
| CH118S | Sandstone Bronze |
| CH120S | Gray |
| CH120ST | Gray Anti-fog |




RETAIL




## DUCAB and DUCLAM1 *ANSI MIL-PRF-32432*

MULTI LENSES · ADJUSTABLE NOSEPIECE · ADJUSTABLE TEMPLES · RATCHETING TEMPLES · MIL-PRF-32432

Includes: neoprene case with DU logo, microfiber cleaning bag with DU logo, and five interchangeable lenses // Available in a DU clamshell or box

**Black Frame** *(clamshell)*

DUCLAM1

- Clear H2X Anti-fog
- Amber H2X Anti-fog
- Sun Block Bronze H2X Anti-fog
- Orange H2X Anti-fog
- Vermilion H2X Anti-fog

**Black Frame** *(box)*

DUCAB

- Clear H2X Anti-fog
- Amber H2X Anti-fog
- Sun Block Bronze H2X Anti-fog
- Orange H2X Anti-fog
- Vermilion H2X Anti-fog




## DUCAB2 and DUCLAM2 *ANSI CSA*

MULTI LENSES · RUBBER NOSEPIECE · CO-INJECTED TEMPLES

Includes: neoprene case with DU logo, microfiber cleaning bag with DU logo, and four interchangeable lenses // Available in a DU clamshell or box

**Black Frame** *(clamshell)*

DUCLAM2

- Clear
- Forest Gray
- Amber
- Vermilion

**Black Frame** *(box)*

DUCAB2

- Clear
- Forest Gray
- Amber
- Vermilion




## Shooting Eyewear *ANSI MIL-PRF-32432*

RUBBER NOSEPIECE · ADJUSTABLE NOSEPIECE · MIL-PRF-32432

Includes microfiber storage bag // Available in a DU clamshell

**OD Green Frame**

- DUSB6628D — Forest Gray



# DISPLAYS



CHBD144
Carhartt Unit Bulk Display - holds up to 144 units
Display Dimensions: 27.78" x 13.99" x 40.97"
*(product sold separately)*



CHBDBASE
Carhartt Unit Bulk Display with Base - holds up to 144 units
Display Dimensions: 27.78" x 14" x 63.54"
*(product sold separately)*



CHCSD24
Carhartt Unit Countertop Spinner Display - holds up to 24 units
Display Dimensions: 20" x 20" x 34"
*(product sold separately)*



CHIC6
Carhartt Stationary Display - holds up to 6 units
Display Dimensions: 7" x 7.5" x 23.21"
*(product sold separately)*



VGTDIS6
Venture Gear Tactical Stationary Display - holds up to 6 units
Display Dimensions: 10.5" x 7.63" x 26.33"
*(product sold separately)*



VGDIS16
Venture Gear Stationary Display - holds up to 16 units
Display Dimensions: 16" x 8" x 29"
*(product sold separately)*



VGDIS9
Venture Gear Stationary Display - holds up to 9 units
Display Dimensions: 10" x 8" x 31.25"
*(product sold separately)*

VGTDIS6 | VGDIS16 | VGDIS9

Hardware is included to mount display to slatwall, pegboard or gridwall.

Display designs may vary.

Product sold separately.

# PACKAGING

**DUCKS UNLIMITED®**
**Products come packaged in either a branded clamshell or box.**



Clamshell

Box

Packaging design may vary.

**CARHARTT®**
**Products come packaged in either a branded clamshell, capture clam, or polybag.**




Clamshell




Capture Clam




**Polybag** for Display Box

**VENTURE GEAR®**
**Products come packaged in either a branded clamshell, capture clam, box or polybag.**




Capture Clam

Box

Clamshell



**Polybag** for Display Box

**VENTURE GEAR TACTICAL®**
**Products come packaged in either a branded clamshell or box.**




**Clamshell**
Includes microfiber cleaning bag






**Box**
Includes canvas storage case with MOLLE compatible snap straps



RETAIL





RETAIL

# HEARING

## Amp BT™ *ANSI*

NRR 26dB

BLUETOOTH CAPABILITY · AUX JACK · RAPID NOISE SUPPRESSION

Electronic earmuff // Quad microphones // Bluetooth capability // Noise suppression after 85db // Easy-adjust volume and ambient noise controls // Auto shut-off after four hours // 3.5 mm AUX jack cord for use of MP3 and mobile devices // 2 AAA batteries are included // Available in a VG clamshell



**Black Headband**

| | | |
|---|---|---|
| ● | VGPME30BT | Black |
| ● | VGPME31BT | Tan |
| ● | VGPME32BT | Urban Gray |



## Sentinel™ *ANSI*

NRR 26dB

AUX JACK · HEARING AMPLIFICATION · RAPID NOISE SUPPRESSION

Electronic earmuff // Front facing microphone // Amplifies hearing while suppressing harmful sounds and reducing them to a safe level // Auto shut-off after four hours // 3.5 mm AUX jack cord for use of MP3 and mobile devices // 2 AAA batteries are included // Available in a VG clamshell

**Black Headband**

| | | |
|---|---|---|
| ● | VGPME20 | Black |
| ● | VGPME26 | Powder Blue |



## Clandestine™ *ANSI*

NRR 24dB

HD CLEAR SOUND SPEAKERS · HEARING AMPLIFICATION · RAPID NOISE SUPPRESSION

Electronic earmuff // Omnidirectional microphone // Amplifies hearing while suppressing harmful sounds and reducing them to a safe level // External access for easy battery replacement // 2 AAA batteries are included // Available in a VG capture clam

**Black Headband**

| | | |
|---|---|---|
| ● | VGPME10 | Black |
| ● | VGPME17 | Black Graphite Pattern |

## VG80 Series *ANSI*

NRR 36dB when worn with earplugs

Low-profile ear cup design // Height adjustment to fit most // Fold-away padded headband // Earmuffs (NRR 26dB) are packaged with free disposable earplugs (NRR 32dB) // Available in a VG clamshell



**Black Headband**

| | | | |
|---|---|---|---|
| ● | VGPM8010C | Gray | |
| ● | VGPM8010PC | Pink | |
| ● | VGPM8011C | Black | |
| ● | VGPM8031C | Hi-vis Lime | |
| ● | VGPM8041C | | Hi-vis Orange |
| ● | VGPM8063C | | Teal |
| ● | VGPM8065C | | Purple |



## VG90 Series *ANSI*

NRR 34dB when worn with earplugs

Low-profile ear cup design // Height adjustment to fit most // Fold-away padded headband // Earmuffs (NRR 24dB) are packaged with free disposable earplugs (NRR 32dB) // Available in a VG clamshell

**Black Headband**

| | | |
|---|---|---|
| ● | VGPM9010C | Gray |
| ● | VGPM9010PC | Pink |
| ● | VGPM9022C | OD Green |
| ● | VGPM9026C | Powder Blue |



## VGBH9010C *ANSI*

NRR 22dB

Behind the head earmuffs // Adjustable and durable neckband // Earcups tilt for optimum comfort and efficiency // Available in a VG capture clam

**Black Neckband**

| | | |
|---|---|---|
| ● | VGBH9010C | Gray with Hi-vis Green |

RETAIL

RETAIL

# KITS

## Ever-Lite® Range Kit

*Eyewear meets ANSI Z87.1+, CE EN166 and CSA Z94.3 standards. All lenses are hard coated scratch-resistant polycarbonate and provide 99% protection from harmful UV rays. Earmuffs meet ANSI S3.19 standards.*

### Earmuff NRR 26dB

Low-profile ear cup design // Height adjustment to fit most // Fold-away padded headband

### Eyewear

Soft nosepiece for snug fit // Lightweight spectacle – 22 gm



VGCOMB08610 *(clamshell)*
Clear Lens with Black Frame
Gray Ear Cup with Black Headband



VGCOMB08617 *(clamshell)*
Pink Lens with Black Frame
Pink Ear Cup with Black Headband



VGCOMB08630 *(clamshell)*
Amber Lens with Black Frame
Gray Ear Cup with Black Headband

## Shooting Kits

*Eyewear meets ANSI Z87.1+ and CSA Z94.3 standards. All lenses are hard coated scratch-resistant polycarbonate and provide 99% protection from harmful UV rays. Earmuff meets ANSI S3.19 standards.*

### Earmuff NRR 26dB

Low-profile ear cup design // Height adjustment to fit most // Fold-away padded headband

### Eyewear

Ventilated nosepiece is soft and adjustable // Top of frame is ventilated allowing air to circulate // Soft dual-injected rubber temple tips combined with fully adjustable straight back temples reinforce the highest level of comfort and fit



DUCOMB05710 *(clamshell)*
Clear Lens with Black Frame
Gray Ear Cup with Black Headband



DUCOMB05740 *(clamshell)*
Orange Lens with Black Frame
Gray Ear Cup with Black Headband





## Cappture™ *(clamshell)*



ANSI

For more information, see page 75.

PYS9910ST Clear H2X AF Lens with Clear Temples

## Onix® *(clamshell)*



ANSI MIL-PRF-32432

For more information, see page 61.

PYSB4910S Clear Lens with Black Frame
PYSP4910S Clear Lens with Black and Pink Frame

## Venture 3® *(clamshell)*



ANSI CE CSA MIL-PRF-32432

For more information, see page 57.

PYSB5710D Clear Lens with Black Frame
PYSB5730D Amber Lens with Black Frame



## PYS25 Combo Kits *(polybag)*

For more information, see page 67 (Ztek® and Mini Ztek) and page 112 (DP1000).

**Ztek** NRR 32dB / SNR 38dB

PYS2510SDP Clear Lens with Clear Temples with Disposable Uncorded Earplugs
PYS2530SDP Amber Lens with Amber Temples with Disposable Uncorded Earplugs

**Mini Ztek** NRR 32dB / SNR 38dB

PYS2510SNDP Clear Lens with Clear Temples with Disposable Uncorded Earplugs
PYS2517SNDP Pink Lens with Pink Temples with Disposable Uncorded Earplugs
PYS2530SNDP Amber Lens with Amber Temples with Disposable Uncorded Earplugs

*Eyewear meets ANSI Z87.1+, CE EN166 and CSA Z94.3 standards. All lenses are hard coated scratch-resistant polycarbonate and provide 99% protection from harmful UV rays. Disposable uncorded earplugs meet ANSI S3.19 and CE EN-352:2002 standards.*

## Reusable Earplugs *(blister card)*



ANSI NRR 24dB

For more information, see page 111.

PYRP3001 Pair of Reusable Corded Earplugs

## Disposable Earplugs *(blister card or bin)*



ANSI NRR 32dB

For more information, see page 112.

PYDP1000 5 Pair of Disposable Uncorded Earplugs in Blister Card
PYDP1000BN 100 Pair of Disposable Uncorded Earplugs in Bin
PYDP1000PC 5 Pair of Disposable Uncorded Earplugs with Case in Blister Card

## N95 Respirators *(clamshell)*



NIOSH – N95

For more information, see page 96.

PYRM10C 3 Pack of N95 Disposable Particulate Respirators
PYRM10VC 1 Pack of a N95 Disposable Particulate Respirator with One Way Valve for Easy Exhalation

## Face Shields *(hang tag polybag)*



ANSI

For more information, see page 93 (face shield) and page 94 (headgear combo).

PYS1040 Aluminum Bound Polycarbonate Face Shield
PYHGBRKITCS S1040 Face Shield with Ridgeline® Ratchet Headgear Combo



Blister card | Clamshell | Polybag | Hang Tag Polybag

ℹ Packaging design may vary.


OUR CUSTOMERS DESERVE QUALITY.
PYRAMEX
PYRAMEXSAFETY.COM